



Prior to installation, please note that all screws have been pre-installed in their designated screw holes. To proceed, carefully remove these screws before commencing the assembly process. Thank you for your attention.

Installation Instructions

Accessory details




Step 1




Remove the screws on both sides of the mat, and then install the handrails with the screws

Step 2




Remove the screws on the back of the seat cushion, and then install the chair legs with the screws

Expansion method



After unzipping the folding legs, flip them over and place them on the ground to achieve the unfolded style

Folding method




Press and hold the button to retract the folding legs and then fold them up. This is the folding seat style

Prior to installation, please note that all screws have been pre-installed in their designated screw holes. To proceed, carefully remove these screws before commencing the assembly process. Thank you for your attention.

Instructions pour l'installation

Détails des accessoires




A coussins X1



B Fauteuils de jambe X2



C KaoZhen X1




D poignées X2




E wrench X1

Étape 1:




Enlevez les vis pour faire le tapis sur les côtés gauche et droit, puis installez la main courante à l'aide de vis sur

Étape 2:




Retirez les vis à l'arrière du coussin, puis installez les pieds de la chaise à l'aide de vis sur

Développer la méthode



Tirez la fermeture à glissière pour ouvrir la jambe pliante, le renversement placé sur le sol est un style déployé

Méthodes de pliage




Après avoir enfoncé le bouton pour retirer la jambe repliée, elle se replie, ce qui signifie que le style du siège est plié


Prior to installation, please note that all screws have been pre-installed in their designated screw holes. To proceed, carefully remove these screws before commencing the assembly process. Thank you for your attention.

Die reparierungsbeschreibung.

Die details Wissen.




Schritt 1:




Die bolzen wurden auf der linken und der rechten seite des unters angebracht

Schritt 2:




Sie ließ die schraube auf der unterseite der polster entfernen und brachte die sitzplatte dort unter

Alle methoden auspacken.



Der reißverschluss faltet die beine nach oben und läßt den kopf so über dem boden aufrollen, dass der ausdehnende stil angezeigt wird

Methoden der faltung



Man drückt den knopf, zieht die beine ein und faltet sie. So wird der gefaltete sitz angezeigt