
MONTAGEANLEITUNG//ASSEMBLY INSTRUCTION

Artikelnummer/ItemNumber: N622P272626
N622P272627

Unser Bett wird in **2** Paketen geliefert. Die Lieferzeit dieser **2** Pakete konnen abweichen.bittehaben Sie etwas Geduld und vielen Dank furlhr Verstandnis.
Our bed will be sent to you in two packages. The delivery time of these two parcels may be different. Please be patient. Thank you for your understanding.

Bett 200x120cm/190x90cm



FR
Cet appareil, ses cordons, et batterie se recyclent
À DÉPOSER EN MAGASIN
OU
À DÉPOSER EN DÉCHÈTERIE
Points de collecte sur www.quefairedemesdechets.fr
Privilégiez la réparation ou le don de votre appareil !

English

IMPORTANT ! KEEP FOR FUTURE REFERENCE : READ CAREFULLY

- To be assembled by an adult. Assembly must be checked by an adult before use
- WARNING ! Keep all screws, small parts and plastic bags out of the reach of children
- Properly identify all parts before assembling
- Never use your item if any of its parts are broken or missing
- Should any problems arise, please contact our After Sales Service
- Manufacturer's instructions shall be followed at all times
- Care: Clean with a soft, dry cloth. In case of larger stains, carefully rub with a slightly damp, non-abrasive sponge
- Avoid the risk of fire by not placing furniture near sources of ignition or hot items
- Do not jump on the bed

Deutsch

WICHTIG ! ZUM SPÄTEREN NACHSCHLAGEN AUFBEWAHREN: SORGFÄLTIG LESEN

- Muss von einem Erwachsenen zusammengebaut werden.Der Zusammenbau muss vor dem Gebrauch von einem Erwachsenen überprüft werden
- WARNUNG! Bewahren Sie alle Schrauben, Kleinteile und Plastikbeutel außerhalb der Reichweite von Kindern auf
- Kennzeichnen Sie vor dem Zusammenbau alle Teile richtig
- Benutzen Sie Ihren Artikel niemals, wenn Teile gebrochen sind oder fehlen
- Sollten Probleme auftreten, wenden Sie sich bitte an unseren Kundendienst
- Die Anweisungen des Herstellers sind stets zu befolgen
- Pflege: Mit einem weichen, trockenen Tuch reinigen. Bei größeren Flecken vorsichtig mit einem leicht feuchten, nicht scheuernden Schwamm abreiben. nicht scheuernden Schwamm
- Vermeiden Sie die Gefahr eines Brandes, indem Sie die Möbel nicht in der Nähe von Zündquellen oder heißen Gegenständen aufstellen
- Nicht auf das Bett springen

Français

IMPORTANT ! CONSERVER POUR RÉFÉRENCE ULTÉRIEURE : LIRE ATTENTIVEMENT

- Le montage doit être effectué par un adulte. Le montage doit être vérifié par un adulte avant Utilisation
- ATTENTION ! Tenir les vis, les petites pièces et les sachets en plastique hors de portée des enfants
- Identifiez correctement toutes les pièces avant de les assembler
- N'utilisez jamais votre article si l'une de ses pièces est cassée ou manquante
- En cas de problème, veuillez contacter notre service après-vente
- Les instructions du fabricant doivent être respectées à tout moment
- Entretien : nettoyer avec un chiffon doux et sec. En cas de taches plus importantes, frotter soigneusement avec une éponge non abrasive légèrement humide. légèrement humide et non Abrasive
- Évitez les risques d'incendie en ne plaçant pas les meubles à proximité de sources d'inflammation ou d'objets chauds
- Ne pas sauter sur le lit

Italiano

IMPORTANTE! CONSERVARE PER RIFERIMENTO FUTURO: LEGGERE ATTENTAMENTE

- Deve essere assemblato da un adulto. L'assemblaggio deve essere controllato da un adulto prima dell'uso
- ATTENZIONE! Tenere tutte le viti, le piccole parti e i sacchetti di plastica fuori dalla portata dei bambini
- Identificare correttamente tutte le parti prima dell'assemblaggio
- Non utilizzare mai l'articolo se alcune parti sono rotte o mancanti
- In caso di problemi, si prega di contattare il nostro Servizio Post Vendita
- Le istruzioni del produttore devono essere sempre seguite
- Cura: Pulire con un panno morbido e asciutto. In caso di macchie più estese, strofinare accuratamente con una spugna leggermente umida e nonspugna leggermente umida e non abrasiva
- Evitare il rischio di incendio, non collocando i mobili vicino a fonti di accensione o a oggetti caldi
- Non saltare sul letto


Español


¡ IMPORTANTE ! CONSÉRVELO PARA FUTURAS CONSULTAS: LEA ATENTAMENTE

- Debe ser montado por un adulto. El montaje debe ser comprobado por un adulto antes del uso

ADVERTENCIA Mantenga todos los tornillos, piezas pequeñas y bolsas de plástico fuera del alcance de los niños.

- Identifique correctamente todas las piezas antes de montarlas
- Nunca utilice su artículo si alguna de sus piezas está rota o falta
- Si surge algún problema, póngase en contacto con nuestro Servicio Postventa
- Las instrucciones del fabricante deben seguirse en todo momento
- Cuidado: Limpiar con un paño suave y seco. En caso de manchas más grandes, frote cuidadosamente con una esponja no abrasiva ligeramente humedecida.
- Evite el riesgo de incendio no colocando los muebles cerca de fuentes de ignición u objetos calientes.
- No saltar sobre la cama.







INSTRUCTIONS

IMPORTANT-READ CAREFULLY-RETAIN FOR FUTURE REFERENCE

a) **WARNING** -Children can become rapped between the bed and the wall, the adjoining pieces of furniture (e g. cupboards) and the Ike. To avoid risk of serious injury the distance between the safety barrier and the adjoining structure shall not exceed 90 mm or shall be more than 230 mm.

b) **WARNING**-Do not use the bed if any structural part is broken or missing; Replacement parts are between requested from the manufacturer or the store.

c) **WARNING**-Do not climb or wiggle on any non-designated structures.

d) it is imperative to always follow the installation instructions and manufacturer's use.

e) The recommended size of the mattress to be used with the bed is 200cmx120cm,maximum thickness mattress:12cm. 190cmx90cm,maximum thickness mattress:12cm.

f) It is necessary to ventilate the room in order to maintain a low level moisture and prevent mold growth in the bed and its periphery.

g) Joining devices should always be tightened properly and regularly verified. Tighten if necessary.

ANLEITUNGEN

WICHTIG - SORGFÄLTIG LESEN - FÜR SPÄTERE VERWENDUNG AUFBEWAHREN

a) **WARNUNG** - Kinder können zwischen dem Bett und der Wand, den angrenzenden Möbelstücken (z. B. Schränken) und der Lücke eingeklemmt werden. Um die Gefahr schwerer Verletzungen zu vermeiden, darf der Abstand zwischen der Sicherheitsbarriere und der angrenzenden Struktur nicht mehr als 90 mm oder mehr als 230 mm betragen.

b) **WARNUNG**-Das Bett darf nicht benutzt werden, wenn ein Bauteil gebrochen ist oder fehlt; Ersatzteile sind beim Hersteller oder im Geschäft anzufordern.


c) **WARNUNG** - Klettern oder wackeln Sie nicht auf nicht dafür vorgesehenen Strukturen.

d) Befolgen Sie unbedingt die Installationsanweisungen und die Gebrauchsanweisungen des Herstellers.


e) Die empfohlene Größe der Matratze für das Bett beträgt 200cmx120cm,maximale Dicke der Matratze: 12cm. 190cmx90cm, maximale Dicke der Matratze: 12cm

f) Es ist notwendig, den Raum zu lüften, um die Feuchtigkeit niedrig zu halten und Schimmelbildung im Bett und seiner Umgebung zu verhindern


g) Die Verbindungselemente sollten immer richtig angezogen sein und regelmäßig überprüft werden. Ziehen Sie sie gegebenenfalls nach.




EN_QUICKFIT: Tighten quickfit until shoulder is flush with panel.Do not overtighten or undertighten.
FR_RACCORD RAPIDE:Faites serrer le raccord rapide jusqu'à ce que l'épaulement soit parfaitement encastré dans le panneau. Il ne faut ni trop serrer ni insuffisamment serrer.
ES_QUICKFIT:Apriete quickfit hasta que el hombre se descargue con el panel. NO lo sobreapriete ni lo apriete poco.
DE_QUICKFIT:Ziehen Sie den Quickfit fest, bis die Schulter mit der Platte bündig ist. Bitte nicht zu fest oder zu schwach anziehen.
IT_MONTAGGIO RAPIDO:Stringere il montaggio rapido fino a quando la spalla è a filo con il pannello, non stringere troppo o troppo poco.



EN_CAM LOCK: When fitting cam lock, ensure starting position is correct before you insert connecting quickfit.
FR_SERRURE BATTEUSE:Avant d'insérer la serrure batteuse, veillez à la bonne orientation avant d'insérer le raccord rapide.
ES_CIERRE DE LA CÁMARA:Cuando instale el cierre de la cámara, asegúrese de que la posición de inicio es correcta antes de que inserte el quickfit conector.
DE_CAM-LOCK:Achten Sie bei der Montage des Cam-Locks auf die richtige Ausgangsposition, bevor Sie den Quickfit einsetzen.
IT_BLOCCAGGIO A CAMMA:Quando si monta il bloccaggio a camma, assicurarsi che la posizione iniziale sia corretta prima di inserire il montaggio rapido di collegamento.



EN_ Quickfit head should be in the centre of the cam lock when the two panels are joined.
Cam lock should be inserted before quickfit.
FR_ Lorsque les deux panneaux sont assemblés, la tête du raccord rapide doit reposer au centre de la serrure batteuse.
Il faut insérer la serrure batteuse avant le raccord rapide.
ES_ El cabezal del quickfit debe estar en el centro del cierre de la cámara cuando se unan los dos paneles.
Se debe insertar el cierre de la cámara antes que el quickfit.
DE_ Der Quickfit-Kopf sollte sich in der Mitte des Cam-Locks befinden, wenn die beiden Platten zusammengefügt sind.
Der Cam-Lock sollte vor dem Quickfit eingesetzt werden.
IT_ La testa del montaggio rapido deve trovarsi al centro del bloccaggio a camma quando i due pannelli sono uniti.
Il Bloccaggio a Camma deve essere inserito prima del montaggio rapido.



EN_ Turn cam lock clockwise to tighten.
FR_ Faites tourner la serrure batteuse dans le sens des aiguilles d'une montre pour la resserrer.
ES_ Gire el cierre de la cámara en sentido horario para apretarlo.
DE_ Drehen Sie den Cam-Lock im Uhrzeigersinn, um ihn festzuziehen.
IT_ Ruotare il bloccaggio a camma in senso orario per stringere.



DE:Vor dem Einbau die Schrauben in die Löcher stecken und festziehen, aber nicht bis 100%, 70% bis 80% anziehen reicht aus. Schließlich, nachdem alle Schrauben installiert sind, ziehen Sie alle Schrauben auf 100 %.

Wenn Sie auf diese Probleme stoßen, wie z. B. Fehlausrichtung der Löcher oder Unfähigkeit, bestimmte Teile zu installieren, überprüfen Sie bitte, ob die Schrauben korrekt verwendet werden und passen Sie die Dichtigkeit der Schrauben an.


UK:Before installation, insert the screws into the holes and tighten them, but do not tighten them to 100%, 70% to 80% is sufficient. Finally, after all screws are installed, tighten all screws to 100%.

If you encounter these issues, such as if the holes cannot be aligned or some parts cannot be installed, please check if the screws are used correctly and adjust the tightness of the screws.

FR:Insérer la vis dans le trou avant la fin de l'assemblage, serrer la vis, mais ne pas serrer à 100%, 70% ~ 80% est correct. Enfin, une fois que toutes les vis sont bien serrées, toutes les vis sont serrées à 100%.





Si vous rencontrez ces problèmes, par exemple si les trous ne sont pas alignés ou si certaines pièces ne peuvent pas être montées, vérifiez que les vis sont utilisées correctement et Ajustez leur serrage.

MONTAGEANLEITUING/ASSEMBLY INSTRUCTIONS





MONTAGEANLEITUING/ASSEMBLY INSTRUCTIONS



N622P272626

1		1PC	9		1PC
2		1PC	12		1PC
3		1PC	13		1PC
4		1PC	14		1PC
5		1PC	15		1PC
7		2PCS	16		1PC
8		1PC	17		1PC

N622P272627


6		1PC	19		1PC
10		1PC			
11		1PC	20		1PC
18		2PCS			

N622P272627

A	6x100 	8PCS	M	6x60 	8PCS
B	6x70 	4PCS	O		4PCS
C		22PCS	P	3x25	56PCS
D	Ø8x30 	16PCS	S	M4 	2PCS
E	6x20 	4PCS	U		1PC
F	6x35 	4PCS	V		4PCS
H		24PCS	W		1PC
I		24PCS	X	6x85 	2PCS
J	3x16 	14PCS	Z		2PCS

MONTAGEANLEITUING/ASSEMBLY INSTRUCTIONS

1




B	6x70		4PCS
C			4PCS
D	Ø8x30		8PCS
S	M4		1PC


A	~~6x100~~	
M	~~6x60~~	
X	~~6x85~~	

MONTAGEANLEITUING/ASSEMBLY INSTRUCTIONS

2





A	6x100	8PCS	B	6x70	
C		8PCS	M	6x60	
D	Ø8x30	4PCS	X	6x85	
S	M4	1PC			



MONTAGEANLEITUING/ASSEMBLY INSTRUCTIONS

3







H		4PCS
I		12PCS

MONTAGEANLEITUING/ASSEMBLY INSTRUCTIONS


4






H		4PCS
I		4PCS

MONTAGEANLEITUING/ASSEMBLY INSTRUCTIONS







D	Ø8x30	4PCS
H		8PCS
I		4PCS

MONTAGEANLEITUING/ASSEMBLY INSTRUCTIONS

6






H		8PCS
I		4PCS

MONTAGEANLEITUING/ASSEMBLY INSTRUCTIONS

7




A	6x100	
B	6x70	
M	6x60	

X	6x85	2PCS
C		2PCS
E	6x20	4PCS
F	6x35	4PCS
S	M4	2PCS

MONTAGEANLEITUING/ASSEMBLY INSTRUCTIONS

8




LED Bluetooth Controller

EN:Scan to download App control the Led light.
DE:Scannen, um die App zum Steuern des LED -Lichts herunterzuladen
FR:Scanner pour télécharger App contróler la lumière Led.

T	3x16	4PCS
II		1PC
V		4PCS

MONTAGEANLEITUING/ASSEMBLY INSTRUCTIONS


9




J	3x16	2PCS
P	3X 25	2PCS
W		1PCS
Z		2PCS

MONTAGEANLEITUING/ASSEMBLY INSTRUCTIONS

10






M	6x60	8PCS	A	~~6x100~~	
C		8PCS	B	~~6x70~~	
S	M4	1PC	X	~~6x85~~	

MONTAGEANLEITUING/ASSEMBLY INSTRUCTIONS


11




J	3x16	8PCS
0		4PCS

MONTAGEANLEITUING/ASSEMBLY INSTRUCTIONS

12







P	3x25	24PCS

MONTAGEANLEITUING/ASSEMBLY INSTRUCTIONS


13





P	3x25		30PCS

14



Led Bluetooth Mini Controller Manual



Download App Software

Please download "LotusLamp X" in the app store or scan the QR code below to download.

1. Download the"LotusLamp X"app with your phone by scanning the QR code on the user manual or searching for the Lotus Lamp app in the iPhone App Store or Google Play Store


2. After the APP are downloaded successfully, you need to turn on Bluetooth function on your phone firstly, then plug in the strip light, then open the APP, your APP will pair with the strip light automatically and you can control it.

Unable to Connect Troubleshooting


(1) Check if the power supply of the light strip is normal.
(2) Check if the Bluetooth is turn on.
(3) Check if there are other mobile phone are connected, Bluetooth 4.0 only support connections one to many, dose not support many to many.
(4) Check APP Bluetooth setting if the phone is connected to the device, if connect, exit the APP and reopen, the APP will go to connect automatically.
(5) Normal operations and can not connect, please exit the APP and reopen.
(6) Exit APP, restart mobile phone, power on the strip light, reopen the APP, then them will connect automatically.

Instructions


Scan the code or search to get the following APP, open the APP



1.Open the control software to get the following interface



Clicking on the connected device will appear as shown in the dashboard image on the right.



2.Use the color palette function when connecting devices.



(1).Drag the ring to switch colors

(2).Click on the RGB value to adjust the color

(3).Tap Color to toggle

(4).Click Pattern + and press (1) to perform color DIY

(Long press DIY color to redo color DIY)

(5).Drag the white point to adjust the brightness

3.Use the rhythm function when connecting the device.



(1) Device MIC: Sound rhythm is received through the device

(Four rhythm modes can be selected under the receiving sound rhythm through the device)

(2) Phone MIC: Receive sound rhythm via your phone

(3) Music: By selecting a music groove

(4) Sensitivity: Drag the white point to adjust the receive responsiveness

4.Use the mode function when connecting the device.



Swipe / tap the screen to switch static colors or jump changes and other functions

Slide the white dot to adjust the flashing speed in the changing state


Slide the white dot to adjust the brightness

5.Use scene features when connecting devices.



The scene function intelligently adjusts the flickering effect according to the system.

6.Use the timing function when connecting the device.



Turn on the lights regularly

Set the auto-start time and date by clicking to select

Turn off the lights regularly

Set the automatic lights off time and date by clicking to select

The timing function can be used together in other modes.

NOWD Testing Services Co., Ltd.
TEL: +86-755-2783 0065 **FAX**: +86-755-2783 0095
ADD: 5A, Building 29B, Yintian Industrial Zone, Yantian Community, Xixiang Street, Bao'an District, Shenzhen, China
Email: nowd@nowd.com.cn
Web: http://www.nowd.com.cn

Verification of Compliance

Reference	:	NTS2511016
Report No.	:	NTS2511016E,NTS2511017E,NTS2511018E,NTS2511019E
Applicant	:	QingDao ChengKong Electrical-Auto Co., Ltd No.147 Xining Road, Zhuhai Community, Huangdao District, Qingdao,Shandong
Manufacture	:	QingDao ChengKong Electrical-Auto Co., Ltd No.147 Xining Road, Zhuhai Community, Huangdao District, Qingdao,Shandong
Product	:	LED STRIPT LIGHT
Trade Mark	:	**ROOZMAUSY**
Model No.	:	**L-50-30D**
Serial Model		**L-50-60D, L-50-18D, L-50-120D, L-3528-30D, L-3535-30D**

The submitted sample of the above equipment has been tested for CE marking according to the following European Directives:

Radio Equipment Directive: 2014/53/EU

Standard(s) used for showing compliance with the essential requirements in the specified directive(s):

Test Standards

ETSI EN 301 489-1 V2.2.3 (2019-11)
ETSI EN 301 489-17 V3.2.4 (2020-09)
EN IEC 55015:2019+A11:2020
EN IEC 61547-2023
EN IEC 61000-3-2:2019+A1:2021+A2:2025
EN 61000-3-3:2013+A1:2019+A2:2021
EN 62479:2010
ETSI EN 300 328 V2.2.2 (2019-07)
EN IEC 60598-2-1-2021
used in conjunction with
EN IEC 60598-1:2024/A11:2024

The statement is based on a single evaluation of one sample of above mentioned products. It does not imply an assessment of the whole production.

The manufacture should ensure that all products in series production are in conformity with the product sample detailed in this report. The applicant should hold the whole technical report at disposal of the competent all the right.

Signed for and on behalf of
NOWD Testing Services Co., Ltd.

Somnus
Technical Manager
Date: November 8, 2025

NOWD Testing Services Co., Ltd.
TEL: +86-755-2783 0065 **FAX**: +86-755-2783 0095
ADD: 5A, Building 29B, Yintian Industrial Zone, Yantian Community, Xixiang Street, Bao'an District, Shenzhen, China
Email: nowd@nowd.com.cn
Web: http://www.nowd.com.cn

Verification of Compliance

Reference	:	NTS2511017
Report No.	:	NTS2511017E
Applicant	:	QingDao ChengKong Electrical-Auto Co., Ltd
		No.147 Xining Road, Zhuhai Community, Huangdao District, Qingdao,Shandong
Manufacture	:	QingDao ChengKong Electrical-Auto Co., Ltd
		No.147 Xining Road, Zhuhai Community, Huangdao District, Qingdao,Shandong
Product	:	LED STRIPT LIGHT
Trade Mark	:	**ROOZMAUSY**
Model No.	:	**L-50-30D**
Serial Model		**L-50-60D, L-50-18D, L-50-120D, L-3528-30D, L-3535-30D**

The submitted sample of the above equipment has been tested for CE marking according to the following European Directives:

The EMC Directive 2014/30/EU has been taken as references for these processes.

Standard(s) used for showing compliance with the essential requirements in the specified directive(s):

Test Standards

ETSI EN 301 489-1 V2.2.3 (2019-11)
ETSI EN 301 489-17 V3.2.4 (2020-09)
EN IEC 55015:2019+A11:2020
EN IEC 61547-2023
EN IEC 61000-3-2:2019+A1:2021+A2:2025
EN 61000-3-3:2013+A1:2019+A2:2021
EN 62479:2010
ETSI EN 300 328 V2.2.2 (2019-07)
EN IEC 60598-2-1-2021
used in conjunction with
EN IEC 60598-1:2024/A11:2024

The statement is based on a single evaluation of one sample of above mentioned products. It does not imply an assessment of the whole production.

The manufacture should ensure that all products in series production are in conformity with the product sample detailed in this report. The applicant should hold the whole technical report at disposal of the competent all the right.

Signed for and on behalf of
NOWD Testing Services Co., Ltd.

Somnus
Technical Manager
Date: November 8, 2025

NOWD Testing Services Co., Ltd.
TEL: +86-755-2783 0065 **FAX**: +86-755-2783 0095
ADD: 5A, Building 29B, Yintian Industrial Zone, Yantian Community, Xixiang Street, Bao'an District, Shenzhen, China
Email: nowd@nowd.com.cn
Web: http://www.nowd.com.cn

Verification of Compliance

Reference	:	NTS2511019
Report No.	:	NTS2511019E
Applicant	:	QingDao ChengKong Electrical-Auto Co., Ltd No.147 Xining Road, Zhuhai Community, Huangdao District, Qingdao,Shandong
Manufacture	:	QingDao ChengKong Electrical-Auto Co., Ltd No.147 Xining Road, Zhuhai Community, Huangdao District, Qingdao,Shandong
Product	:	LED STRIPT LIGHT
Trade Mark	:	**ROOZMAUSY**
Model No.	:	**L-50-30D**
Serial Model		**L-50-60D, L-50-18D, L-50-120D, L-3528-30D, L-3535-30D**

The submitted sample of the above equipment has been tested for CE marking according to the following European Directives:

The Low Voltage Directive 2014/35/EU has been taken as references for these processes

Standard(s) used for showing compliance with the essential requirements in the specified directive(s):

Test Standards

ETSI EN 301 489-1 V2.2.3 (2019-11)
ETSI EN 301 489-17 V3.2.4 (2020-09)
EN IEC 55015:2019+A11:2020
EN IEC 61547-2023
EN IEC 61000-3-2:2019+A1:2021+A2:2025
EN 61000-3-3:2013+A1:2019+A2:2021
EN 62479:2010
ETSI EN 300 328 V2.2.2 (2019-07)
EN IEC 60598-2-1-2021
used in conjunction with
EN IEC 60598-1:2024/A11:2024

The statement is based on a single evaluation of one sample of above mentioned products. It does not imply an assessment of the whole production.

The manufacture should ensure that all products in series production are in conformity with the product sample detailed in this report. The applicant should hold the whole technical report at disposal of the competent all the right.

Signed for and on behalf of
NOWD Testing Services Co., Ltd.

Somnus
Technical Manager
Date: November 8, 2025

NOWD Testing Services Co., Ltd.
TEL: +86-755-2783 0065 **FAX**: +86-755-2783 0095
ADD: 5A, Building 29B, Yintian Industrial Zone, Yantian Community, Xixiang Street, Bao'an District, Shenzhen, China
Email: nowd@nowd.com.cn
Web: http://www.nowd.com.cn

Verification of Compliance

Reference No.	:	NTS2511070
Report No.	:	NTS2511070R
Applicant	:	QingDao ChengKong Electrical-Auto Co., Ltd No.147 Xining Road, Zhuhai Community, Huangdao District, Qingdao,Shandong
Manufacturer	:	QingDao ChengKong Electrical-Auto Co., Ltd No.147 Xining Road, Zhuhai Community, Huangdao District, Qingdao,Shandong
Product	:	LED STRIPT LIGHT
Model No.	:	L-50-30D,L-50-60D, L-50-18D, L-50-120D, L-3528-30D, L-3535-30D
Trade Mark	:	N/A

The submitted sample of the above equipment has been tested for CE marking according to the following European Directives:

RoHS Directive: 2011/65/EU & 2015/863/EU

Standard(s) used for showing compliance with the essential requirements in the specified directive(s):

Test Standards	**IEC 62321-1: 2013;**	**IEC 62321-6: 2015;**
	IEC 62321-3-1: 2013;	**IEC 62321-7-1: 2015;**
	IEC 62321-4: 2013+A1: 2017;	**IEC 62321-7-2: 2017;**
	IEC 62321-5: 2013;	**IEC 62321-8: 2017**

The statement is based on a single evaluation of one sample of above mentioned products. It does not imply an assessment of the whole production.

The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report. The applicant should hold the whole technical report at disposal of the competent all the right.

RoHS

NOWD TESTING SERVICES CO.,LTD. NTS CERTIFICATION

Signed for and on behalf of
NOWD Testing Services Co., Ltd.

Somnus
Technical Manager
Date: Nov. 08, 2025

This certificate is responsible for testing sample only.
Please refer to this corresponding test report to get testing process and data.

CERTIFICATE

ATTESTATION
Certificate of Compliance

Technical file of the company mentioned below has been inspected and audit has been completed successfully

The Low Voltage Directive 2014/35/EU has been taken as references for these processes.

Certificate's Holder	:	QingDao ChengKong Electrical-Auto Co., Ltd.
Address	:	Room 5-402, No.147 Xining Road, Zhuhai Community, Huangdao District, Qingdao, Shandong, China
Manufacturer	:	QingDao ChengKong Electrical-Auto Co., Ltd.
Address	:	Room 5-402, No.147 Xining Road, Zhuhai Community, Huangdao District, Qingdao, Shandong, China
Product Name	:	Furniture Power Distribution Unit
Product Model (S)	:	JN02-00-22, JN02-00-22Y, JN02-00-02, JN02-00-21, JN02-00-23, JN02-00-03, JN02-00-04
Trade Mark	:	Roozmausy
Related Directive	:	2014/35/EU
Related Standards	:	EN IEC 62368-1:2020 + A11:2020
Certificate Number	:	HK2405271322S
Report No.	:	HK2405271322-SR
Registration Date	:	Jun. 04, 2024

Certification Manager

The information of the certificate can be checked through www.cer-mark.com. The CE mark which is shown on the certificate can only be used under the conditions that the products complete with all of the relevant Directives of CE Declaration of Conformity. The Manufacturer should be responsible for the internal production control so that the products complied with the essential requirements of the above mentioned Directive(s). Certificate holder must notify all changes to the original certification laboratory of HUAK.

CE

Shenzhen HUAK Testing Technology Co., Ltd.

Add.: 1-2/F., Building B2, Junfeng Zhongcheng Zhizao Innovation Park, Heping, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China
Tel.:+86-755-2302 9901 Http:// www.cer-mark.com Postcode:518103 E-mail: service@cer-mark.com

This certificate is responsible for testing sample only.
Please refer to this corresponding test report to get testing process and data.

CERTIFICATE

ATTESTATION
Certificate of Compliance

Technical file of the company mentioned below has been inspected and audit has been completed successfully

The EMC Directive 2014/30/EU has been taken as references for these processes.

Certificate's Holder	:	QingDao ChengKong Electrical-Auto Co., Ltd.
Address	:	Room 5-402, No.147 Xining Road, Zhuhai Community, Huangdao District, Qingdao, Shandong, China
Manufacturer	:	QingDao ChengKong Electrical-Auto Co., Ltd.
Address	:	Room 5-402, No.147 Xining Road, Zhuhai Community, Huangdao District, Qingdao, Shandong, China
Product Name	:	Furniture Power Distribution Unit
Product Model (S)	:	JN02-00-22, JN02-00-22Y, JN02-00-02, JN02-00-21, JN02-00-23, JN02-00-03, JN02-00-04
Trade Mark	:	Roozmausy
Related Directive	:	2014/30/EU
Related Standards	:	EN 55032:2015 + A1:2020 + A11:2020 EN IEC 61000-3-2:2019 + A1:2021 EN 61000-3-3:2013 + A1:2019 + A2:2021 EN 55035:2017 + A11:2020
Certificate Number	:	HK2405272729E
Report No.	:	HK2405272729-1ER
Registration Date	:	Jun. 04, 2024

Certification Manager

The information of the certificate can be checked through www.cer-mark.com. The CE mark which is shown on the certificate can only be used under the conditions that the products complete with all of the relevant Directives of CE Declaration of Conformity. The Manufacturer should be responsible for the internal production control so that the products complied with the essential requirements of the above mentioned Directive(s). Certificate holder must notify all changes to the original certification laboratory of HUAK.

CE

Shenzhen HUAK Testing Technology Co., Ltd.

Add.: 1-2/F., Building B2, Junfeng Zhongcheng Zhizao Innovation Park, Heping, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China
Tel.:+86-755-2302 9901 Http:// www.cer-mark.com Postcode:518103 E-mail: service@cer-mark.com

Certificate NO.: LBTC230314130R

Certificate of Compliance

EU- Restriction of the use of certain hazardous substances(RoHS)-

Report No.	:	LBTC230314130R
Applicant	:	**QingDao ChengKong Electrical-Auto Co., Ltd**
Address	:	Zhuhai Community, Huangdao District, Qingdao , Shandong ,China
Manufactur	:	**QingDao ChengKong Electrical-Auto Co., Ltd**
Address	:	Zhuhai Community, Huangdao District, Qingdao , Shandong ,China
Product	:	Power Adapter
Model Model	:	JN02-00-22 JN02-00-22Y JN02-00-02 JN02-00-21 JN02-00-23 JN02-00-03
Trade Mark	:	**N/A**
Test Standards		EC 62321-3-1-2013 EC 62321-5-1-2013 EC 62321-4-2013+AMD1:2017 EC 62321-7-1:2015 EC 62321-7-2:2017 EC 62321-6:2015

The test results based on the above specified products comply with the EU RoHS 2 Directive 2011/65 / EU Appendix II Amendment Directive(EU)2015/863 as last amended by Directive (EU)2017/2102 limit requirements.
The test results apply only to the particular sample tested and to the specific tests carried out. Specifically to the sample investigated in our test reference number only.
Other relevant Directives have to be observed.

RoHS Overall Validation Report

Chief Manager

Date of Issue: Mar.14.2013

This statement is based on a single evaluation of the sample(s) of above mentioned product. It does not imply an assessment of the whole production.

Shenzhen Labtest Technology Laboratory Ltd.
901-12, Block 1, No.9 Jinxiu Middle Road, Laokeng Community, Longtian Street, Pingshan District, Shenzhen, Guangdong, China. http://www.clabtest.com