
Installationsanleitung
Installation Instruction
Instruction d'installation



Unser Produkt wird Ihnen in 2 Paketen geliefert. Die Lieferzeiten dieser 2 Pakete können abweichen, bitte haben Sie etwas Geduld und vielen Dank für Ihr Verständnis.

Our product will be delivered to you in 2 packages. The delivery times of these 2 packages may differ, please be patient and thank you for your understanding.

Notre produit vous sera livré en 2 colis. Les délais de livraison de ces 2 colis peuvent diffé soyez patient et merci pour votre compréhension.

N623P526012 N623P526013

English

IMPORTANT ! KEEP FOR FUTURE REFERENCE : READ CAREFULLY

- To be assembled by an adult. Assembly must be checked by an adult before use
- WARNING! Keep all screws, small parts and plastic bags out of the reach of children
- Properly identify all parts before assembling
- Never use your item if any of its parts are broken or missing
- Should any problems arise, please contact our After Sales Service
- Manufacturer's instructions shall be followed at all times
- Care: Clean with a soft, dry cloth. In case of larger stains, carefully rub with a slightly damp, non- abrasive sponge
- Avoid the risk of fire by not placing furniture near sources of ignition or hot items
- Do not jump on the bed

Deutsch

WICHTIG! ZUM SPÄTEREN NACHSCHLAGEN AUFBEWAHREN: SORGFÄLTIG LESEN

- Muss von einem Erwachsenen zusammengebaut werden. Der Zusammenbau muss vor dem Gebrauch von einem Erwachsenen überprüft werden
- WARNUNG! Bewahren Sie alle Schrauben, Kleinteile und Plastikbeutel außerhalb der Reichweite von Kindern auf
- Kennzeichnen Sie vor dem Zusammenbau alle Teile richtig
- Benutzen Sie Ihren Artikel niemals, wenn Teile gebrochen sind oder fehlen
- Sollten Probleme auftreten, wenden Sie sich bitte an unseren Kundendienst
- Die Anweisungen des Herstellers sind stets zu befolgen
- Pflege: Mit einem weichen, trockenen Tuch reinigen. Bei größeren Flecken vorsichtig mit einem leicht feuchten, nicht scheuernden Schwamm abreiben. nicht scheuernden Schwamm
- Vermeiden Sie die Gefahr eines Brandes, indem Sie die Möbel nicht in der Nähe von Zündquellen oder heißen Gegenständen aufstellen
- Nicht auf das Bett springen

Français

IMPORTANT! CONSERVER POUR RÉFÉRENCE ULTÉRIEURE: LIRE ATTENTIVEMENT

- Le montage doit être effectué par un adulte. Le montage doit être vérifié par un adulte avant utilisation
- ATTENTION! Tenir les vis, les petites pièces et les sachets en plastique hors de portée des enfants
- Identifiez correctement toutes les pièces avant de les assembler
- N'utilisez jamais votre article si l'une de ses pièces est cassée ou manquante
- En cas de problème, veuillez contacter notre service après-vente
- Les instructions du fabricant doivent être respectées à tout moment
- Entretien: nettoyer avec un chiffon doux et sec. En cas de taches plus importantes, frotter soigneusement avec une éponge non abrasive légèrement humide. légèrement humide et non abrasive
- Évitez les risques d'incendie en ne plaçant pas les meubles à proximité de sources d'inflammation ou d'objets chauds
- Ne pas sauter sur le lit

Italiano


IMPORTANTE ! CONSERVARE PER RIFERIMENTO FUTURO: LEGGERE ATTENTAMENTE


- Deve essere assemblato da un adulto. L'assemblaggio deve essere controllato da un adulto prima dell'uso
- ATTENZIONE! Tenere tutte le viti, le piccole parti e i sacchetti di plastica fuori dalla portata dei bambini
- Identificare correttamente tutte le parti prima dell'assemblaggio
- Non utilizzare mai l'articolo se alcune parti sono rotte o mancanti
- In caso di problemi, si prega di contattare il nostro Servizio Post Vendita
- Le istruzioni del produttore devono essere sempre seguite
- Cura: Pulire con un panno morbido e asciutto. In caso di macchie più estese, strofinare accuratamente con una spugna leggermente umida e nonspugna leggermente umida e non abrasiva
- Evitare il rischio di incendio, non collocando i mobili vicino a fonti di accensione o a oggetti caldi
- Non saltare sul letto

Español

IMPORTANTE! CONSÉRVELO PARA FUTURAS CONSULTAS: LEA ATENTAMENTE

- Debe ser montado por un adulto. El montaje debe ser comprobado por un adulto antes del uso
- ADVERTENCIA Mantenga todos los tornillos, piezas pequeñas y bolsas de plástico fuera del alcance de los niños
- Identifique correctamente todas las piezas antes de montarlas
- Nunca utilice su artículo si alguna de sus piezas está rota o falta
- Si surge algún problema, póngase en contacto con nuestro Servicio Postventa
- Las instrucciones del fabricante deben seguirse en todo momento
- Cuidado: Limpiar con un paño suave y seco. En caso de manchas más grandes, frote cuidadosamente con una esponja no abrasiva ligeramente humedecida
- Evite el riesgo de incendio no colocando los muebles cerca de fuentes de ignición u objetos calientes
- No saltar sobre la cama













Vor dem Einbau die Schrauben in die Löcher stecken und festziehen, aber nicht bis 100%, 70% bis 80% anziehen reicht aus. Schließlich, nachdem alle Schrauben installiert sind, ziehen Sie alle Schrauben auf 100%.Wenn Sie auf diese Probleme stoßen, wie z. B. Fehlausrichtung der Löcher oder Unfähigkeit, bestimmte Teile zu installieren, überprüfen Sie bitte, ob die Schrauben korrekt verwendet werden und passen Sie die Dichtigkeit der Schrauben an.

Before installation, insert the screws into the holes and tighten them, but do not tighten them to 100%, 70% to 80% is sufficient. Finally, after all screws are installed, tighten all screws to 100%. If you encounter these issues, such as if the holes cannot be aligned or some parts cannot be installed, please check if the screws are used correctly and adjust the tightness of the screws.

Insérer la vis dans le trou avant la fin de l'assemblage, serrer la vis, mais ne pas serrer à 100%, 70% ~ 80% est correct. Enfin, une fois que toutes les vis sont bien serrées, toutes les vis sont serrées à 100%. Si vous rencontrez ces problèmes, par exemple si les trous ne sont pas alignés ou si certaines pièces ne peuvent pas être montées, vérifiez que les vis sont utilisées correctement et Ajustez leur serrage.

Hardware List For N623P526012




 M8x10mm A x 6+1	 M8x12mm B x 38+4	 M8x18mm C x 4+1	 M8x30mm D x 11+2	 M8x40mm E x 18+2	 M8x10mm F x 2+1
 Ø4x10mm G x 8+1	 Ø5x35mm H x 14+2	 M5 I x 1	 M3 J x 1		

	
Ø4x10mm	**Ø5x35mm**
G x 8+1	**H x 14+2**

DE:Bitte beachten Sie, dass die Formen der Schrauben G und H ähnlich sind. Bitte installieren Sie entsprechend der Anleitung und unterscheiden Sie sie!

UK:Please note that the shapes of screws G and H are similar. Please install according to the instructions and distinguish them!

FR:Notez que les vis G et H ont des formes similaires. Veuillez les installer en suivant les instructions pour les séparer!

			
M8x10mm	**M8x12mm**	**M8x18mm**	**M8x10mm**
A x 6+1	**B x 38+4**	**C x 4+1**	**F x 2+1**


DE:Bitte beachten Sie, dass die Formen der Schrauben A und B und C und F ähnlich sind. Bitte installieren Sie entsprechend der Anleitung und unterscheiden Sie sie!


UK:Please note that the shapes of screws A and B and C and F are similar. Please install according to the instructions and distinguish them!

FR:Notez que les vis A et B et C et F ont des formes similaires. Veuillez les installer en suivant les instructions pour les séparer!


Part list

SKU:N623P526012/N623P526013






26 x3



27 x2



28 x10















29 x1






30 x4

SKU:N623P526012













PART LIST (N623P526012) / STÜCKLISTE (N623P526012) (N623P526013)



1 x1 	2 x1 
6 x1 	12 x1 
13 x1 	14 x1 
15 x1 	16 x1 
17 x1 	18 x1 
21 x1 	26 x3 

27 x2 	**28** x10 
29 x1 	**30** x4 

SKU:N623P526013


PART LIST (N623P526013) / STÜCKLISTE (N623P526012) (N623P526013)


3 x1 	4 x1 
5 x1 	7 x1 
8 x1 	9 x1 
10 x1 	11 x1 
19 x1 	20 x1 
22 x1 	23 x2 

24 x1 	**25** x2 

Step 1


B x8
M8 x12mm







Step 2


B x8
M8 x12mm






Step 3








Step 4

Please distinguish the installation direction of part 18 and part 21 correctly as shown in the figure to avoid installation errors.




The hole distances on both sides of Panel 21 to the panel edges are different.

closer


further


The black-edged side faces outward.
This mark is for installation reference of the figure below only and does not correspond to the actual product.


Step 5


18
20
21
17
22

Step 6



D
x6
M8 x30mm



D
21
23
18
D
21
23
D
D
23
D
D


M8x10mm
M8x12mm
M8x18mm
M8x10mm
M8x30mm
M8x40mm

Step 7


B x8
M8 x12mm







Step 8

B x4
M8 x12mm







Step 9




B M8 x12mm x2




Step 10




D M8 x30mm x4



Step 11





B M8 x12mm x4



Step 12


E M8 x40mm x4






Step 13


E x6
M8 x40mm






Step 14


E x2
M8 x40mm







Step 15

E x2
M8 x40mm







Step 16




E x2
M8 x40mm







Step 17




E x2
M8 x40mm




Step 18




D x1
M8 x30mm




Step 19




C x4
M8 x18mm





Step 20




Step 21










Step 22










Step 23







Step 24






Step 25






Step 26




Step 27


LED (29) :




1. When installing, align it correctly before attaching it to the product.
2. Peel the light strip off slowly when repositioning it to avoid damage.
1. Bei der Installation korrekt ausrichten und anschließend am Produkt befestigen.
2. Ziehen Sie den Lichtstreifen bei einem Positionswechsel langsam ab, um ein Beschädigen zu vermeiden.
1. Alignez-le correctement lors de l'installation, puis fixez-le sur le produit.
2. Décollez lentement la bande lumineuse lors du changement de position pour éviter toute casse.



1. Start from the Velcro on Panel No.3, stick the light strip along the Velcro all the way to the edge of Panel No.4
1. Beginnen Sie am Klettverschluss von Platte Nr. 3, kleben Sie den Lichtstreifen entlang des Klettverschlusses bis zum Rand von Platte Nr. 4 auf.
1. Commencez par le velcro du panneau n°3, collez la bande lumineuse sur le velcro jusqu'au bord du panneau n°4.



Step 28



LotusLantern APP Manual

1. Software Overview

1.1 Overview

LotusLantern is a mobile APP to control LED strip by both IOS and Android phones.
The traditional control ways like infrared, 433MHz, 2.4GHz and others old wired ways will be replaced by mobile phone control way with convenient, powerful and scalable features.

Through this mobile APP，you can not only control the color, brightness and color temperature of the LED strips but also set up all kinds of fancy flash mode；Also this APP can change the light of the LED strip according to the rhythm of the music. This APP can set and control several LED strips through Bluetooth and the operation is very simple, easy to learn and easy to use.

1.2 Features

- Adjust color LED strips with 60,000 colors to change color and brightness and adjust monochrome LED strips to change brightness and color temperature
- Play music or turn on a sound playback device, you can let the light change the color and brightness with the rhythm of music, the music rhythm beautiful
- Inside multiple setting mode for color change and control LED strips without mobile
- Long distance control with omni-directional antenna, and many-to-many group control mode
- Once the connection is successful, connect automatically next time

1.3 Performance

LotusLantern APP is easy for use as well as great compatible with all kinds of smart phones; After the actual test of hundreds of mobile phones verification, the compatibility is above 95% of mobile phones in the market. APP is small and convenient, it consumes less system resources, so the requirements of the mobile configuration are low. Control delay is small, the operation feels good, light control is smooth with people's visual sense.

2. Operating Environment

This APP program requires phones of system above Andriod 4.3 and iOS 8.0. Mobile phone configuration is not limited.

3. Instructions

Note: Android version and iOS version download and use the same method, here in the Android version as an example.


3.1 APP Download

Scan the QR code


iOS and Android systems can download the "LotusLantern" APP by scanning the QR code. Open the browser or other tools with "Scan QR code" function, scan the "LotusLantern" QR code as below:

3.2 App Operation


(1) Click on the LotusLantern APP icon, enter the APP page:




(2) After entering the APP interface, if Bluetooth is not enabled, "an application wants to enable the Bluetooth function of this device." Click [Allow]



(3) switch to color and brightness interface:




(4) click to show the lamp list, view lamp list:




(5) Click to RGB manual adjustment view:




(6) switch to the mode interface:



(7) switch to the music rhythm interface:




(8) Switch to the online music interface:




(9) Switch to the microphone rhythm interface:

Music rhythm through cell phone microphone



Switch phone microphone and external microphone

Music rhythm through the microphone on the product



Switch phone microphone and external microphone

4-style rhythm

Change the sensitivity of MIC to match the sound

(10) Switch to the schedule interface:

Set the time of Light-On

Set the time of Light-Off



Enable or disable the Light-On function

Repeat setting
No selection for once Light-On


Enable or disable the Light-Off function

Repeat setting
No selection for once Light-Off

(11) Switch to the modify pin sequence interface:

Click to save the new assignment

Change the real color of this line



Technical parameters:
Working temperature: -20-60°C (-4 F°-140 F°)
Power supply voltage: DC5-24V
Output: 3 Loops
Static power consumption: <0. 5W
Output current: <3A(each circuit)5V <30W 12V<108 24V<21 6W

精准检测
PRECISE TESTING

VERIFICATION OF CONFORMITY

No.	:	PTC26061106101E-EM01
Applicant	:	Shenzhen Shuiyuntian Industrial Co., LTD
Address	:	Room 1002, Building 6, No. 36, Zhikang Road, lishong community, gongming subdistrict, guangming district, shenzhen city
Manufacturer	:	Shenzhen Shuiyuntian Industrial Co., LTD
Address	:	Room 1002, Building 6, No. 36, Zhikang Road, lishong community, gongming subdistrict, guangming district, shenzhen city
Factory	:	henzhen Shuiyuntian Industrial Co., LTD
Address	:	Room 1002, Building 6, No. 36, Zhikang Road, lishong community, gongming subdistrict, guangming district, shenzhen city
Product	:	LEDdu al-cdor light strip
Trade Mark	:	---
Model	:	YH-358
Ratings	:	DC 5V,0.9A, 4.5W

The submitted sample of the above equipment has been tested and found to comply with the following European Directive:

Electromagnetic Compatibility Directive (EMC) - 2014/30/EU

The standard(s) used for showing compliance with the essential requirements:

Applicable Standard(s)	Test Report(s) Number
EN IEC 55015:2019+A11:2020 **EN IEC 61547:2023** **EN IEC 61000-3-2:2019+A1:2021+A2:2024** **EN 61000-3-3:2013+A1:2019+A2:2021**	**PTC26061106101E-EM01**

This verification is part of the full test report(s) and should be read in conjunction with it. This verification is based on an evaluation of one sample of above mentioned product. It does not imply assessment of the production of the product.Without the written approval of Precise Testing & Certification (Guangdong) Co., Ltd., this verification is not permitted to be reproduced, except in full. It is not permitted to use the test lab's logo.

Provided that other applicable Directive requirements are satisfied, the manufacturer (or the European authorized representative), may draw up an EC/EEA Declaration of Conformity and affix the CE-marking to each conforming product.

PRECISE TESTING & CERTIFICATION (GUANGDONG) CO., LTD.

Jacky Ou
Manager
Date: 2026-07-01

Precise Testing & Certification(Guangdong)Co.,Ltd.
Tel: 0769-38808222 Web: www.ptc-testing.com E-mail: inquiry@ptc-testing.com
Add:Building 1, No.6, Tongxin Road, Dongcheng Street, Dongguan, Guangdong, China

精准检测
PRECISE TESTING

CERTIFICATE OF CONFORMITY

No.: PTC26061106101C-EN01

Applicant	:	Shenzhen Shuiyuntian Industrial Co., LTD
Address	:	Room 1002, Building 6, No. 36, Zhikang Road, lishong community, gongming subdistrict, guangming district, shenzhen city
Manufacturer	:	Shenzhen Shuiyuntian Industrial Co., LTD
Address	:	Room 1002, Building 6, No. 36, Zhikang Road, lishong community, gongming subdistrict, guangming district, shenzhen city
Trademark	:	--
Product Name	:	LEDdu al-cdor light strip
Model No.	:	YH-358

The submitted sample of the above equipment has been tested and found to comply with the following European Directive:

RoHS Directive 2011/65/EU & Directive (EU)2015/863 & EN IEC 63000:2018

The standard(s) used for showing compliance with the essential requirements:

Applicable Standard(s)	Test Report(s) Number
IEC 62321-1: 2013, IEC 62321-2: 2021 IEC 62321-3-1:2013, IEC 62321-3-2: 2020 IEC62321-4: 2013+AMD1:2017 IEC 62321-5:2013 IEC 62321-6:2015, IEC 62321-7-1: 2015 IEC 62321-7-2: 2017, IEC 62321-8:2017	PTC26061106101C-EN01

This certificate is part of the full test report(s) and should be read in conjunction with it. This certificate is based on an evaluation of one sample of above mentioned product. It does not imply assessment of the production of the product. Without the written approval of Precise Testing & Certification (Guangdong) Co., Ltd., this certificate is not permitted to be reproduced, except in full. It is not permitted to use the test lab's logo.

PRECISE TESTING & CERTIFICATION (GUANGDONG) CO., LTD.

Jacky Ou
Manager
Date: Jul. 03, 2026

Precise Testing & Certification (Guangdong) Co., Ltd.
Building 1, No.6, Tongxin Road, Dongcheng Street,
Dongguan, Guangdong, China
Tel: 86 769 38808222 Web:www.ptc-testing.com
Mail: inquiry@ptc-testing.com

CERTIFICATE OF CONFORMITY

The following products have been tested by us and found in conformity with the (RoHS) Directive 2011/65/EU Annex II amending Directive (EU)2015/863. It is possible to use CE marking to demonstrate the conformity with this Directive.

Report No.	:	XNO251021001CX2-1
Applicant	:	YA LI ELECTRIC CO LTD
Address	:	Room 801, Building 9, No. 6, Yuyuan 4th Road, Huangjiang Town, DONGGUAN Guangdong 523000
Sample Name:	:	Furniture power distribution unit
Model No.:	:	YL-SKCE-909A
Sub-Model No.:	:	YL-SKCE-901, YL-SKCE-901A, YL-SKCE-902, YL-SKCE-902A, YL-SKCE-903, YL-SKCE-903A, YL-SKCE-905, YL-SKCE-905A, YL-SKCE-905C, YL-SKCE-906, YL-SKCE-906A, YL-SKCE-907, YL-SKCE-907A, YL-SKCE-908, YL-SKCE-908A, YL-SKCE-909
Manufacturer	:	YA LI ELECTRIC CO LTD
Manufacturer Address	:	Room 801, Building 9, No. 6, Yuyuan 4th Road, Huangjiang Town, DONGGUAN Guangdong 523000
Test method	:	IEC 62321-3-1:2013 & IEC 62321-5:2013 & IEC 62321-4:2013+A1:2017 & IEC 62321-7-1:2015 & IEC 62321-7-2:2017 & IEC 62321-6:2015 & IEC 62321-8:2017

RoHS
CE

Signature :.....
Technical supervisor
Signed for and on behalf of
Guangzhou Supreme Technology & Testing Service Co., Ltd.
21-Oct-2025

Guangzhou Supreme Technology & Testing Service Co., LTD
XNO

This certification is part of the full test report(s) and should be read in conjunction with it. The certificate is based on a single evaluation of one sample of above-mentioned products. It does not imply an assessment of the whole production and does not permit the use of the test lab logo.

Guangzhou Supreme Technology & Testing Service Co., LTD
103, NanSha IT Park, South Tower, No.2 Huanshi Dadao Nan, NanSha District, GuangZhou City, GuangDong Province.China
Tel: 020-39004143 Fax: 020-39390517 Email: service@xnotesting.com Website: http://www.xnotesting.com

Importeur	Decobus Handel GmbH
Adresse	Innungsstraße 9,21244 Buchholz, Deutschland
Email/URL	https://www.decobusgroup.de
Hersteller	Dongguan Yali Electric Appliance co.,Ltd
Adresse	8 /F,Building 9, No. 6, Yuyuan 4th Road, Yuyuan Industrial Zone,Huangjiang Town, Dongguan city, Guangdong Province
Email/URL	38053076@qq.com
Partienummer	20260516-08
Hergestellt in	CHINA
EC REP	Decobus Handel GmbH Innungsstraße 9,21244 Buchholz,Deutschland https://www.decobusgroup.de

CE

Produkt:Strip power supply
Modell:YL-SKCE-902A
Nennspannung:16A 250V AC, 50/60Hz
Nennfrequenz:USB-A 5V 2.1A TYPE-C 5V 2.1A
Leistung:10.5W



