

N657P455255W
N657P455256W

Product manual
Gebrauchsanweisung
Manuel du produit
Manual del producto
Manuale del prodotto



EN:Our product will be delivered to you in 2 packages. The delivery times of these 2 packagesmay differ,please be patient and thank you for your understanding
FR:Notre produit vous sera livré en 2 colis.Les delais de livraison de ces 2 colis peuvent différer,soyez patient et merci de votre compréhension.
DE:Unser Produkt wird Ihnen in 2 Paketen geliefert.Die Lieferzeiten dieser 2 Paketekonnenabweichen,bitte haben Sie etwas Geduld und vielen Dank fur Ihr Verstandnis
IT:I nostri prodotti vengono trasportati in due pacchetti. I tempi di consegna dei due pacchetti sono diversi: abbiate pazienza e vi ringrazio per la vostra comprensione.
ES:Nuestro producto se entrega en dos paquetes. El tiempo de entrega de estos dos paquetes es diferente. Por favor, sea paciente. Gracias por su comprensión.







[DE]

Warnung: Lesen Sie die Anleitung vor dem Zusammenbau bitte vollständig durch. Überprüfen Sie, ob Sie alle auf den Seiten aufgeführten Komponenten und Werkzeuge haben.

Warnung: Legen Sie alle Teile auf eine ebene Fläche. Legen Sie eine weiche Decke oder Ähnliches darunter, um sie vor Kratzern oder Flecken zu schützen. Vermeiden Sie es, Komponenten über den Boden zu ziehen oder zu schieben.

Warnung: Überprüfen Sie regelmäßig alle Beschläge und Befestigungen, um sicherzustellen, dass sie sicher sind und um Unfälle zu vermeiden. Wenn Teile fehlen, kaputt, beschädigt oder abgenutzt sind, verwenden Sie das Produkt nicht weiter, bis es mit vom Hersteller autorisierten Teilen repariert wurde.

Warnung: Lassen Sie Kinder nicht auf die Möbel klettern, da dies zum Umkippen und zu schweren Verletzungen führen kann. Bauen Sie die Möbel außerhalb der Reichweite von Kindern zusammen.

Warnung: Stellen Sie die Möbel nicht in die Nähe von Feuerquellen oder heißen Gegenständen, um Brandgefahr zu vermeiden.

Warnung: Reinigen Sie die Möbel mit einem feuchten Tuch oder Alkohol. Verwenden Sie keine Reinigungsmittel mit ätzenden Chemikalien.

Warnung: Dieses Produkt ist mit einer Kippschutzvorrichtung ausgestattet. Bitte installieren Sie diese Vorrichtung unbedingt, um unnötige Verletzungen durch Umkippen zu vermeiden.

[EN]

Warning: Please read instructions fully before starting assembly.Check you have all the components and tools listed on pages.

Warning: Please place all parts on a flat surface.Place a soft blanket or similar underneath to protect against scratches or stains.Avoid dragging or sliding components across the floor.

Warning: Regularly check all fittings and fastenings to ensure they are secure and to prevent accidents.If any parts are missing, broken, damaged, or worn, discontinue use of the product until repairs have been made using factory authorized parts.

Warning: Do not allow children to climb on the furniture as this may result in tipping and serious personal injury.Assemble the furniture away from the reach of children.

Warning: Do not place furniture close to fire sources or high-temperature objects to avoid the risk of fire

Warning: Clean furniture with a damp cloth or alcohol, avoid using cleaning agents containing corrosive chemicals.

Warning: This product is equipped with an anti-tilt device. Please be sure to install this device to prevent unnecessary injuries caused by tipping.

[FR]

Avertissement : Veuillez lire entièrement les instructions avant de commencer l'assemblage. Vérifiez que vous disposez de tous les composants et outils répertoriés sur les pages.

Avertissement : Veuillez placer toutes les pièces sur une surface plane. Placez une couverture douce ou similaire en dessous pour les protéger des rayures ou des taches. Évitez de faire glisser les composants sur le sol.

Avertissement : Vérifiez régulièrement tous les raccords et fixations pour vous assurer qu'ils sont bien fixés et pour éviter les accidents. Si des pièces manquent, sont cassées, endommagées ou usées, cessez d'utiliser le produit jusqu'à ce que des réparations aient été effectuées à l'aide de pièces autorisées par l'usine.

Avertissement : Ne laissez pas les enfants grimper sur les meubles car cela pourrait entraîner un basculement et des blessures graves. Assemblez les meubles hors de portée des enfants.

Avertissement : Ne placez pas les meubles à proximité de sources de feu ou d'objets à haute température pour éviter tout risque d'incendie.

Avertissement : Nettoyez les meubles avec un chiffon humide ou de l'alcool, évitez d'utiliser des produits de nettoyage contenant des produits chimiques corrosifs.
Avertissement : Ce produit est équipé d'un dispositif anti-basculement. Assurez-vous d'installer ce dispositif pour éviter les blessures inutiles causées par un basculement.


[IT]
Attenzione: leggere attentamente le istruzioni prima di iniziare il montaggio. Verificare di avere tutti i componenti e gli strumenti elencati nelle pagine.
Attenzione: posizionare tutte le parti su una superficie piana. Posizionare una coperta morbida o simile sotto per proteggere da graffi o macchie. Evitare di trascinare o far scivolare i componenti sul pavimento.
Attenzione: controllare regolarmente tutti i raccordi e i dispositivi di fissaggio per assicurarsi che siano sicuri e per prevenire incidenti. Se alcune parti sono mancanti, rotte, danneggiate o usurate, interrompere l'uso del prodotto fino a quando non siano state eseguite le riparazioni utilizzando parti autorizzate dalla fabbrica.
Attenzione: non consentire ai bambini di arrampicarsi sui mobili poiché ciò potrebbe causare ribaltamenti e gravi lesioni personali. Montare i mobili lontano dalla portata dei bambini.
Attenzione: non posizionare i mobili vicino a fonti di fuoco o oggetti ad alta temperatura per evitare il rischio di incendio
Attenzione: pulire i mobili con un panno umido o alcol, evitare di utilizzare detergenti contenenti sostanze chimiche corrosive.
Attenzione: questo prodotto è dotato di un dispositivo antiribaltamento. Assicurarsi di installare questo dispositivo per prevenire lesioni inutili causate dal ribaltamento.


[ES]
Advertencia: Lea las instrucciones completamente antes de comenzar el montaje. Compruebe que tiene todos los componentes y herramientas que se enumeran en las páginas.
Advertencia: Coloque todas las piezas sobre una superficie plana. Coloque una manta suave o algo similar debajo para protegerlas de rayones o manchas. Evite arrastrar o deslizar los componentes por el piso.
Advertencia: Verifique regularmente todos los accesorios y fijaciones para asegurarse de que estén seguros y evitar accidentes. Si falta alguna pieza, está rota, dañada o desgastada, deje de usar el producto hasta que se hayan realizado las reparaciones con piezas autorizadas de fábrica.
Advertencia: No permita que los niños se suban a los muebles, ya que esto puede provocar que se vuelquen y lesiones personales graves. Monte los muebles fuera del alcance de los niños.
Advertencia: No coloque los muebles cerca de fuentes de fuego u objetos de alta temperatura para evitar el riesgo de incendio.
Advertencia: Limpie los muebles con un paño húmedo o alcohol, evite usar agentes de limpieza que contengan químicos corrosivos.
Advertencia: Este producto está equipado con un dispositivo antivuelco. Asegúrese de instalar este dispositivo para evitar lesiones innecesarias causadas por vuelcos.





DE
Warnung: Die maximale Belastbarkeit dieses Möbels beträgt: 45 kg, bitte nicht überlasten!
EN
Warning: The maximum load-bearing capacity of this furniture is: 45 kg, please do not overload!
FR
Avertissement : La capacité de charge maximale de ce meuble est de : 45 kg, merci de ne pas surcharger !
IT
Attenzione: la capacità di carico massima di questo mobile è: 45 kg, non sovraccaricare!
ES
Advertencia: La capacidad máxima de carga de este mueble es: 45 kg, ¡no lo sobrecargue!













Importeur	Decobus Handel GmbH
Adresse	Innungsstraße 9, 21244 Buchholz, Deutschland
URL	https://www.decobusgroup.de
Hersteller	JIANGSU CHAONENG NEW MATERIALS TECHNOLOGY Co.,LTD.
Adresse	Guannan County Economic Development Zone, Lianyungang City (south of Provincial Highway 235)
Email/URL	lixinrui@jschaonengcl.com.cn
Hergestellt in	CHINA
EC REP	Decobus Handel GmbH Innungsstraße 9, 21244 Buchholz, Deutschland https://www.decobusgroup.de











 Ø7x 35 mm	 Ø15 x 9.5 mm	 Ø6 x 30 mm	 Ø5 x 40 mm	 Ø3.5x12mm	 Ø5x16mm	
A x 56	B x 56	C x 24	D x 30	E x 52	F x 4	G x 2
		 M4 x 16 mm	 M4 x 8 mm	 M6x12mm	 M6x25mm	 M5x12mm
H x 2	I x 7	J x5	K x 2	L x2	M x 2	N x 8
 Ø3x14mm O-1 O-2	 Ø3.5x12mm P-1 P-2	 Ø21mm		 Ø3x14mm	 T-1 T-2 T-3 T-4	 U-1 U-2
O x 1	P x 1	Q x 56	R x 4	S x 20	T x 2	U x 2
 V-1 V-2	 DL DR CL CR					
V x 2	CL+CR+DL+DR x1					


USING CAM LOCK AND QUICKFIT




EN_QUICKFIT: Tighten quickfit until shoulder is flush with panel.Do not overtighten or undertighten.
FR_RACCORD RAPIDE:Faites serrer le raccord rapide jusqu'à ce que l'épaulement soit parfaitement encastré dans le panneau. Il ne faut ni trop serrer ni insuffisamment serrer.
ES_QUICKFIT:Apriete quickfit hasta que el hombre se descargue con el panel. NO lo sobreapriete ni lo apriete poco.
DE_QUICKFIT:Ziehen Sie den Quickfit fest, bis die Schulter mit der Platte bündig ist. Bitte nicht zu fest oder zu schwach anziehen.
IT_MONTAGGIO RAPIDO:Stringere il montaggio rapido fino a quando la spalla è a filo con il pannello, non stringere troppo o troppo poco.



EN_CAM LOCK: When fitting cam lock, ensure starting position is correct before you insert connecting quickfit.
FR_SERRURE BATTEUSE:Avant d'insérer la serrure batteuse, veillez à la bonne orientation avant d'insérer le raccord rapide.
ES_CIERRE DE LA CÁMARA:Cuando instale el cierre de la cámara, asegúrese de que la posición de inicio es correcta antes de que inserte el quickfit conector.
DE_CAM-LOCK:Achten Sie bei der Montage des Cam-Locks auf die richtige Ausgangsposition, bevor Sie den Quickfit einsetzen.
IT_BLOCCAGGIO A CAMMA:Quando si monta il bloccaggio a camma, assicurarsi che la posizione iniziale sia corretta prima di inserire il montaggio rapido di collegamento.




EN_ Quickfit head should be in the centre of the cam lock when the two panels are joined.
Cam lock should be inserted before quickfit.
FR_ Lorsque les deux panneaux sont assemblés, la tête du raccord rapide doit reposer au centre de la serrure batteuse.
Il faut insérer la serrure batteuse avant le raccord rapide.
ES_ El cabezal del quickfit debe estar en el centro del cierre de la cámara cuando se unan los dos paneles.
Se debe insertar el cierre de la cámara antes que el quickfit.
DE_ Der Quickfit-Kopf sollte sich in der Mitte des Cam-Locks befinden, wenn die beiden Platten zusammengefügt sind.
Der Cam-Lock sollte vor dem Quickfit eingesetzt werden.
IT_ La testa del montaggio rapido deve trovarsi al centro del bloccaggio a camma quando i due pannelli sono uniti.
Il Bloccaggio a Camma deve essere inserito prima del montaggio rapido.




EN_ Turn cam lock clockwise to tighten.
FR_ Faites tourner la serrure batteuse dans le sens des aiguilles d'une montre pour la resserrer.
ES_ Gire el cierre de la cámara en sentido horario para apretarlo.
DE_ Drehen Sie den Cam-Lock im Uhrzeigersinn, um ihn festzuziehen.
IT_ Ruotare il bloccaggio a camma in senso orario per stringere.

HINGE ADJUSTMENT GUIDE


EN_It may be necessary to adjust the hinges so that the doors align.Use the instructions below as a guide.
FR_Il est parfois nécessaire d'ajuster les charnières pour un meilleur alignement des portes. Servez-vous des instructions ci-dessous comme guide.
ES_Puede que sea necesario ajustar los quicios de forma que se alineen las puertas. Use las instrucciones que aparecen debajo como guía.
DE_Möglicherweise müssen Sie die Scharniere so einstellen, dass die Türen ausgerichtet sind. Verwenden Sie die nachstehenden Anweisungen als Leitfaden.
IT_Potrebbe essere necessario regolare le cerniere in modo che le porte siano allineate. Per fare ciò attenersi alle istruzioni sottostanti.




EN_To adjust the door vertically loosen the screw asshown and move up and down as needed.
FR_Si vous souhaitez régler la porte **verticalement**, desserrez la vis comme indiqué et déplacez la porte de haut en bas selon les besoins.
ES_Para ajustar la puerta **verticalmente** afloje el tornillo tal y como se muestra y muévalo hacia arriba o hacia abajo según sea necesario.
DE_Um die Tür **vertikal** auszurichten, lösen Sie die Schraube wie abgebildet und bewegen Sie sie nach Bedarf nach oben oder nach unten.
IT_Per allineare la porta **verticalmente** allentare la vite come mostrato e spostarla in alto o in basso secondo necessità.



EN_To adjust the gap from the door to the main frame turn the screw clockwise or anti-clockwise as needed.
FR_Si vous souhaitez ajuster **l'écart** entre la porte et le cadre principal, tournez la vis dans le sens des aiguilles d'une montre ou dans le sens inverse, si nécessaire.
ES_Para ajustar el **espacio** desde la puerta al marco principal, gire el tornillo en sentido horario o antihorario, según se necesite.
DE_Um den **Abstand** von der Tür zum Hauptrahmen auszurichten, drehen Sie die Schraube je nach Bedarf im oder gegen den Uhrzeigersinn.
IT_Per regolare lo **spazio** tra la porta e il telaio principale, avvitare o svitare la vite secondo necessità.



EN_To adjust the door laterally adjust the screw as shown by turning clockwise or anti-clockwise.
FR_Si vous souhaitez ajuster la porte **latéralement**, ajustez la vis comme indiqué en tournant dans le sens des aiguilles d'une montre ou dans le sens inverse des aiguilles d'une montre.
ES_Para ajustar la puerta **lateralmente** ajuste el tornillo tal y como se muestra girándolo en sentido horario y antihorario.
DE_Um die Tür **seitlich** auszurichten, stellen Sie bitte die Schraube wie abgebildet durch Drehen im oder gegen den Uhrzeigersinn ein.
IT_Per allineare la porta **lateralmente** regolare la vite come mostrato, avvitandola o svitandola.



EN_Please fix other screws
FR_Merci de serrer les autres vis.
ES_Fije los demás tornillos
DE_Befestigen Sie bitte die anderen Schrauben
IT_Fissare le altre viti


BOX 1-2	SKU：N657P455255W
②	498*388*15mm=1pc
③	451*150*15mm=1pc
④	360*113*12mm=1pc
⑥	451*150*15=1mm=1pc
⑧	809*149*12mm=1pc
⑬	796*148*12mm=1pc
⑮	1200*400*15mm=1pc
⑯	399*120*15mm=1pc
⑱	399*120*15mm=1pc
⑲	1200*400*15mm=1pc
⑳	1176*128*3mm=1pc
㉑	400*400*15mm=1pc
㉒	585*399*15mm=1pc
㉓	585*399*15mm=1pc
㉝	319*80*12mm=2pcs
㊴	779*114*15mm=1pc

BOX 2-2	SKU：N657P455256W
①	390*150*195mm=1pc
⑤	360*130*12mm=1pc
⑦	639*368*3mm=1pc

⑨	148*107*12mm=1pc
⑩	148*148*12mm=1pc
⑪	410*158*5mm=2pcs
⑫	80*80*600mm=2pcs
⑭	298*198*4mm=1pc
⑰	120*380*15mm=1pc
㉔	434*362*15mm=1pc
㉕	368*70*12mm=1pc
㉖	366*362*12mm=1pc
㉗	368*398*12mm=1pc
㉘	580*376*3mm=1pc
㉙	287*50*12mm=1pc
㉚	362*114*15mm=2pcs
㉛	250*80*12mm=1pc
㉜	250*80*12mm=1pc
㉞	327*245*3mm=1pc
㉟	236*60*9mm=1pc
㊱	318*60*9mm=1pc
㊲	300*80*12mm=1pc
㊳	300*80*12mm=1pc
㊵	736*80*12mm=1pc
㊶	735*60*9mm=1pc


㊷	744*295*3mm=1pc	
㊸	300*80*12mm=1pc	
㊹	300*80*12mm=1pc	
㊺	286*60*9mm=2pcs	
㊻	327*295*3mm=1pc	
㊼	400*450mm=1pc	
 Hardware Kit		

1.




Ax13

2.




Dx13

3.




4.




5.

	M4 x 16 mm
Ix3	Jx3




6.

Ex4	DL+DRx1



7.




Ux2


TIPS

How To Separate The Ball Bearing Slider:


1). Pull the slider in the direction of the arrow until it stops, then flip it over.



2). Push the plastic lever down and pull the slider apart at the same time.



3). After disassembly




OUTER TRACK U-2




INNER TRACK U-1

How to Assemble the Slider



Align the outer track(U-2) with the center of the inner track(U-1) and push in.


8.




TIPS

How To Separate The Ball Bearing Slider:

1). Pull the slider in the direction of the arrow until it stops, then flip it over.



2). Push the plastic lever down and pull the slider apart at the same time.



3). After disassembly




OUTER TRACK V-2




INNER TRACK V-1


How to Assemble the Slider





Align the outer track(V-2) with the center of the inner track(V-1) and push in.

9.




	 U-1	 V-1
Ex10	Ux2	Vx2









10.


			
Ax8	Ex4	Ox1	CL+CR x1




11.


	 T-1 T-2
Ax4	Tx2

12.


	
Bx8	Cx4




13.




Rx4




14.






15.


	
Bx4	Cx4





16.


	 U -2	 V -2
Ex5	Ux1	Vx1
















17.


	 V -2
Ex2	Vx1







18.

	 U -2
Ex3	Ux1







19.



Ax12




20.




Ax13


21.




Bx8




22.




Bx2




23.


	
Bx7	Cx2




24.




Bx2




25.




Bx2





26.




Bx6




27.


	
Cx2	Dx11




28.




29.




Bx4




30.

	
Bx6	Cx6




31.






32.





33.


	
Cx6	Dx6



34-1.

	
Lx2	Mx2


You can select different holes to connect the upper and lower cabinets according to your usage requirements.




34-2.

	
Lx2	Mx2


You can select different holes to connect the upper and lower cabinets according to your usage requirements.




35.




Px1









36.




Fx4




37.


				 M4 x 16 mm
Ex8	Gx2	Hx2	Ix2	Jx2



38.




Ex16




39.

	 M4 x 8 mm
Ix2	Kx2




40.


Note：First, insert the glass upwards into the slot on top, and then push it downwards into the slot at the bottom.




41.





Sx20




42.


T-3
T-4
Tx2



WALL
I x2
WALL
drilling hole
Ø6x30mm
II x2
WALL
T-3
III x2


WALL
T-3
T-3
21
T-4
15
23
18
T-4
T-1
T-4
T-3


43.




44.




45.



First,push the slider of the track to the top.
Then,align the outer track with the center of the inner track and push in.



46.



Certificate – Zertifikat – Сертификат – Certificado – Certificat

Declaration of Conformity

This declaration of conformity is issued under the sole responsibility of the manufacturer.

Manufacturer: GUANG TAI ENTERPRISE CO.,LTD.
Address:No. 2, Dapianmei District, Dalingshan Town, Dongguan City,Guangdong Province
Sample Name: Furniture power Distribution Unit
Main Model: JN02-00-112
SeriesModels:JN02-00-111,JN02-00-211,JN02-00-22,JN02-00-113,JN02-00-213,JN02-00-113K,JN02-00-21.JN02-00-23,JN02-00-212
Parameters:
Input:AC220-250V,16A,50Hz,MAX.3680W
USB-A:5V DC 2.1A.10.5W
USB-C:5VDC 2.1A,10.5W
USB-A+USB-C:5VDC 2.1A,10.5W

This declaration is issued under the sole responsibility of the Manufacturer
The object of the declaration described above is in conformity with the relevant Union harmonisation legislation:

Conformity is shown by compliance with the applicable requirements of the following documents:

Reference & Date	Title
IEC 62368-1:2023 EN IEC 62368-1: 2024 +A11:2024	LVD Directive 2014/35/EU
IEC 60884-1:2002 IEC 60884-1:2002/AMD1:2006 IEC 60884-1:2002/AMD2:2013 IEC 60884-2-7:2011 IEC 60884-2-7:2011/AMD1:2013	

the declaration of conformity is issued under the sole responsibility of the Manufacturer.
Sien on behalf of: GUANG TAI ENTERPRISE CO.,LTD.
Position:Manager
Name: Yang Zhongping
Place: No. 2, Dapianmei District, Dalingshan Town, Dongguan City,Guangdong Province
Sample Name: Furniture power Distribution Unit
Date:August 19, 2025

Sigoature: _____

Certificate – Zertifikat – Сертификат – Certificado – Certificat

CERTIFICATE OF CONFORMITY

No.: LCT-250803286238

Applicant.....:	GUANG TAI ENTERPRISE CO.,LTD.
Address.....:	No. 2, Dapianmei District, Dalingshan Town, Dongguan City, Guangdong Province
Manufacturer.....:	GUANG TAI ENTERPRISE CO.,LTD.
Address.....:	No. 2, Dapianmei District, Dalingshan Town, Dongguan City, Guangdong Province
Product Name....:	Furniture power Distribution Unit
Model(s) .....:	JN02-00-112, JN02-00-111, JN02-00-211, JN02-00-22, JN02-00-113, JN02-00-213, JN02-00-113K, JN02-00-21, JN02-00-23, JN02-00-212
Trademark.....:	N/A
Test Standard....:	EN 55032: 2015/A1: 2020; EN IEC 61000-3-2: 2019/A2: 2024; EN 61000-3-3:2013+A2:2021; EN 55035:2017/A11:2020.
Directives.....:	EMC Directive 2014/30/EU
Report Number..:	LCT-250803286238

Remark:

The tests were performed in normal operation mode, the test results apply only to the particular sample tested and to the specific tests carried out. This certificate applies specifically to the sample investigated in our test reference number only.

The CE markings as shown below can be affixed on the product after preparation of necessary technical documentation.

Other relevant Directives have to be observed.

CE

Shenzhen Lice Testing Technology Co., Ltd.

(Manager)

Aug. 26, 2025

Shenzhen Lice Testing Technology Co., Ltd.
Room 112-113, Building B15, Yintian Industrial Zone, Yantian, Xixiang Street, Bao'an District, Shenzhen, Guangdong, China
www.lct-lab.com cert@lct-lab.com TEL: 0755-23095737

Certificate of Compliance

RoHS Directive 2011/65/EU appendix ‖ Revised instructions (EU) 2015/863 of the European parliament and of the council on the restriction of the use of certain hazardous substances in electrical and electronic equipment

Issue Date: Nov.27, 2025

Company Name	:	GUANG TAI ENTERPRISE CO.,LTD
Address	:	Rm402,Bldg 4,No.2 Dapianmei Rd.Dapianmei Village,Dalingshang DONGGUAN GUANGDONG
Manufacturer	:	GUANG TAI ENTERPRISE CO.,LTD
Address	:	Rm402,Bldg 4,No.2 Dapianmei Rd.Dapianmei Village,Dalingshang DONGGUAN GUANGDONG
Sample Name	:	Furniture Power Distribution Unit
Sample Model	:	JN02-00-21;JN02-00-111;JN02-00-112;JN02-00-212; JN02-00-22;JN00-00-02K;JN02-00-113K;JN02-00-113; JN02-00-213;JN02-00-23;JN00-00-03K;JN00-00-03; JN00-00-04K;JN00-00-04; JN02-00-23K

This certificate of compliance is based on a test procedure or an evaluation of the above-mentioned product. This is to certify that the above-mentioned product is in compliance with the According to IEC63000:2018+AMD1:2017 and RoHS Directive 2011/65/EU Revised instructions (EU) 2015/863 of the European parliament.

It is only valid in connection with the test report (Report No.: COBO25110736-R1)

RoHS

Signed for and on Behalf of COBO

Sam Xie

Sam Xie / Technical Manager

GUANGDONG TI COBO TESTING CO.,LTD.
EA601, Yishili Building No.9,Zongbu 2nd Road,Songshan Lake Sci.&Tech. Park,Dongguan,Guangdong,China
Tel:86-769-26622263 Fax:86-769-26622012

Certificate – Сертификат – 證明書 – Certificat – 증명서 – شهادة

Shenzhen ZKT Technology Co., Ltd.
1/F, No. 101, Building B, No. 6, Tangwei Community Industrial Avenue,
Fuhai Street, Bao'an District, Shenzhen, China

Certificate of Compliance

Certificate Number: ZKT-250306L3768C

Certificate's Holder **Zertifikatsinhaber**	:	**Xingning Lo Chen Photoelectric Co. , Ltd.** **602,6f, Zhenhua cultural and sports centre, the new China National Highway 205 of E San Tsuen, No. 2 Xingtian Road, Xingning**
Manufacturer **Hersteller**	:	**Xingning Lo Chen Photoelectric Co. , Ltd.** **602,6f, Zhenhua cultural and sports centre, the new China National Highway 205 of E San Tsuen, No. 2 Xingtian Road, Xingning**
Trade Mark **Warenzeichen**	:	**/**
Product **Produkt**	:	**Led Strip Light**
Model(s) **Modell**	:	**LC-5050,** **LC-2835, LC-3528, LC-3014, LC-5730, LC-5630, LC-7020, LC-3535**
Test Standard **Prüfnorm**	:	**EN IEC 62031:2020+A11:2021**

This Attestation of Compliance is issued on a voluntary basis for electrical equipment below the voltage limits of Low Voltage Directive 2014/35/EU. The essential requirement are fulfilled accordingly based on the technical specifications applicable at the time of issuance. See also notes overleaf. It is only valid in connection with the test report number: ZKT-250306L3768S.

CE

Approved
Manager
Mar. 6, 2025

This Certificate of Conformity is based on single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole product and relevant . Directives to be observed.

Certificate – Сертификат – 證明書 – Certificat – 증명서 – شهادة

Shenzhen ZKT Technology Co., Ltd.
1/F, No. 101, Building B, No. 6, Tangwei Community Industrial Avenue,
Fuhai Street, Bao'an District, Shenzhen, China

Certificate of Compliance

Certificate Number: ZKT-250306L3766C

Certificate's Holder	:	**Xingning Lo Chen Photoelectric Co. , Ltd.** **602,6f, Zhenhua cultural and sports centre, the new China National Highway 205 of E San Tsuen, No. 2 Xingtian Road, Xingning**
Manufacturer	:	**Xingning Lo Chen Photoelectric Co. , Ltd.** **602,6f, Zhenhua cultural and sports centre, the new China National Highway 205 of E San Tsuen, No. 2 Xingtian Road, Xingning**
Trade Mark	:	**/**
Product	:	**Led Strip Light**
Model(s)	:	**LC-5050,** **LC-2835, LC-3528, LC-3014, LC-5730, LC-5630, LC-7020, LC-3535**
Test Standard	:	**EN IEC 55015:2019+A11:2020** **EN IEC 61000-3-2:2019 + A1:2021 + A2:2024** **EN 61000-3-3:2013 + A1:2019 + A2:2021** **EN IEC 61547:2023**

This Attestation of Compliance is issued on a voluntary basis for electrical equipment below the voltage limits of EMC Directive 2014/30/EU. The essential requirements are fulfilled accordingly based on the technical specifications applicable at the time of issuance. See also notes overleaf. It is only valid in connection with the test report number: ZKT-250306L3766E.

CE

Shenzhen ZKT Technology Co., Ltd.
Approved
Manager
Mar. 4, 2025

This Certificate of Conformity is based on single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole product and relevant . Directives to be observed.

Certificate – Сертификат – 證明書 – Certificat – 증명서 – شهادة

Shenzhen ZKT Technology Co., Ltd.
1/F, No. 101, Building B, No. 6, Tangwei Community Industrial Avenue,
Fuhai Street, Bao'an District, Shenzhen, China

Certificate of Compliance

Certificate Number: ZKT-250306L3769C

Certificate's Holder	:	**Xingning Lo Chen Photoelectric Co. , Ltd.**
Address	:	**602,6f, Zhenhua cultural and sports centre, the new China National Highway 205 of E San Tsuen, No. 2 Xingtian Road, Xingning**
Manufacturer	:	**Xingning Lo Chen Photoelectric Co. , Ltd.**
Address	:	**602,6f, Zhenhua cultural and sports centre, the new China National Highway 205 of E San Tsuen, No. 2 Xingtian Road, Xingning**
Product	:	**Led Strip Light**
Trade Mark	:	**/**
Model(s)	:	**LC-5050, LC-2835, LC-3528, LC-3014, LC-5730, LC-5630, LC-7020, LC-3535**
Test Method	:	**IEC 62321-5:2013 & IEC 62321-4:2013+A1:2017 & IEC 62321-7-2:2017 & IEC 62321-6:2015 & IEC 62321-8:2017 & IEC 62321-3-1:2013 & IEC 62321-7-1:2015**

The following products have been tested by us and found in conformity with the (RoHS) Directive 2011/65/EU Annex II amending Annex (EU)2015/863 and amending Annex (EU)2017/2102. It is possible to use CE Marking to demonstrate the conformity with this Directive.It is only valid in connection with the test report number: ZKT-250306L3769R. After preparation of the necessary technical documentation according the reguirement of EN IEC 63000:2018 as well as the verification of conformity the CE marking as shown below can beaffixed on the equipment.

CE

Shenzhen ZKT Technology Co., Ltd.
Approved
Manager
Mar. 04. 2025

This Certificate of Conformity is based on single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole product and relevant . Directives to be observed.

Verification of compliance Verification of compliance Verification of compliance Verification of compliance

Verification of Compliance

Verification No.:	MK25080113P01-C01
Name and address of Applicant:	**Shenzhen Meideno Technology Co., Ltd.** 34th Floor,Hongfa Li Building, Guangming Road，Sima Pu town, Chaonan District,Shantou City
Name and address of Manufacturer:	**Shenzhen Meideno Technology Co., Ltd.** 34th Floor,Hongfa Li Building, Guangming Road，Sima Pu town, Chaonan District,Shantou City
Product name:	**Bluetooth controller**
Product model(s):	JSY-K18, JSY-K18-1
Product trademark:	N/A

This verification confirms that the product meets the requirements of the following standard.
The conformity was demonstrated based on following standard(s) listed by European Commission as harmonized with Directive RoHS 2.0 Directive (EU) 2015/863 and (EU)2017/2102 amending Annex II to Directive 2011/65/EU

IEC 62321-1:2013	IEC 62321-3-1:2013
IEC 62321-4:2013/AMD1:2017	IEC 62321-5:2013
IEC 62321-6:2015	IEC 62321-7-1:2015
IEC 62321-7-2:2017	IEC 62321-8:2017
IEC 62321-2:2021	

The verification has been carried out in accordance with individual rules and conditions agreed with the applicant. Evaluation has been carried out in accordance with:

Test report(s) No.:	MK25080113P01-C01
Test conducted by:	TMC Testing Services (Shenzhen) Co., Ltd.
Verification issue date:	August 21, 2025

Notes:
This verification refers to the above mentioned product and its conformity in regards of above mentioned standard(s) was proven on test sample.
This verification does not imply meeting all essential requirements, assessment of the series-production or any other restricted Notified Bodies conformity assessment procedure appropriate for the product.
This verification holder shall use this verification in connection to verification of conformity and technical data relevant for the product the verification was issued.

TMC Testing Services (Shenzhen) Co., Ltd.
t:86-755-86642861 cert@tmc-lab.com www.tmc-lab.com
1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyan Street, Baoan District, Shenzhen, China

Bauart geprüft TMC Product Safety Approved

Lab Manager: Vivian Jiang

CE

Verification of compliance Verification of compliance Verification of compliance Verification of compliance

Verification of Compliance

Verification No.:	MK25040023P01-R01
Name and address of Applicant:	**Shenzhen Meideno Technology Co., Ltd.** 34th Floor,Hongfa Li Building, Guangming Road，Sima Pu town, Chaonan District, Shantou City
Name and address of Manufacturer:	**Shenzhen Meideno Technology Co., Ltd.** 34th Floor,Hongfa Li Building, Guangming Road，Sima Pu town, Chaonan District, Shantou City
Product name:	**2.4G controller**
Rated:	Remote:3V ⎓ Controller:5V ⎓
Product model(s):	JSY-K18, JSY-Y19, MDN-008
Product trademark:	N/A

This verification confirms that the product meets the requirements of the following standard.
The conformity was demonstrated based on following standard(s) listed by European Commission as harmonized with RE Directive (2014/53/EU).

ETSI EN301 489-1 V 2.2.3 (2019-11)
ETSI EN 301 489-17 V3.3.1 (2024-09)
ETSI EN 300 328 V2.2.2 (2019-07)
EN 62479:2010 EN50663:2017
EN IEC 62368-1:2020 + A11:2020

The verification has been carried out in accordance with individual rules and conditions agreed with the applicant. Evaluation has been carried out in accordance with:

Test report(s) No.:	MK25040023P01-S01 MK25040023P01-E01 MK25040023P01-RF01 MK25040023P01-H01
Test conducted by:	TMC Testing Services (Shenzhen) Co., Ltd.
Verification issue date:	April 17, 2025

Notes:

This verification refers to the above mentioned product and its conformity in regards of above mentioned standard(s) was proven on test sample.

This verification does not imply meeting all essential requirements, assessment of the series-production or any other restricted Notified Bodies conformity assessment procedure appropriate for the product.

This verification holder shall use this verification in connection to verification of conformity and technical data relevant for the product the verification was issued.

TMC Testing Services (Shenzhen) Co., Ltd.
t:86-755-86642861 cert@tmc-lab.com www.tmc-lab.com
1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyan Street, Baoan District, Shenzhen, China

Bauart geprüft TMC Product Safety

Lab: Vivian Jiang

CE