SKU N635P526820+N635P526821

Das Dining car wird mit 2 Kartons geliefert. Wir empfehlen, das Set nach Erhalt aller Kartons zusammenzustellen.





EC | REP



EN_IMPORTANT,RETAIN FOR FUTURE REFERENCE;READ CAREFULLY.
FR_IMPORTANT:A LIRE ATTENTIVEMENT ET ACONSERVER POUR CONSULTATION ULTERIEURE.
ES_IMPORTANTE,LEA Y GUARDE PARA FUTURAS REFEREBCUAS.
DE_,,WICHTIG!SORGEALTIG LESEN UND FUR SPATER NACHSCHLAGEN AUFBEWAHREN."
IT_IMPORTANTE! CONSERVARE IL PRESENTE MANUALE PER FUTURO RIFERIMENTO E LEGGERLO ATTENTAMENTE.

EN

Dear customer,
Thank you for purchasing this product.So that your appliance serves you well,please read all the instructions in this user's manual.If you have any quetions,please contact our customer care center.

FR

Cher client,
Nous vous remercions d'avoir achete ce produit.Afin que vous puissiez profiter pleinement de votre appareil,veuillez lire toutes les instructions de ce manuel d'utilisation.Si vous avez la moindre question,veuillez contacter notre centre d'assistance a la clientele.

DE

Sehr geehrter Kunde,
Vielen Dank,dass Sie dieses Produkt erworben haben.Damit Ihr Gerat Ihnen gute Dienste leistet,lesen Sie bitte alle Hinweise in diesem Benutzerhandbuch.Wenn Sie Fragen haben,wenden Sie sich bitte an unser Kundendienstzentrm.

ES

Queridos clientes,
Gracias por comprar este producto.Para que su electrodomestico le sirva mejor,lea todas las instrucciones de este manual del usuario.Si tiene alguna pregunta, comuniquese con nuestro Centro de Atencion al Cliente.

IT

Caro Cliente,
Grazie per aver acquistato questo prodotto,Per servirti meglio con questo apparecchio ti prego di leggere tutte le istruzioni in presente manuale utente. In caso didubbio,si prega di contattare il nostro centro assistenza clienti.



Our product will be delivered to you in 2 packages. The delivery mes of these 2 packages may differ,please be pa ent and thank you for your understanding.

Unser Produkt wird Ihnen in 2 Paketen geliefert. Die Lieferzeiten dieser 2 Pakete können abweichen, bi e haben Sie etwas Geduld und vielen Dank für Ihr Verst ändnis.



EN_QUICKFIT:Tighten quickfit until shoulder is flush with panel.Do not overtighten or undertighten.
FR_RACCORD RAPIDE:Faites serrer le raccord rapide jusqu'a ce que I'epaulement soit parfaitement encstre dans le panneau.Il ne faut ni trop serrer ni insuffisamment serrer.
ES_QUICKFIT:Apriete quickfit hasta que el hombre se descargue con el panel.NO lo sobreapriete ni lo apriete poco.
DE_QUICKFIT:Ziehen Sie den quickfit fest,bis die Schulter mit der Platte bundig ist. Bitte nicht zu fest oder zu schwach anziehen.
IT_MONTAGGIO RAPIDO:Stringere il montaggio rapido fino aquando la spalla e a filo con il pannello,non stringere troppo o troppo poco.



EN_CAM LOCK:When fitting cam lock,ensure starting position is correct before you insert connecting quickfit.
FR_SERRURE BATTEUSE:Avant d'inserer la serrure batteuse,veillez a la bonne orientation avant d'inserer le raccord rapide,
ES_CIERRE DE LA CAMARA:Cuando instale el cierre de la camara,asegurese de que la posicion de inicio es correcta antes de que inserte el quickfit conector,
De_CAM-LOCK:Achten Sie bei der Montage des Cam-locks auf die richtige Ausgangsposition,bevor Sie den Quickfit einsetzen.
IT_BLOCCAGGIO A CAMMA:Quando si monta il bloccaggio a camma,assicurarsi che la possizione iniziale sia corretta prima di inserire il montaggio rapido di collegamento.



EN_Quickfit head should be in the centre of the cam lock when the two panels are joined.
Cam lock should be inserted before quickfit.
FR_Lorsque les deux panneaux sont assembles,la tete du raccord rapide doit reposer au centre de la serrure batteuse.
Il faut inserer la serrure batteuse avant le raccord rapide.
ES_EL cabezal del quickfit debe estar en el centro del cierre de la camara cuando se unan los dos paneles.
Se debe insertar el cierre de la camara antes que el quickfit.
DE_Der Quickfit-Kopf sollte sich in der Mitte des Cam-locks befinden,wenn die beiden Platten zusammengefugt sind.
Der Cam-lock sollte vor dem Quickfit eingesetzt werden.
IT_La testa del montaggio rapido deve trova rsi al centro del bloccaggio a camma quando i due pannelli sono uniti.
Il Bloccaggio a Camma deve essere inserito prima del montaggio rapido.



EN_Turn cam lock clockwise to tighten.
FR_Faites tourner la serrure batteuse dans le sens des aiguilles d'une montre pour la resserrer.
ES_Gire el cierre de la camara en sentido horario para apretarlo.
DE_Drehen Sie den Cam-Lock im Uhrzeigersinn,um ihn festzuziehen.
IT_Rutotare il bloccaggio a camma in senso oragio per stringere.

EN_It may be necessary to adjust the hinges so that the doors align.Use the instructions below as a guide.
FR_Il est parfois necessaire d'ajuster les charnieres pour un meilleur alignement des portes.Servez-vous des instructions ci-dessous comme guide.
ES_Puede que sea necesario ajustar los quicios de forma que se alineen las puertas. Use las instrucciones que aparecen debajo como guia.
DE_moglicherweise mussen Sie die Scharniere so einstellen,dass die Turen ausgerichtet sind.Verwenden Sie die nachstehenden Anweisungen als Leitfaden.
IT_Potrebbe essere necessario regolare le cerniere in modo che le porte siano allineate. Per fare cio attenersi alle istruzioni sottostanti.

a



EN_To adjust the door vertically loosen the screw asshown and move up and down as needed.
FR_Si vous souhaitez regler la porte verticalement, desserrez la vis comme indique et deplacez la porte de haut en bas selon les besoins.
ES_Para ajustar la puerta verticalmente afloje el tornillo tal y como se muestra y muevalo hacia arriba o hacia abajo segun sea necesario.
DE_Um die Tur vertikal auszurichten,losen Sie die Schraube wie adgebildet und bewegen Sie sie nach Bedarf nch oben oder nach unten.
IT_Per allineare la porta verticalmente allentare la vite come mostrato e spostarla in alto o in basso secondo necessita.

b



EN_To adjust the gap from the door to the main frame turn the screw clockwise or anti-clock wise as needed.
FR_Si vous souhaitez ajuster l'ecart entre la porte et le cadre principal,tournez la vis dans le sens des aiguilles d'une montre ou dans le sens inverse ,si necessaire.
ES_Para ajustar el espacio desde la puerta al marco principal,gire el tornillo en sentido horario o antihorario, segun se necesite .
DE_Um den Abstand von der Tur zum Hauptrahmen auszurichten,drehen Sie die schraube ie nach Bedarf im oder gegen den Uhrzeigersinn
IT_Per regolare lo spazio tra la porta e il telaio principale, avvitare o svitare la vite secondo necessita.

c



EN_To adjust the door laterally djust the screw as shown by turning clockwise or anti-clockwise.
FR_Si vous souhaitez ajuster la porte lateralement,ajustez la vis comme indique en tournant dans le sens des aiguilles d'une montre ou dans le sens inverse des aiguilles d'une montre.
ES_Para ajustar la puerta laterlmente ajuste el tornillo tal y como se muestra girandolo en sentido horario y antihorario.
DE_Um die Tur seitlich auszurichten,stellen Sie bitte die Schraube wie abgebildet durch Drehen im oder gegen den Uhrzeigersinn ein.
IT_Per allineare la porta lateralmente regolare la vite come mostrato,avvitandola o svitandola.

d



EN_Please fix other screws
FR_Merci de serrer les autres vis.
ES_Fije los demas tornillos
DE_Befestigen Sie bitte die anderen Schrauben
IT_Fissare le altre viti


1
2
6
18
7
8
3
19
17
4
19
18
13
14
15
16
12
14
11
8
9
5
10
10
20

BOX-1/2 SKU N635P526820

NO.	PARTS	QTY
①		x1
②		x1
⑤		x1
⑨		x1
⑩		x2
⑫		x4
⑬		x4
⑭		x4
⑱		x2
⑲		x2

BOX-2/2 SKU N635P526821

NO.	PARTS	QTY
③		x1
④		x1
⑥		x1
⑦		x1
⑧		x2
⑪		x2
⑮		x4
⑯		x4
⑰		x1

BOX-2/2 SKU N635P526821

A x1	B x1	C x6	D x1 	E x42	F x82 	G x82
H x18	I x50 3.5x14mm 	J x16 6x20mm	K x4 	L x34 3.5x12mm 	M x8 	N x10
O x12 4x20mm	P x4 					

1



2



Fx12





Gx8

3

1



2



Fx12	Jx4	Gx8	Nx6
			

4



Gx4

5



Gx4

6

1



2



Fx16



Jx4

7



Gx16

Nx4

8



9



Fx10



Jx8

10



Gx10

11



Ix24



Px4



12

1



2



Mx8



13



Ix8	Kx4	Ox4	Cx2	Lx16
				

14



Fx32	Gx16	Ox8	Cx4
			

15



1



x4

2



x4

Gx16

Lx16



Px4



16



17



Hx18

Ix18

18



Ax1

Bx1

Lx2







EN:In order to make the product more beautiful, please paste hardware E on the exposed holes.
DE:Um ein präzises produkt ästhetisieren zu können, fügen sie hardware E in eine entblößte öffnung ein
FR:Afin de rendre le produit plus beau, s' il vous plaît coller le matériel E sur les trous exposés.
IT:Per rendere il prodotto più bello, incollare l' hardware E sui fori esposti.
ES:Con el fin de hacer el producto más hermoso, por favor pega hardware E en los agujeros expuestos

Ex42

Importeur	Decobus Handel GmbH
Adresse	Innungsstraße 9,21244 Buchholz, Deutschland
EmaiVUR	https://ww.decobusgroup.de
Hersteller	Natulighting(shenzhen) TechnologyCo.,LTD
Adresse	5th Floor, Building B, Longtian Industrial Zone, Xihu, Shilong Town, Dongguan City
EmaiVURL	648247948@qq.com
Partienummer	04/2026
Hergestelit in	China
EC REP	Decobus Handel GmbH Innungsstraße 9,21244 Buchholz, Deutschland https://www.decobusgroup.de

Produkt: Multi-function Power Socket
Modell: YS-EU1660
Nennspannung:16A250V
Nennfreauenz: 50/60H
Leistung:4KW

CERTIFICATE OF CONFORMITY

Certificate No. FCS202409291CA02M1

Product Power Socket

Brand Name N/A

Model(s) No. YS-UK1660

Series Model YS-UK1661/YS-UK1662/YS-UK1663/YS-UK1664/
YS-UK1665/YS-MU1661/YS-MU1662/YS-MU1663/
YS-MU1664/YS-MU1665/YS-EU1661/YS-EU1662/
YS-EU1663/YS-EU1664/YS-EU1665/YS-MU1660/YS-EU1660

Holder Shenzhen Using Intelligent Technology Co.,Ltd.

Address No. 22 Chenwu Road, Dakang Community, Yuanshan Street, Longgang District, Shenzhen

Manufacturer Shenzhen Yousheng Intelligent Technology Co., Ltd. Dongguan Branch

Address 5th Floor, Building 2, No. 55 West Road, Shilong Section, Dongjiang Avenue, Shilong Town, Dongguan City, Guangdong Province

Report No. FCS202409291A01M1

This certificate is filed on the basis of the original certificate record number FCS202409291CA02 and the certificate is issued on October 8,2024

TEST STANDARDS:

EN IEC 62368-1:2024 + A11:2024

The applicant of the certificate is authorized to use this certificate in connection with EC declaration of conformity to the Directive. The certificate is only applicable to the equipments described above.
The submitted sample of the above equipment has been tested and found to comply with the following European Directive

LVD Directive - 2014/35/EU Directive

Approved by:

November 26, 2024

Jack Wang/Managerial

The statement is based on a single evaluation of the sample of above mentioned product(s). It does not imply an assessment of the whole production.

Dongguan Funas Testing Technology Co.,Ltd.
Tel: 0769-27280901 http://www.fcs-lab.com

CERTIFICATE OF CONFORMITY

Certificate No.: KEYS241104015001RH-03R1

Applicant	:	SHENZHEN Using Intelligent Technology CO.,LTD.
Address	:	No. 22 Chenwu Road, Dakang Community, Yuanshan Street, Longgang District, Shenzhen
Manufacturer	:	Shenzhen Yousheng Intelligent Technology Co., Ltd. Dongguan Branch
Address	:	Room 504, Building 2, No. 55 West Shilong Section, Dongjiang Avenue, Shilong Town, Dongguan City, Guangdong Province
Sample Name	:	British socket
Trademark	:	Using
Main Model	:	YS-UK1660
Additional model	:	YS-UK1661,YS-UK1662,YS-UK1663,YS-UK1664,YS-UK1665, IYS-MU1661,YS-MU1662,YS-MU1663,YS-MU1664,YS-MU1665, YS-EU1661,YS-EU1662,YS-EU1663,YS-EU1664,YS-EU1665,YS-8033

RoHS 2.0 Directive (EU) 2015/863 and (EU)2017/2102 amending Annex II to Directive 2011/65/EU.

The standard(s) used for showing compliance with the essential requirements:

Applicable Standard(s)

IEC 62321-3-1: 2013
IEC 62321-4:2013 +AMD1:2017
IEC 62321-5:2013
IEC 62321-6:2015
IEC 62321-7-1:2015
IEC 62321-7-2:2017
IEC 62321-8:2017

The EUT described above has been consolidated by us and found in compliance with the council RoHS 2.0 Directive (EU) 2015/863 and (EU)2017/2102 amending Annex II to Directive 2011/65/EU.

The certificate applies to the tested sample above mentioned only and shall not imply an assessment of the whole production. It is only valid in connection with the test report number. KEYS241104015001RH-03R1

RoHS

Tony Qian/Approved Signatory

Date: Nov.06, 2024

Scan to view the original file

Guangdong KEYS Testing Technology Co., Ltd.
Address: Building 1, No.18, Shihuan Road, Dongcheng Subdistrict, Dongguan, Guangdong, China
Tel:+ 86-0769-89798319 http://www.keys-lab.com E-mail: info@keys-lab.com

Сертификат сертификации diplômes 認証証書 인증서 Сертификат сертификации diplômes 認証証書 인증서

CERTIFICATE OF CONFORMITY

Certificate No. FCS202409291CA01M1

Product Power Socket

Brand Name N/A

Model(s) No. YS-UK1660

Series Model YS-UK1661/YS-UK1662/YS-UK1663/YS-UK1664/
YS-UK1665/YS-MU1661/YS-MU1662/YS-MU1663/
YS-MU1664/YS-MU1665/YS-EU1661/YS-EU1662/
YS-EU1663/YS-EU1664/YS-EU1665/YS-MU1660/YS-EU1660

Holder Shenzhen Using Intelligent Technology Co.,Ltd.

Address No. 22 Chenwu Road, Dakang Community, Yuanshan Street, Longgang District, Shenzhen

Manufacturer Shenzhen Yousheng Intelligent Technology Co., Ltd. Dongguan Branch

Address 5th Floor, Building 2, No. 55 West Road, Shilong Section, Dongjiang Avenue, Shilong Town, Dongguan City, Guangdong Province

Report No. FCS202409291E01M1

This certificate is filed on the basis of the original certificate record number FCS202409291CA01 and the certificate is issued on October 8,2024

TEST STANDARDS:

EN 55032:2015/A1:2020
EN 55035:2017/A11:2020
EN IEC 61000-3-2:2019/A1:2021
EN 61000-3-3:2013/A2:2021

The applicant of the certificate is authorized to use this certificate in connection with EC declaration of conformity to the Directive. The certificate is only applicable to the equipments described above.
The submitted sample of the above equipment has been tested and found to comply with the following European Directive

EMC Directive - 2014/30/EU

Approved by:

November 26, 2024

Jack Wang/Managerial

The statement is based on a single evaluation of the sample of above mentioned product(s). It does not imply an assessment of the whole production.

Dongguan Funas Testing Technology Co.,Ltd.
Tel: 0769-27280901 http://www.fcs-lab.com

The statement is based on a single evaluation of the sample of above mentioned product(s). It does not imply an assessment of the whole production.