

N657P459265
N657P459266
Product manual
Gebrauchsanweisung
Manuel du produit
Manual del producto
Manuale del prodotto











EN:Our product will be delivered to you in 3 packages.The delivery times of these 3 packagesmay differ,please be patient and thank you for your understanding
FR:Notre produit vous sera livré en 3 colis.Les delais delivraison de ces 3 colis peuvent différer,soyezpatient et merci de votre compréhension.
DE:Unser Produkt wird Ihnen in 3 Paketen geliefert.Die Lieferzeiten dieser 3 Paketekonnenabweichen,bitte habenSie etwas Geduld und vielen Dank fur Ihr Verstandnis
IT:I nostri prodotti vengono trasportati in 3 pacchetti. Itempi di consegna dei 3 pacchetti sono diversi:abbiate pazienza e vi ringrazio per la vostra comprensione.
ES:Nuestro producto se entrega en 3 paquetes. El tiempo de entrega de estos 3 paquetes es diferente. Porfavor,sea paciente. Gracias por su comprensión.



DE

Warnung: Die maximale Belastbarkeit dieses Möbels beträgt:70 kg, bitte nicht überlasten!

EN

Warning: The maximum load-bearing capacity of this furniture is:70 kg, please do not overload!

FR

Avertissement : La capacité de charge maximale de ce meuble est de :70 kg, merci de ne pas surcharger !

IT

Attenzione: la capacità di carico massima di questo mobile è:70 kg, non sovraccaricare!

ES

Advertencia: La capacidad máxima de carga de este mueble es:70 kg, ¡no lo sobrecargue!



[DE]

Warnung: Lesen Sie diese Anleitung vor dem Zusammenbau bitte vollständig durch. Überprüfen Sie, ob Sie alle auf den Seiten aufgeführten Komponenten und Werkzeuge haben. Bewahren Sie die Anleitung zum späteren Nachschlagen auf. Teile des Zusammenbaus lassen sich mit 2 Personen leichter durchführen. Suchen Sie bei Bedarf professionelle Hilfe.

Warnung: Legen Sie alle Teile auf eine ebene Fläche. Legen Sie eine weiche Decke oder Ähnliches darunter, um sie vor Kratzern oder Flecken zu schützen. Vermeiden Sie es, Komponenten über den Boden zu ziehen oder zu schieben.

Warnung: Überprüfen Sie regelmäßig alle Beschläge und Befestigungen, um sicherzustellen, dass sie sicher sind und um Unfälle zu vermeiden. Wenn Teile fehlen, kaputt, beschädigt oder abgenutzt sind, verwenden Sie das Produkt nicht weiter, bis es mit vom Hersteller autorisierten Teilen repariert wurde.

Warnung: Lassen Sie Kinder nicht auf die Möbel klettern, da dies zum Umkippen und zu schweren Verletzungen führen kann. Bauen Sie die Möbel außerhalb der Reichweite von Kindern zusammen.

Warnung: Stellen Sie die Möbel nicht in die Nähe von Feuerquellen oder heißen Gegenständen, um Brandgefahr zu vermeiden.

Warnung: Reinigen Sie die Möbel mit einem feuchten Tuch oder Alkohol. Verwenden Sie keine Reinigungsmittel mit ätzenden Chemikalien.

Warnung: Dieses Produkt ist mit einer Kippschutzvorrichtung ausgestattet. Bitte installieren Sie diese Vorrichtung unbedingt, um unnötige Verletzungen durch Umkippen zu vermeiden.

[EN]

Warning: Please read these instructions fully before starting assembly.Check you have all the components and tools listed on pages.Keep the instructions for later reference. Parts of the assembly will be easier with 2 people.Seek professional assistance if necessary.

Warning: Please place all parts on a flat surface.Place a soft blanket or similar underneath to protect against scratches or stains.Avoid dragging or sliding components across the floor.

Warning: Regularly check all fittings and fastenings to ensure they are secure and to prevent accidents.If any parts are missing, broken, damaged, or worn, discontinue use of the product until repairs have been made using factory authorized parts.

Warning: Do not allow children to climb on the furniture as this may result in tipping and serious personal injury.Assemble the furniture away from the reach of children.

Warning: Do not place furniture close to fire sources or high-temperature objects to avoid the risk of fire. Do not place furniture in damp environments to prevent material damage.

Warning: Clean furniture with a damp cloth or alcohol, avoid using cleaning agents containing corrosive chemicals.

Warning: This product is equipped with an anti-tilt device. Please be sure to install this device to prevent unnecessary injuries caused by tipping.

[FR]

Avertissement : Veuillez lire attentivement ces instructions avant de commencer l'assemblage. Vérifiez que vous disposez de tous les composants et outils répertoriés sur les pages. Conservez les instructions pour référence ultérieure. Certaines parties de l'assemblage seront plus faciles à 2 personnes. Demandez l'aide d'un professionnel si nécessaire.

Avertissement : Veuillez placer toutes les pièces sur une surface plane. Placez une couverture douce ou similaire en dessous pour les protéger des rayures ou des taches. Évitez de faire glisser les composants sur le sol.

Avertissement : Vérifiez régulièrement tous les raccords et fixations pour vous assurer qu'ils sont bien fixés et pour éviter les accidents. Si des pièces manquent, sont cassées, endommagées ou usées, cessez d'utiliser le produit jusqu'à ce que des réparations aient été effectuées à l'aide de pièces autorisées par l'usine.

Avertissement : Ne laissez pas les enfants grimper sur les meubles car cela pourrait entraîner un basculement et des blessures graves. Assemblez les meubles hors de portée des enfants.

Avertissement : Ne placez pas les meubles à proximité de sources de feu ou d'objets à haute température pour éviter tout risque d'incendie.

Avertissement : Nettoyez les meubles avec un chiffon humide ou de l'alcool, évitez d'utiliser des produits de nettoyage contenant des produits chimiques corrosifs.

Avertissement : Ce produit est équipé d'un dispositif anti-basculement. Assurez-vous d'installer ce dispositif pour éviter les blessures inutiles causées par un basculement.

[IT]

Attenzione: leggere attentamente queste istruzioni prima di iniziare il montaggio. Verificare di avere tutti i componenti e gli strumenti elencati nelle pagine. Conservare le istruzioni per riferimento futuro. Alcune parti del montaggio saranno più facili con 2 persone. Se necessario, chiedere assistenza professionale.

Attenzione: posizionare tutte le parti su una superficie piana. Posizionare una coperta morbida o simile sotto per proteggere da graffi o macchie. Evitare di trascinare o far scivolare i componenti sul pavimento.

Attenzione: controllare regolarmente tutti i raccordi e i dispositivi di fissaggio per assicurarsi che siano sicuri e per prevenire incidenti. Se alcune parti sono mancanti, rotte, danneggiate o usurate, interrompere l'uso del prodotto fino a quando non siano state eseguite le riparazioni utilizzando parti autorizzate dalla fabbrica.

Attenzione: non consentire ai bambini di arrampicarsi sui mobili poiché ciò potrebbe causare ribaltamenti e gravi lesioni personali. Montare i mobili lontano dalla portata dei bambini.

Attenzione: non posizionare i mobili vicino a fonti di fuoco o oggetti ad alta temperatura per evitare il rischio di incendio

Attenzione: pulire i mobili con un panno umido o alcol, evitare di utilizzare detergenti contenenti sostanze chimiche corrosive.

Attenzione: questo prodotto è dotato di un dispositivo antiribaltamento. Assicurarsi di installare questo dispositivo per prevenire lesioni inutili causate dal ribaltamento.

[ES]

Advertencia: Lea estas instrucciones completamente antes de comenzar el montaje. Compruebe que tiene todos los componentes y herramientas que se enumeran en las páginas. Conserve las instrucciones para consultarlas más adelante. El montaje de algunas partes será más sencillo con 2 personas. Busque ayuda profesional si es necesario.

Advertencia: Coloque todas las piezas sobre una superficie plana. Coloque una manta suave o algo similar debajo para protegerlas de rayones o manchas. Evite arrastrar o deslizar los componentes por el piso.

Advertencia: Verifique regularmente todos los accesorios y fijaciones para asegurarse de que estén seguros y evitar accidentes. Si falta alguna pieza, está rota, dañada o desgastada, deje de usar el producto hasta que se hayan realizado las reparaciones con piezas autorizadas de fábrica.


Advertencia: No permita que los niños se suban a los muebles, ya que esto puede provocar que se vuelquen y lesiones personales graves. Monte los muebles fuera del alcance de los niños.

Advertencia: No coloque los muebles cerca de fuentes de fuego u objetos de alta temperatura para evitar el riesgo de incendio.


Advertencia: Limpie los muebles con un paño húmedo o alcohol, evite usar agentes de limpieza que contengan químicos corrosivos.

Advertencia: Este producto está equipado con un dispositivo antivuelco. Asegúrese de instalar este dispositivo para evitar lesiones innecesarias causadas por vuelcos.


Importeur	Decobus Handel GmbH
Adresse	Innungsstraße 9,21244 Buchholz,Deutschland
Email/URL	https://www.decobusgroup.de
Hersteller	Kangqi Home Furnishing Co., Ltd.
Adresse	No. 16, Zhongyitou Internet Furniture Park, Jingba Industrial Zone, Nankang, Ganzhou, Jiangxi, China
Email/URL	346189842@qq.com
Partienummer	N657P459265 / N657P459266
Hergestellt in	China
EC REP	Decobus Handel GmbH Innungsstraße 9,21244 Buchholz,Deutschland https://www.decobusgroup.de




EN_QUICKFIT: Tighten quickfit until shoulder is flush with panel.Do not overtighten or undertighten.
FR_RACCORD RAPIDE:Faites serrer le raccord rapide jusqu'à ce que l'épaulement soit parfaitement encastré dans le panneau. Il ne faut ni trop serrer ni insuffisamment serrer.
ES_QUICKFIT:Apriete quickfit hasta que el hombre se descargue con el panel. NO lo sobreapriete ni lo apriete poco.
DE_QUICKFIT:Ziehen Sie den Quickfit fest, bis die Schulter mit der Platte bündig ist. Bitte nicht zu fest oder zu schwach anziehen.
IT_MONTAGGIO RAPIDO:Stringere il montaggio rapido fino a quando la spalla è a filo con il pannello, non stringere troppo o troppo poco.



EN_CAM LOCK: When fitting cam lock, ensure starting position is correct before you insert connecting quickfit.
FR_SERRURE BATTEUSE:Avant d'insérer la serrure batteuse, veillez à la bonne orientation avant d'insérer le raccord rapide.
ES_CIERRE DE LA CÁMARA:Cuando instale el cierre de la cámara, asegúrese de que la posición de inicio es correcta antes de que inserte el quickfit conector.
DE_CAM-LOCK:Achten Sie bei der Montage des Cam-Locks auf die richtige Ausgangsposition, bevor Sie den Quickfit einsetzen.
IT_BLOCCAGGIO A CAMMA:Quando si monta il bloccaggio a camma, assicurarsi che la posizione iniziale sia corretta prima di inserire il montaggio rapido di collegamento.




EN_ Quickfit head should be in the centre of the cam lock when the two panels are joined.
Cam lock should be inserted before quickfit.
FR_ Lorsque les deux panneaux sont assemblés, la tête du raccord rapide doit reposer au centre de la serrure batteuse.
Il faut insérer la serrure batteuse avant le raccord rapide.
ES_ El cabezal del quickfit debe estar en el centro del cierre de la cámara cuando se unan los dos paneles.
Se debe insertar el cierre de la cámara antes que el quickfit.
DE_ Der Quickfit-Kopf sollte sich in der Mitte des Cam-Locks befinden, wenn die beiden Platten zusammengefügt sind.
Der Cam-Lock sollte vor dem Quickfit eingesetzt werden.
IT_ La testa del montaggio rapido deve trovarsi al centro del bloccaggio a camma quando i due pannelli sono uniti.
Il Bloccaggio a Camma deve essere inserito prima del montaggio rapido.



EN_ Turn cam lock clockwise to tighten.
FR_ Faites tourner la serrure batteuse dans le sens des aiguilles d'une montre pour la resserrer.
ES_ Gire el cierre de la cámara en sentido horario para apretarlo.
DE_ Drehen Sie den Cam-Lock im Uhrzeigersinn, um ihn festzuziehen.
IT_ Ruotare il bloccaggio a camma in senso orario per stringere.


EN_It may be necessary to adjust the hinges so that the doors align.Use the instructions below as a guide.
FR_Il est parfois nécessaire d'ajuster les charnières pour un meilleur alignement des portes. Servez-vous des instructions ci-dessous comme guide.
ES_Puede que sea necesario ajustar los quicios de forma que se alineen las puertas. Use las instrucciones que aparecen debajo como guía.
DE_Möglicherweise müssen Sie die Scharniere so einstellen, dass die Türen ausgerichtet sind. Verwenden Sie die nachstehenden Anweisungen als Leitfaden.
IT_Potrebbe essere necessario regolare le cerniere in modo che le porte siano allineate. Per fare ciò attenersi alle istruzioni sottostanti.

ⓐ




EN_To adjust the door vertically loosen the screw asshown and move up and down as needed.
FR_Si vous souhaitez régler la porte **verticalement**, desserrez la vis comme indiqué et déplacez la porte de haut en bas selon les besoins.
ES_Para ajustar la puerta **verticalmente** afloje el tornillo tal y como se muestra y muévalo hacia arriba o hacia abajo según sea necesario.
DE_Um die Tür **vertikal** auszurichten, lösen Sie die Schraube wie abgebildet und bewegen Sie sie nach Bedarf nach oben oder nach unten.
IT_Per allineare la porta **verticalmente** allentare la vite come mostrato e spostarla in alto o in basso secondo necessità.

ⓑ




EN_To adjust the gap from the door to the main frame turn the screw clockwise or anti-clockwise as needed.
FR_Si vous souhaitez ajuster **l'écart** entre la porte et le cadre principal, tournez la vis dans le sens des aiguilles d'une montre ou dans le sens inverse, si nécessaire.
ES_Para ajustar el **espacio** desde la puerta al marco principal, gire el tornillo en sentido horario o antihorario, según se necesite.
DE_Um den **Abstand** von der Tür zum Hauptrahmen auszurichten, drehen Sie die Schraube je nach Bedarf im oder gegen den Uhrzeigersinn.
IT_Per regolare lo **spazio** tra la porta e il telaio principale, avvitare o svitare la vite secondo necessità.

ⓒ



EN_To adjust the door laterally adjust the screw as shown by turning clockwise or anti-clockwise.
FR_Si vous souhaitez ajuster la porte **latéralement**, ajustez la vis comme indiqué en tournant dans le sens des aiguilles d'une montre ou dans le sens inverse des aiguilles d'une montre.
ES_Para ajustar la puerta **lateralmente** ajuste el tornillo tal y como se muestra girándolo en sentido horario y antihorario.
DE_Um die Tür **seitlich** auszurichten, stellen Sie bitte die Schraube wie abgebildet durch Drehen im oder gegen den Uhrzeigersinn ein.
IT_Per allineare la porta **lateralmente** regolare la vite come mostrato, avvitandola o svitandola.

ⓓ













EN_Please fix other screws
FR_Merci de serrer les autres vis.
ES_Fije los demás tornillos
DE_Befestigen Sie bitte die anderen Schrauben
IT_Fissare le altre viti

Components - Fittings


Please check you have all the panels listed below


Note: The quantitie below are the correct amount to complete the assembly. In some cases more fittings maybe supplied than are required.

SKU: N657P459265

Ⓐ  x68	Ⓑ  M12mm x68
Ⓒ  x1	Ⓓ  x3
Ⓔ  M3. 5x12mm x92	Ⓕ  M4x30mm x12
Ⓖ  M3.5x16mm x5	Ⓗ  x5
Ⓙ  x1	Ⓚ  x1
Ⓛ  x2	Ⓜ  x2
Ⓝ  Ø6X25mm x8	Ⓞ  x4

Ruler - Use this ruler to help correctlly identfy the screws









The screws length is measured from the head to the point (35mm screw shown).

Components - Fittings


Please check you have all the panels listed below


Note: The quantitie below are the correct amount to complete the assembly. In some cases more fittings maybe supplied than are required.

SKU: N657P459265

Ⓟ  x2	Ⓠ  M6x35mm x3
Ⓡ  M8x20mm x2	Ⓢ  x8
Ⓣ  x1	


Ruler - Use this ruler to help correctly identfy the screws




















The screws length is measured from the head to the point (35mm screw shown).

Assembly Instructions






Assembly Instructions

SKU：N657P459265

1  1pc	3  1pc	4  1pc
7  1pc	8  1pc	10  1pc
11  2pcs	12  2pcs	20  1pc
24  1pc	25  3pcs	28  1pc
29  2pcs	30  2pcs	31  2pcs
















Assembly Instructions

SKU：N657P459265

32  1pc	34  2pcs	35  1pc


Assembly Instructions

SKU: N657P459266


2  1pc	5  1pc	6  1pc
13  2pcs	14  1pc	15  1pc
16  1pc	17  1pc	18  1pc
19  1pc	22  1pc	23  4pcs
26  3pcs	27  1pc	33  4pcs


Assembly Instructions


Step 1



Step 2









Assembly Instructions

Step 3



Ⓑ	 M12mm	x3


Step 4



Ⓑ	 M12mm	x3


Assembly Instructions

Step5



Ⓑ	M12mm	x3


Step6



B	M12mm	x6


Assembly Instructions


Step 7



Ⓔ M3.5x12mm x16

Step 8






Ⓐ x6


Assembly Instructions


Step 9



Ⓑ	M12mm	x6

Step10






A	D	E
x25	x2	M3.5x12mm x4


Assembly Instructions

Step 11



Ⓑ	M12mm	x6


Step 12



Ⓑ	M12mm	x12


Assembly Instructions

Step 13



B		
	M12mm	x7


Step 14




E	P	R
M3.5x12mm x8	x2	M8x20mm x2

Assembly Instructions

Step15




Step16



A	E	M
x6	M3.5x12mm x4	x2

Assembly Instructions


Step17



G	H	Q
M3.5x16mm x4	x1	M6x35mm x2


Assembly Instructions

Step18




Assembly Instructions


Step19




If you find that there is a large gap between or beside the door, above or below the door, it's not the product problem, please adjust the hinge according to the diagram as below




Door left and right adjustment by loosening the screws on the mounting plate.



Door in and out adjustment by loosening the screws on the hinge arm.




Door up and down adjustment using the front adjustment screw on the hinge.

Ⓔ	Ⓚ
 M3. 5x12mm x16	 x1

Assembly Instructions


Step 20




Ⓑ	Ⓔ	Ⓞ
M12mm x6	M3.5x12mm x4	x4

Assembly Instructions


Step 21






Assembly Instructions


Step 22



Ⓔ	Ⓛ
x5	x2

Step 23








Ⓕ	
M4x30mm	x12

Assembly Instructions


Step24









x2



Step25






x2


Assembly Instructions

Step26



B	x12


Step 27



D	x12	G	x3	H	x3


Assembly Instructions

Step28



Assembly Instructions


Step 29




Ⓔ	Ⓖ	Ⓗ
x8	x1	x1

Assembly Instructions

Step 30








Ⓔ	Ⓝ
 M3.5x12mm x6	 M6x25 x8


Assembly Instructions

Step 31









EN:In order to make the product more beautiful,please paste hardware U on the exposed holes.
DE:Um das Produkt noch schöner zu machen, kleben Sie bitte Hardware U auf die freiliegenden Löcher.
FR:Afin de rendre le produit plus beau, s’ il vous plaît coller le matériel U sur les trous exposés.
IT:Per rendere il prodotto più bello,incollare l’hardware U sui fori esposti.
ES:Con el fin de hacer el producto más hermoso, por favor pega hardware U en los agujeros expuestos.

Importeur	Decobus Handel GmbH
Adresse	Innungsstraße 9, 21244 Buchholz, Deutschland
URL	https://www.decobusgroup.de
Hersteller	Shenzhen Xuxing Technology Co., Ltd.
Adresse	3rd Floor, Building C, Huaze High-tech Industrial Park, Shiyang Subdistrict,Bao' an District, Shenzhen
URL/Email	3122312202@qq.com
Productiondatum	2026年3月
Hergestellt In	China
EC REP	Decobus Handel GmbH Innungsstraße 9, 21244 Buchholz,Deutschland https://www.decobusgroup.de
CE	Product: XX5050RGB-30D strip Modell: XX5050RGB-30D-10MM-5V Nennspannung: 5V Nennfrequenz: 433.98 MHZ Leistung: 1A

CERTIFICATE

This certificate is responsible for testing sample only
Please refer to the corresponding test report to get testing process and data

ATTESTATION
Certificate of Compliance

Technical file of the company mentioned below has been inspected and audit has been completed successfully

The Low Voltage Directive 2014/35/EU has been taken as references for these processes.

Certificate's Holder	:	Shenzhen xu xing technology co., LTD
Address	:	Floor 3, building C, Huaze hi tech Industrial Park, Shiyan street,Bao'an District, Shenzhen
Manufacturer	:	Shenzhen xu xing technology co., LTD
Address	:	Floor 3, building C, Huaze hi tech Industrial Park, Shiyan street,Bao'an District, Shenzhen
Product Name	:	XX LED RGB STRIP
Product Model (S)	:	XX5050RGB-60D, 5V-5050RGB-30D, 5V-5050RGB-60D, 12V-5050RGB-60D, 12V-5050RGB-30D, DY05RGB122, DY05RGB140, DY05RGB88
Trade Mark	:	N/A
Related Directive	:	2014/35/EU
Related Standards	:	EN IEC 60598-2-1:2021 used in conjunction with EN IEC 60598-1:2021 + AMD11:2022
Certificate Number	:	HK25090227415
Report No.	:	HK25090227741-SR
Registration Date	:	Oct. 21, 2025

Jason

Certification Manager

The information of the certificate can be checked through https://www.huak.com. The CE mark which is shown on this certificate can only be used under the conditions that the products complete with all of the relevant Directives of CE Declaration of Conformity. The Manufacturer should be responsible for the internal production control so that the products complied with the essential requirements of the above mentioned Directive(s). Certificate holder must notify all changes to the original certification laboratory of HUAK.

Shenzhen HUAK Testing Technology Co., Ltd.
Add:1-2/F, B2 Building, Junfeng Zhongcheng Zhizao Innovation Park, Heping Community, Fuhai Street, Bao'an District, Shenzhen, China
Tel:+86-0755-2302 9901 E-mail:info@huak.com Website:https://www.huak.com

This certificate is responsible for testing sample only.
Please refer to this corresponding test report to get testing process and data.

CERTIFICATE

ATTESTATION
Certificate of Compliance

Technical file of the company mentioned below has been inspected and audit has been completed successfully

The RoHS Directive 2015/863/EU amending Annex II to Directive 2011/65/EU has been taken as references for these processes.

Certificate's Holder	:	Shenzhen xu xing technology co., LTD
Address	:	Floor 3, building C, Huaze hi tech Industrial Park, Shiyan street,Bao'an District, Shenzhen
Manufacturer	:	Shenzhen xu xing technology co., LTD
Address	:	Floor 3, building C, Huaze hi tech Industrial Park, Shiyan street,Bao'an District, Shenzhen
Product Name:	:	XX LED RGB STRIP
Model No.:	:	XX5050RGB-60D, 5V-5050RGB-30D, 5V-5050RGB-60D, 12V-5050RGB-60D, 12V-5050RGB-30D, DY05RGB122, DY05RGB140, DY05RGB88
Trade Mark	:	N/A
Related Directive	:	Directive 2015/863/EU amending Annex II to Directive 2011/65/EU Directive (EU)2017/2102 amending Annex III to Directive 2011/65/EU
Test Method	:	IEC 62321-2:2021, IEC 62321-3-1:2013, IEC 62321-5:2013, IEC 62321-4:2013+AMD1:2017, IEC 62321-7-1:2015, IEC 62321-7-2:2017, IEC 62321-6:2015, IEC 62321-8:2017
Certificate Number	:	HK25090210619R
Report No.	:	HK25090210619-1RR
Issue date	:	October 20, 2025

Jason Hua

Certification Manager

HUAK APPROVAL

The information of the certificate can be checked through www.huak.com. The CE mark which is shown on the certificate can only be used under the conditions that the products complete with all of the relevant Directives of EC Declaration of Conformity. The Manufacturer should be responsible for the internal production control so that the products complied with the essential requirements of the above mentioned Directive(s). Certificate holder must notify all changes to the original certification laboratory of HUAK.

RoHS

Shenzhen HUAK Testing Technology Co., Ltd.
Add: 1-2/F, B2 Building, Junfeng Zhongcheng Zhizao Innovation Park, Heping Community, Fuhai Street, Bao'an District, Shenzhen, China
Tel.:+86-0755-2302 9901 E-mail:info@huak.com Website:https://www.huak.com

This certificate is responsible for testing sample only.
Please refer to this corresponding test report to get testing process and data.

CERTIFICATE

ATTESTATION
Certificate of Compliance

Technical file of the company mentioned below has been inspected and audit has been completed successfully

The EMC Directive 2014/30/EU has been taken as references for these processes.

Certificate's Holder	:	Shenzhen xu xing technology co., LTD
Address	:	Floor 3, building C, Huaze hi tech Industrial Park, Shiyan street,Bao'an District, Shenzhen
Manufacturer	:	Shenzhen xu xing technology co., LTD
Address	:	Floor 3, building C, Huaze hi tech Industrial Park, Shiyan street,Bao'an District, Shenzhen
Product Name	:	XX LED RGB STRIP
Product Model (S)	:	XX5050RGB-60D, 5V-5050RGB-30D, 5V-5050RGB-60D, 12V-5050RGB-60D, 12V-5050RGB-30D, DY05RGB122, DY05RGB140, DY05RGB88
Trade Mark	:	N/A
Related Directive	:	2014/30/EU
Related Standards	:	EN IEC 55015:2019 + A11:2020 EN IEC 61000-3-2:2019 + A1:2021 + A2:2024 EN 61000-3-3:2013 + A1:2019 + A2:2021 EN IEC 61547:2023
Certificate Number	:	HK2509024994E
Report No.	:	HK2509024994-1ER
Registration Date	:	Oct. 21, 2025

Jason Hua

Certification Manager

HUAK APPROVAL

The information of the certificate can be checked through https://www.huak.com. The CE mark which is shown on the certificate can only be used under the conditions that the products complete with all of the relevant Directives of CE Declaration of Conformity. The Manufacturer should be responsible for the internal production control so that the products complied with the essential requirements of the above mentioned Directive(s). Certificate holder must notify all changes to the original certification laboratory of HUAK.

Shenzhen HUAK Testing Technology Co., Ltd.
Add: 1-2/F, B2 Building, Junfeng Zhongcheng Zhizao Innovation Park, Heping Community, Fuhai Street, Bao'an District, Shenzhen, China
Tel.:+86-0755-2302 9901 E-mail:info@huak.com Website:https://www.huak.com

This certificate is responsible for testing sample only.
Please refer to this corresponding test report to get testing process and data.

CERTIFICATE

ATTESTATION
Certificate of Compliance

Technical file of the company mentioned below has been inspected and audit has been completed successfully

The RED Directive 2014/53/EU has been taken as references for these processes.

Certificate's Holder	:	Shenzhen xu xing technology co., LTD
Address	:	Floor 3, building C, Huaze hi tech Industrial Park, Shiyan street, Bao'an District, Shenzhen
Manufacturer	:	Shenzhen xu xing technology co., LTD
Address	:	Floor 3, building C, Huaze hi tech Industrial Park, Shiyan street, Bao'an District, Shenzhen
Product Name	:	XX LED RGB STRIP
Product Model (S)	:	XX5050RGB-60D, 5V-5050RGB-30D, 5V-5050RGB-60D, 12V-5050RGB-60D, 12V-5050RGB-30D, DY05RGB122, DY05RGB140, DY05RGB88
Trade Mark	:	N/A
Related Directive	:	2014/53/EU
Related Standards	:	Article 3.1a) : EN IEC 62368-1:2024 + A11:2024 EN 62479:2010 EN 50663:2017 Article 3.1b) : ETSI EN 301 489-1 V2.2.3 (2019-11) ETSI EN 301 489-3 V2.3.2 (2023-01) EN IEC 61000-3-2:2019 + A1:2021 + A2:2024 EN 61000-3-3:2013 + A1:2019 + A2:2021 Article 3.2) : ETSI EN 300 220-1 V3.1.1 (2017-02) ETSI EN 300 220-2 V3.3.1 (2025-03)
Certificate Number	:	HK2509024992E
Report No.	:	HK2509024992-1SR/-2EH/-1ER/-2ER
Registration Date	:	Oct. 21, 2025

Jason

Certification Manager

The information of the certificate can be checked through https://www.huak.com. The CE mark which is shown on the certificate can only be used under the conditions that the products complete with all of the relevant Directives of CE Declaration of Conformity. The Manufacturer should be responsible for the internal production control so that the products complied with the essential requirements of the above mentioned Directive(s). Certificate holder must notify all changes to the original certification laboratory of HUAK.

Shenzhen HUAK Testing Technology Co., Ltd.
Add.:1-2/F, B2 Building, Junfeng Zhongcheng Zhizao Innovation Park, Heping Community, Fuhai Street, Bao'an District, Shenzhen, China
Tel.:+86-0755-2302 9901 E-mail:info@huak.com Website:https://www.huak.com

Testing procdure and testing location:

Testing Laboratory	**Guangdong Zhonghan Testing Technology Co., Ltd.**
Address	Room 104, Building 1, Yibaolai Industrial Park, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China
Date of Test	Apr. 18, 2024
Tested by (name + signature)	Laney Xie
Reviewer by (name + signature)	Summer Yang
Approved by (name + signature)	Levi Lee

TEST REPORT

COMMISSION REGULATION (EU) 2019/2020 of 1 October 2019 laying down ecodesign requirements for light sources and separate control gears pursuant to Directive 2009/125/EC of the European Parliament and of the Council

Report Number	**ZHT-240411023S**
Date of issue	Apr. 19, 2024
Total number of pages	6
Testing Laboratory	**Guangdong Zhonghan Testing Technology Co., Ltd.**
Address	Room 104, Building 1, Yibaolai Industrial Park, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China
Applicant's name	Shenzhen xu xing technology co., LTD
Address	Floor 3, building C, Huaze hi tech Industrial Park, Shiyan street, Bao'an District, Shenzhen
Test specification	
Standard	COMMISSION REGULATION (EU) 2019/2020 of 1 October 2019 COMMISSION DELEGATED REGULATION (EU) 2019/2015 COMMISSION DELEGATED REGULATION (EU) 2021/340 COMMISSION DELEGATED REGULATION (EU) 2021/341
Test procedure	COMMISSION REGULATION (EU) 2019/2020 of 1 October 2019 COMMISSION DELEGATED REGULATION (EU) 2019/2015 COMMISSION DELEGATED REGULATION (EU) 2021/340 COMMISSION DELEGATED REGULATION (EU) 2021/341
Non-standard test method	N/A
Test item description	**Colorful light strip**
Trademark	/
Manufacturer	Shenzhen xu xing technology co., LTD
Address	Floor 3, building C, Huaze hi tech Industrial Park, Shiyan street, Bao'an District, Shenzhen
Model/Type reference	XX5050RGB-60D
Rating(s)	Input:5-24VDC 1A
Conclusion	Test result details see page 5.

Importeur	Decobus Handel GmbH
Adresse	Innungsstraße 9, 21244 Buchholz, Deutschland
URL	https://www.decobusgroup.de
Hersteller	Dongguan Gaofande Technology Co., Ltd.
Adresse	Room 301, No. 8, Fo'ao 1st Street, Dalang Town, Dongguan City, Guangdong Province, P.R. China
URL/Email	13302935381@163.com
Productiondatum	2026/03
Hergestellt In	China
EC REP	Decobus Handel GmbH Innungsstraße 9, 21244 Buchholz,Deutschland https://www.decobusgroup.de
CE 	Product: AC/DC ADAPTER Modell: GFDQ3L-xxxyyyyz Input: 100-240V~, 50/60Hz, 0.3A Max. Output: 3.0-24.0Vdc, 0.01-2.00A, 12.0W Max

CERTIFICATE OF CONFORMITY

Electromagnetic Compatibility (EMC) Directive 2014/30/EU

Appendix of Certificate No.: 23EP06078E01

Table A: Definition of variables:

Variable:	Range of variable:	Content:
xxx	030-240	3 digits, which representing 10 times of output voltage in V, the output voltage value rising in step of 0.1V, eg: 030=3.0Vdc, 240=24.0Vdc
yyyy	0010-2000	4 digits, which represents 1000 times output current in A, the output current value rising in step of 0.01A; eg: 0010 = 0.01A, 2000=2.0A
z	G, B	One capital letter representing the plug type for different countries: G= European plug; B= Britain plug;

Table B: Model list and output ratings:

Model No.	Output voltage (Vdc)	Output current (A)	Max. output power (W)	Transformer type
GFDQ3L-xxxyyyyz GFDQ3L-xxxyyyyGL	3.0-8.9	0.01-2.00	12.0	ZZ150003
	9.0-16.0	0.01-1.00	12.0	ZZ150002
	16.1-24.0	0.01-0.50	12.0	ZZ150001

Remark:

1) The rated output voltage is rising from 3.0V and in steps of 0.1V.
2) The rated output current is rising from 0.01A and in steps of 0.01A, but not more than the indicated max o/p current.
3) Actual output current depends on range of output voltage. The max. Output current multiplied by output voltage cannot exceed the max. Output power.

Dongguan Pubiao Testing Technology Co., Ltd
No. 3, 1/F., Building A, No.30, Minghua Road, Juzhou, Shijie, Dongguan, Guangdong, China
Tel: +86 769 81813516 E-mail: service@pubiaotest.com Web: www.pubiaotest.com

CERTIFICATE OF CONFORMITY

Electromagnetic Compatibility (EMC) Directive 2014/30/EU

This Certificate of Conformity is hereby issued to the product designated below:

Certificate No. : 23EP06078E01

Report No. : EP2306078E01

Date Issue. : 2023-08-10

Applicant's name : Dongguan GaoFanDe Technology Co., Ltd

Address : Room 301, No. 8, FoAo One Street, DaLang Town, DONGGUAN CITY, Guangdong,China.

Manufacturer's name : Dongguan GaoFanDe Technology Co., Ltd

Address : Room 301, No. 8, FoAo One Street, DaLang Town, DONGGUAN CITY, Guangdong,China.

Product Description : AC/DC ADAPTER

Model(s)/Type References : GFDQ3L-xxxyyyyz, GFDQ3L-xxxyyyyGL
(xxx, yyyy and z are variables, see appendix for details)

Parameters : Input: 100-240V~, 50/60Hz, 0.3A Max.
Output: 3.0-24.0Vdc, 0.01-2.00A, 12.0W Max

Standard(s) : EN IEC 55014-1:2021
EN IEC 55014-2:2021
EN IEC 61000-3-2:2019+A1:2021
EN 61000-3-3:2013+A1:2019+A2:2021

On the basis of the referenced test report(s), sample(s) tested of the above product have been found to comply with the standards harmonized with the directives listed on this verification at the time the tests were carried out. Other standards and Directives may be relevant to the product. This verification is part of the full test report(s) and should be read in conjunction with it(them).
Once compliance with all product relevant CE mark directives are verified, including any relevant e.g. risk assessment and production control, the manufacturer may indicate compliance by signing a Declaration of Conformity themselves and applying the mark to products identical to the tested sample(s).

Approved By

Eric Liu
Director of engineering department

Dongguan Pubiao Testing Technology Co., Ltd
No. 3, 1/F., Building A, No.30, Minghua Road, Juzhou, Shijie, Dongguan, Guangdong, China
Tel: +86 769 81813516 E-mail: service@pubiaotest.com Web: www.pubiaotest.com

CERTIFICATE OF CONFORMITY

Low Voltage Directive 2014/35/EU

Appendix of Certificate No.: 23SP06078L01

Table A: Definition of variables

Variable	Range of variable	Content
xxx	030-240	3 digits, which representing 10 times of output voltage in V, the output voltage value rising in step of 0.1V; eg: 030=3.0Vdc, 240=24.0Vdc
yyyy	0010-2000	4 digits, which represents 1000 times output current in A, the output current value rising in step of 0.01A; eg: 0010 = 0.01A, 2000=2.0A
z	G, B	One capital letter representing the plug type for different countries: G= European plug; B= Britain plug

Table B: Model list and output rating

Model	Output voltage (Vdc)	Output current (A)	Max Power (W)	Transformer
GFDQ3L-xxxyyyyz, GFDQ3L-xxxyyyyGL	3.0-8.9	0.01-2.00	12.0	ZZ150003
	9.0-16.0	0.01-1.00	12.0	ZZ150002
	16.1-24.0	0.01-0.50	12.0	ZZ150001

Remark:

1) The rated output voltage is rising from 3.0V and in steps of 0.1V.
2) The rated output current is rising from 0.01A and in steps of 0.01A, but not more than the indicated max o/p current.
3) Actual output current depends on range of output voltage. The max. Output current multiplied by output voltage cannot exceed the max. Output power.

Dongguan Pubiao Testing Technology Co., Ltd.
No. 3, 1/F., Building A, No.30, Minghua Road, Juzhou, Shijie, Dongguan, Guangdong, China.
Tel: +86 769 81813516 E-mail: service@pubiaotest.com Web: www.pubiaotest.com

CE

CERTIFICATE OF CONFORMITY

Low Voltage Directive 2014/35/EU

This Certificate of Conformity is hereby issued to the product designated below:

Certificate No.	23SP06078L01
Report No.	SP2306078L01
Date Issue.	2023-07-31
Applicant's name	Dongguan GaoFanDe Technology Co., Ltd.
Address	Room 301, No. 8, FoAo One Street, DaLang Town, DONGGUAN CITY, Guangdong, China.
Manufacturer's name	Dongguan GaoFanDe Technology Co., Ltd.
Address	Room 301, No. 8, FoAo One Street, DaLang Town, DONGGUAN CITY, Guangdong, China.
Product Description	AC/DC ADAPTER
Model(s)/Type References	GFDQ3L-xxxyyyyz, GFDQ3L-xxxyyyyGL (xxx, yyyy and z are variables, details see table A for details)
Parameters	Input: 100-240V~, 50/60Hz, 0.3A Max Output: See Table B for details
Standard(s)	EN IEC 62368-1:2020/A11:2020

On the basis of the referenced test report(s), sample(s) tested of the above product have been found to comply with the standards harmonized with the directives listed on this verification at the time the tests were carried out. Other standards and Directives may be relevant to the product. This verification is part of the full test report(s) and should be read in conjunction with it(them).
Once compliance with all product relevant CE mark directives are verified, including any relevant e.g. risk assessment and production control, the manufacturer may indicate compliance by signing a Declaration of Conformity themselves and applying the mark to products identical to the tested sample(s).

Approved By

Eric Liu
Director of engineering department

Dongguan Pubiao Testing Technology Co., Ltd.
No. 3, 1/F., Building A, No.30, Minghua Road, Juzhou, Shijie, Dongguan, Guangdong, China.
Tel: +86 769 81813516 E-mail: service@pubiaotest.com Web: www.pubiaotest.com

ROHS

CERTIFICATE OF CONFORMITY

RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU

This Certificate of Conformity is hereby issued to the product designated below:

Certificate No.	23CP06078R01
Report No.	CP2306078R01
Date Issue.	2023-07-27
Applicant's name	Dongguan GaoFanDe Technology Co., Ltd
Address	Room 301, No. 8, FoAo One Street, DaLang Town, DONGGUAN CITY, 523770 Guangdong, P. R. China
Manufacturer's name	Same as applicant
Address	Same as applicant
Product Description	AC/DC ADAPTER
Model(s)/Type References	GFDQ3L-xxxyyyyz, GFDQ3L-xxxyyyyzL (xxx, yyyy and z are variables, details see table A for details)
Conclusion	Based on the performed tests on submitted sample(s), the results of Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBBs), Polybrominated diphenyl ethers (PBDEs) and Phthalates such as Bis(2-ethylhexyl) phthalate (DEHP) , Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) , and Diisobutyl phthalate (DIBP) comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.
Standard(s)	IEC 62321-4:2013+A1:2017 IEC 62321-5:2013 IEC 62321-7-1:2015 IEC 62321-7-2:2017 IEC 62321-6:2015 IEC 62321-8:2017

On the basis of the referenced test report(s), sample(s) tested of the above product have been found to comply with the standards harmonized with the directives listed on this verification at the time the tests were carried out. Other standards and Directives may be relevant to the product. This verification is part of the full test report(s) and should be read in conjunction with it(them).
Once compliance with all product relevant CE mark directives are verified, including any relevant e.g. risk assessment and production control, the manufacturer may indicate compliance by signing a Declaration of Conformity themselves and applying the mark to products identical to the tested sample(s).

Approved By Eric Liu
Director of engineering department

Dongguan Pubiao Testing Technology Co., Ltd.
No. 3, 1/F., Building A, No.30, Minghua Road, Juzhou, Shijie, Dongguan, Guangdong, China.
Tel: +86 769 81813516 E-mail: service@pubiaotest.com Web: www.pubiaotest.com

RoHS

CERTIFICATE OF CONFORMITY

RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU

Appendix of Certificate No.: 23CP06078R01

Table A: Definition of variables:

Variable:	Range of variable:	Content:
xxx	030-240	3 digits, which representing 10 times of output voltage in V, the output voltage value rising in step of 0.1V; eg: 030=3.0Vdc, 240=24.0Vdc
yyyy	0010-2000	4 digits, which represents 1000 times output current in A, the output current value rising in step of 0.01A; eg: 0010 = 0.01A, 2000=2.0A
z	G, B	One capital letter representing the plug type for different countries: G= European plug; B= Britain plug;

Table B: Model list and output ratings:

Model No.	Output voltage (Vdc)	Output current (A)	Max. output power (W)	Transformer type
GFDQ3L-xxxyyyyz, GFDQ3L-xxxyyyyzL	3.0-8.9	0.01-2.00	12.0	ZZ150003
	9.0-16.0	0.01-1.00	12.0	ZZ150002
	16.1-24.0	0.01-0.50	12.0	ZZ150001

Remark:

1) The rated output voltage is rising from 3.0V and in steps of 0.1V.
2) The rated output current is rising from 0.01A and in steps of 0.01A, but not more than the indicated max o/p current.
3) Actual output current depends on range of output voltage. The max. Output current multiplied by output voltage cannot exceed the max. Output power.

Dongguan Pubiao Testing Technology Co., Ltd.
No. 3, 1/F., Building A, No.30, Minghua Road, Juzhou, Shijie, Dongguan, Guangdong, China.
Tel: +86 769 81813516 E-mail: service@pubiaotest.com Web: www.pubiaotest.com