

MONTAGEANLEITUNG//ASSEMBLY INSTRUCTION

Artikelnummer/ItemNumber: N623P514487


N623P514488

N623P514489


Unser Bett wird in 3 Paketen geliefert. Die Lieferzeit dieser 3 Pakete können abweichen. bitte haben Sie etwas Geduld und vielen Dank für Ihr Verständnis.

Our bed will be sent to you in three packages. The delivery time of these three parcels may be different. Please be patient. Thank you for your understanding.

hausbett 200x90 cm



L



R


Importeur	Decobus Handel GmbH
Adresse	Innungsstraße 9, 21244 Buchholz, Deutschland
URL	https://www.decobusgroup.de
Hersteller	Foshan Yuet Yeung Chuk Ye Home Furnishings Co., Ltd.
Adresse	Room 01, Building 1, Xinji Plaza, No.2 Dazheng Road North, Jiujiang Town, Nanhai District, Foshan City, Guangdong Province, China
Email/URL	yqguan@shunyuet.com
Partienumm	N623P514487/N623P514488/N623P514489
Hergestellt in	China
Standard	EN 747-1:2024
EC REP	Decobus Handel GmbH Innungsstraße 9, 21244 Buchholz, Deutschland https://www.decobusgroup.de



IMPORTANT !

KEEP FOR FUTURE REFERENCE : READ CAREFULLY

Detail View





DE: Vor dem Einbau die Schrauben in die Löcher stecken und festziehen, aber nicht bis 100%, 70% bis 80% anziehen reicht aus. Schließlich, nachdem alle Schrauben installiert sind, ziehen Sie alle Schrauben auf 100%.

Wenn Sie auf diese Probleme stoßen, wie z. B. Fehlausrichtung der Löcher oder Unfähigkeit, bestimmte Teile zu installieren, überprüfen Sie bitte, ob die Schrauben korrekt verwendet werden und passen Sie die Dichtigkeit der Schrauben an.

UK: Before installation, insert the screws into the holes and tighten them, but do not tighten them to 100%, 70% to 80% is sufficient. Finally, after all screws are installed, tighten all screws to 100%.

If you encounter these issues, such as if the holes cannot be aligned or some parts cannot be installed, please check if the screws are used correctly and adjust the tightness of the screws.

FR: Insérer la vis dans le trou avant la fin de l'assemblage, serrer la vis, mais ne pas serrer à 100%, 70% ~ 80% est correct. Enfin, une fois que toutes les vis sont bien serrées, toutes les vis sont serrées à 100%.

Si vous rencontrez ces problèmes, par exemple si les trous ne sont pas alignés ou si certaines pièces ne peuvent pas être montées, vérifiez que les vis sont utilisées correctement et Ajustez leur serrage.

English

IMPORTANT ! KEEP FOR FUTURE REFERENCE : READ CAREFULLY

- To be assembled by an adult. Assembly must be checked by an adult before use
- WARNING ! Keep all screws, small parts and plastic bags out of the reach of children
- Properly identify all parts before assembling
- Never use your item if any of its parts are broken or missing
- Should any problems arise, please contact our After Sales Service
- Manufacturer's instructions shall be followed at all times
- Care: Clean with a soft, dry cloth. In case of larger stains, carefully rub with a slightly damp, non-abrasive sponge
- Avoid the risk of fire by not placing furniture near sources of ignition or hot items
- Do not jump on the bed

Deutsch

WICHTIG ! ZUM SPÄTEREN NACHSCHLAGEN AUFBEWAHREN: SORGFÄLTIG LESEN

- Muss von einem Erwachsenen zusammengebaut werden. Der Zusammenbau muss vor dem Gebrauch von einem Erwachsenen überprüft werden
- WARNUNG! Bewahren Sie alle Schrauben, Kleinteile und Plastikbeutel außerhalb der Reichweite von Kindern auf
- Kennzeichnen Sie vor dem Zusammenbau alle Teile richtig
- Benutzen Sie Ihren Artikel niemals, wenn Teile gebrochen sind oder fehlen
- Sollten Probleme auftreten, wenden Sie sich bitte an unseren Kundendienst
- Die Anweisungen des Herstellers sind stets zu befolgen
- Pflege: Mit einem weichen, trockenen Tuch reinigen. Bei größeren Flecken vorsichtig mit einem leicht feuchten, nicht scheuernden Schwamm abreiben. nicht scheuernden Schwamm
- Vermeiden Sie die Gefahr eines Brandes, indem Sie die Möbel nicht in der Nähe von Zündquellen oder heißen Gegenständen aufstellen
- Nicht auf das Bett springen

Français

IMPORTANT ! CONSERVER POUR RÉFÉRENCE ULTÉRIEURE : LIRE ATTENTIVEMENT

- Le montage doit être effectué par un adulte. Le montage doit être vérifié par un adulte avant Utilisation
- ATTENTION ! Tenir les vis, les petites pièces et les sachets en plastique hors de portée des enfants
- Identifiez correctement toutes les pièces avant de les assembler
- N'utilisez jamais votre article si l'une de ses pièces est cassée ou manquante
- En cas de problème, veuillez contacter notre service après-vente
- Les instructions du fabricant doivent être respectées à tout moment
- Entretien : nettoyer avec un chiffon doux et sec. En cas de taches plus importantes, frotter soigneusement avec une éponge non abrasive légèrement humide. légèrement humide et non Abrasive
- Évitez les risques d'incendie en ne plaçant pas les meubles à proximité de sources d'inflammation ou d'objets chauds
- Ne pas sauter sur le lit














WARNING

- a) This bed is not suitable for children under six years due to the risk of injury from falls;
- b) Bunk beds / high beds can present a serious risk of injury from strangulation if not used correctly. Never attach or hang items to any part of the bunk bed / high bed that are not designed to be used with the bed, for example, but not limited to ropes, strings, cords, hooks, belts and bags";
- c) Children can become trapped between the bed and the wall, a roof pitch, the ceiling, adjoining pieces of furniture (e.g. cupboards) and the like. To avoid risk of serious injury the distance between the top safety barrier and the adjoining structure must not exceed 75 mm or must be more than 230 mm;
- d) Do not use this bunk bed /high bed if any structural part is broken or missing;
- e) Always ensure the platform and the ladder / stairs are permanently attached to this bunk bed before use
- f) This product must be attached to a wall or building structure; Always follow the manufacturer's instructions;
- g) The recommended size (78.7"L*35.4"W*3.9"TH) of the mattress(es);The maximum thickness of the mattress 3.9". A statement that ventilation of the room is necessary in order to keep
- h) the humidity low and to prevent mould in and around the bed; Joining devices should always be tightened properly and regularly verified. Tighten if necessary.


















WARNUNG

- a) Von der Benutzung dieses Bettes durch Kinder unter sechs Jahren wird abgeraten – Sturz- und Verletzungsgefahr!
- b) Etagenbetten / Hochbetten bergen bei unsachgemäßer Nutzung ein ernsthaftes Strangulationsrisiko. An keinem Teil des Bettes dürfen Gegenstände befestigt oder aufgehängt werden, die nicht dafür vorgesehen sind – einschließlich, aber nicht beschränkt auf Seile, Schnüre, Kordeln, Haken, Gürtel oder Taschen.
- c) Kinder können zwischen dem Bett und der Wand, einer Dachschräge, der Decke, angrenzenden Möbelstücken (z. B. Schränken) oder ähnlichen Strukturen eingeklemmt werden. Um das Risiko schwerer Verletzungen zu vermeiden, darf der Abstand zwischen der oberen Schutzbarriere und der angrenzenden Struktur entweder 75 mm nicht überschreiten oder muss mehr als 230 mm betragen.
- d) Dieses Etagenbett/Hochbett darf nicht verwendet werden, wenn irgendein strukturelles Teil beschädigt oder fehlt.
- e) Stellen Sie vor jeder Nutzung sicher, dass die Plattform sowie die Leiter/Treppe dauerhaft mit diesem Etagenbett/Hochbett verbunden sind.
- f) Dieses Produkt muss an einer Wand oder tragenden Gebäudestruktur befestigt werden. Befolgen Sie stets die Montageanleitung des Herstellers.
- g) Empfohlene Matratzenabmessungen: 200 cm (Länge) × 90 cm (Breite) × 10 cm (Dicke/Stärke); Zulässige Maximaldicke der Matratze: 10 cm. Ein Hinweis, dass eine regelmäßige Belüftung des Schlafzimmers notwendig ist, um die Matratzenhygiene zu erhalten.
- h) Maintaining Low Humidity & Preventing Mold Around the Bed. Verbindungsteile sind stets fachgerecht anzuziehen und in regelmäßigen Abständen zu kontrollieren. Gegebenenfalls nachspannen.




N623P514487

1  x2	2  x2	3  x1
5  x1	8  x1	10  x1
11  x1	45  x1	16  x1
19  x2	21  x2	22  x2
20  x2		














N623P514488

6  x1	7  x1	9  x2
12  x18	13  x4	14  x1
28  x2	29  x2	30  x2
31  x4	33  x1	34  x1
35  x1	36  x2	43  x1
44  x1	46  x1	15  x2




N623P514488

17  x1	18  x1	4  x1



N623P514489

27  x1	47  x1	26  x1
32  x1	37  x1	38  x1
39  x2	40  x1	41  x1
42  x2	25  x1	24  x1
23  x1		

N623P514488





A	M5x40  x29	K	M6x50  x27
B	M5x60  x8	L	M6x55  x11
C	 x4	M	M6x60  x16
D	M6x15  x12	N	 x88
E	M6x28  x30	P	M6x75  x3
F	 x2	S	 x1
G	M6x35  x12		M4  x2
H	M6x15  x29		M3  x1
J	M6x45  x10		

Step 1.





G	M6x35		x1
H	M6x15		x1

Step 2.






G	M6x35		x1
H	M6x15		x1

Step 3.




G	M6x35		x1
H	M6x15		x1

Step 4.





G	M6x35		x1
H	M6x15		x1

Step 5.



L


OR





L	M6x55		x2
M	M6x60		x6
H	M6x15		x2

R

Step 6.



OR




L	M6x55		x1
M	M6x60		x2
H	M6x15		x1


L

R

Step 7.




Step 7.





D M6x15 x4

Step 8.





G	M6x35		x2
J	M6x45		x2




Step 9.



D	M6x15		x4
G	M6x35		x2



Step 9.




K

M6x50




x2

Step 10.




OR




M | M6x60 x8

Step 11.



L


OR



H	M6x15		x3
L	M6x55		x3



R

Step 12.



L


OR



K | M6x50  x4



R

Step 13.



L









OR



R


H	M6x15		x4
L	M6x55		x3
P	M6x75		x1

Step 14.




A	M5x40		x12
E	M6x28		x12

Step 15.




L

OR



H	M6x15		x2
K	M6x50		x2
L	M6x55		x2
P	M6x75		x2





R

Step 16.





E	M6x28		x1
H	M6x15		x1
G	M6x35		x1
J	M6x45		x2
K	M6x50		x5




L

OR




R

Step 17.




E	M6x28		x1
H	M6x15		x1
G	M6x35		x1
J	M6x45		x2
K	M6x50		x3





L

OR




R

Step 18.




D	M6x15		x2
E	M6x28		x2

Step 19.




E	M6x28		x4
K	M6x50		x4
H	M6x15		x6
G	M6x35		x2
J	M6x45		x4






L

OR




R

Step 20.






E | M6x28  x2




L

OR



R


Step 21.



K	M6x50		x4
---	-------	---	----


L

OR



R

Step 22.




C	 x4
---	--

Step 23.




A	M5x40		x2
B	M5x60		x4
E	M6x28		x4
H	M6x15		x4





L

OR



R


Step 24.



A	M5x40		x4
---	-------	---	----



L

OR





R

Step 25.





D	M6x15		x1
H	M6x15		x1

Step 26.





E	M6x28		x5
---	-------	---	----

Step 26.



A	M5x40		x8
---	-------	---	----



Step 27.



D	M6x15		x1
K	M6x50		x3



OR

L



R


Step 28.



B	M5x60		x4
---	-------	---	----


L

OR



R


Step 29.



A M5x40  x3



L

OR




R

Step 30.






L

OR






R


Step 31.



OR




Step 32.



N		x88
---	---	-----

L

OR



R

**BST****A RELIABLE TESTING FOR TRUST**

GLOBAL TESTING AND CERTIFICATION PRECISION SERVICE OUDU FACTORY

Certificate of Compliance

Certificate No. : BST18051125710001Y-1EC-1

Applicant : SHENZHEN GRINT LIGHTING INDUSTRIAL CO., LTD
Floor 4, Building E, Diweixin Industrial Zone, Beihuan Road,
Shiyan Street, Baoan District, Shenzhen

Manufacturer : SHENZHEN GRINT LIGHTING INDUSTRIAL CO., LTD
Floor 4, Building E, Diweixin Industrial Zone, Beihuan Road,
Shiyan Street, Baoan District, Shenzhen

Product Name : LED SOFT LIGHT STRIP
Main Test Model : 2835/m30LED
Additional Model : 2835/mXXLED, 3528/mXXLED, 5050/mXXLED, 3014/mXXLED, 5730/mXXLED, 3020/mXXLED, 5050RGBW/XXLED, (XX=20/30/40/48/60/72/90/96/100/120/240, it represents the quantity of LED)

Test Standard : EN 55015:2013/A1:2015
EN61547:2009
EN61000-3-2:2014
EN61000-3-3:2013

As shown in the Test Report No. : BST18051125710001Y-1ER-1.

The EUT described above has been tested by us with the listed standards and found in compliance with the council EMC directive 2014/30/EU. It is possible to use CE marking to demonstrate the compliance with this EMC Directive.

The certificate applies to the tested sample above mentioned only and shall not imply an assessment of the whole production.

**Christina Deng****Manager****May. 17, 2018**

Shenzhen BST Technology Co., Ltd.

Add: Building No.23-24, Zhiheng Industrial Park, Guankouer Road, Nantou, Nanshan District, Shenzhen, Guangdong, China

Certificate Search: <http://www.bst-lab.com>, Tel:400-882-9628, 8009990305, E-mail:christina@bst-lab.com

**BST****A RELIABLE TESTING FOR TRUST**

GLOBAL TESTING AND CERTIFICATION RESOURCE SERVICE CLOUD FACTORY

Certificate of Compliance

Certificate Number: BST18051125710001Y-1RC-4

Applicant : SHENZHEN GRINT LIGHTING INDUSTRIAL CO., LTD
Floor 4, Building E, Diweixin Industrial Zone, Beihuan Road,
Shiyan Street, Baoan District, Shenzhen.

Manufacturer : SHENZHEN GRINT LIGHTING INDUSTRIAL CO., LTD
Floor 4, Building E, Diweixin Industrial Zone, Beihuan Road,
Shiyan Street, Baoan District, Shenzhen.

ProductName : LED SOFT LIGHT STRIP

Main Test Model : 2835/m30LED

Additional Model : 2835/mXXLED, 3528/mXXLED, 5050/mXXLED,
3014/mXXLED, 5730/mXXLED, 3020/mXXLED,
5050RGBW/XXled
XX=20/30/40/48/60/72/90/96/100/120/240

Test Standard : IEC 62321-4:2013, IEC 62321-5:2013,
IEC 62321-6:2015, IEC 62321-7-1:2015,
IEC 62321-7-2:2017, IEC 62321-8:2017

As shown in the Test Report No. : BST18051125710001Y-1RR-4

The EUT described above has been tested by us and found in compliance with the council RoHS 2 Directive 2011/65/EU as last amended by Directive (EU) 2017/2102. This certificate is only valid in conjunction with the test report.



RoHS



Tony Qian
Technical Director
May 21, 2018

Dongguan BST Testing Co., Ltd

Add: A1201-1204XinsanqiOfDongbao Road, Dongcheng District, Dongguan, Guangdong, China

Certificate Search: <http://www.bst-lab.com>, Tel:400-882-9628, 8009990305, E-mail:christina@bst-lab.com

Verification of Compliance

Verification No.: MK25050138P01-C01

Name and address of Applicant: **Dongguan Jingdeli Intelligent Technology Co.,Ltd.**
Room 202,Building 3,No.28, Dongkeng Town Yanhe West 1st Road,
Dongkeng Town, Dongguan,523000, Guangdong,China

Name and address of Manufacturer: **Dongguan Jingdeli Intelligent Technology Co.,Ltd.**
Room 202,Building 3,No.28, Dongkeng Town Yanhe West 1st Road,
Dongkeng Town, Dongguan,523000, Guangdong,China

Product name: **Furniture Power Distribution Unit**

Product model(s): JDLO22PH, JDLO followed by 1~6, followed by 1~6, followed by T or P,
followed by S or H, maybe followed by K, maybe followed by U, D or A,
JDLY followed by 1~6, followed by 1~6, followed by T or P, followed by
S or H, maybe followed by K, maybe followed by U, D or A

Product trademark: **JNDELY**

This verification confirms that the product meets the requirements of the following standard.
The conformity was demonstrated based on following standard(s) listed by European Commission as
harmonized with Directive RoHS 2.0 Directive (EU) 2015/863 and (EU)2017/2102 amending Annex II to
Directive 2011/65/EU

IEC 62321-1:2013	IEC 62321-3-1:2013
IEC 62321-4:2013/AMD1:2017	IEC 62321-5:2013
IEC 62321-6:2015	IEC 62321-7-1:2015
IEC 62321-7-2:2017	IEC 62321-8:2017
IEC 62321-2:2021	

The verification has been carried out in accordance with individual rules and conditions agreed with the applicant. Evaluation has been carried out in accordance with:

Test report(s) No.: MK25050138P01-C01

Test conducted by: TMC Testing Services (Shenzhen) Co., Ltd.

Verification issue date: May 29, 2025

Notes:

This verification refers to the above mentioned product and its conformity in regards of above mentioned standard(s) was proven on test sample.

This verification does not imply meeting all essential requirements, assessment of the series-production or any other restricted Notified Bodies conformity assessment procedure appropriate for the product.

This verification holder shall use this verification in connection to verification of conformity and technical data relevant for the product the verification was issued.

TMC Testing Services (Shenzhen) Co., Ltd.

t:86-755-86642861 cert@tmc-lab.com www.tmc-lab.com

1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyuan Street,
Baonan District, Shenzhen, China



Verification of Compliance

Verification No.: MK25050138P01-E01

Name and address of Applicant: **Dongguan Jingdeli Intelligent Technology Co.,Ltd.**
Room 202,Building 3,No.28, Dongkeng Town Yanhe West 1st Road,
Dongkeng Town, Dongguan,523000, Guangdong,China

Name and address of Manufacturer: **Dongguan Jingdeli Intelligent Technology Co.,Ltd.**
Room 202,Building 3,No.28, Dongkeng Town Yanhe West 1st Road,
Dongkeng Town, Dongguan,523000, Guangdong,China

Product name: **Furniture Power Distribution Unit**

Rated: 110-240VAC, 60Hz

Product model(s): JDLO22PH, JDLO followed by 1~6, followed by 1~6, followed by T or P,
followed by S or H, maybe followed by K, maybe followed by U, D or A

Product trademark: **JNDELY**

This verification confirms that the product meets the requirements of the following standard.
The conformity was demonstrated based on following standard(s) listed by European Commission as
harmonized with EMC Directive 2014/30/EU

EN 55032:2015+A11:2020 EN 55035:2017+A11:2020
EN IEC 61000-3-2:2019+A1:2021 EN 61000-3-3:2013/A2:2021

*The verification has been carried out in accordance with individual rules and conditions agreed with the
applicant. Evaluation has been carried out in accordance with:*

Test report(s) No.: MK25050138P01-E01

Test conducted by: TMC Testing Services (Shenzhen) Co., Ltd.

Verification issue date: May 29, 2025

Notes:

*This verification refers to the above mentioned product and its conformity in regards of above
mentioned standard(s) was proven on test sample.*

*This verification does not imply meeting all essential requirements, assessment of the
series-production or any other restricted Notified Bodies conformity assessment procedure
appropriate for the product.*

*This verification holder shall use this verification in connection to verification of conformity and
technical data relevant for the product the verification was issued.*

TMC Testing Services (Shenzhen) Co., Ltd.

t:86-755-86642861 cert@tmc-lab.com www.tmc-lab.com

1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyuan Street,
Baoan District, Shenzhen, China



Verification of Compliance

Verification No.: MK25050138P01-S01

Name and address of Applicant: **Dongguan Jingdeli Intelligent Technology Co.,Ltd.**
Room 202, Building 3, No.28, Dongkeng Town Yanhe West 1st Road,
Dongkeng Town, Dongguan, 523000, Guangdong, China

Name and address of Manufacturer: **Dongguan Jingdeli Intelligent Technology Co.,Ltd.**
Room 202, Building 3, No.28, Dongkeng Town Yanhe West 1st Road,
Dongkeng Town, Dongguan, 523000, Guangdong, China

Product name: **Furniture Power Distribution Unit**

Rated: Input: 100-240VAC, 50/60Hz, Max.16A; 2*USB Output: DC 5V, 2A
JDLO22PH,

Product model(s): JDLO followed by 1~6, followed by 1~6, followed by T or P, followed by S or H,
maybe followed by K, maybe followed by U, D or A

Product trademark: **JNDELY**

This Verification confirms that the product meets the requirements of the following standard.
The conformity was demonstrated based on following standard(s) listed by European Commission as
harmonized with LVD Directive 2014/35/EU.

EN IEC 62368-1:2024+A11:2024
IEC 60884-1:2002+A1:2006+A2:2013

*The Verification has been carried out in accordance with individual rules and conditions agreed with the
applicant. Evaluation has been carried out in accordance with:*

Test report(s) No.: MK25050138P01-S01

Test conducted by: TMC Testing Services (Shenzhen) Co., Ltd.

Verification issue date: May 30, 2025

Notes:

*This Verification refers to the above mentioned product and its conformity in regards of above
mentioned standard(s) was proven on test sample.*

*This Verification does not imply meeting all essential requirements, assessment of the series-
production or any other restricted Notified Bodies conformity assessment procedure appropriate for
the product.*

*This Verification holder shall use this Verification in connection to Verification of conformity and
technical data relevant for the product the Verification was issued.*

TMC Testing Services (Shenzhen) Co., Ltd.

t:86-755-86642861 cert@tmc-lab.com www.tmc-lab.com

1/F. of Building A1, 5/F. of Building B1, & 1/F. of Building A3, Xinshidai Gongrong Industrial Park, No.2,
Shihuan Road, Shilong Community, Shiyan Subdistrict, Bao'an District, Shenzhen, Guangdong, China



Dodd Tang

Lab Director
Dodd Tang

