



Installationsanleitung Installation Instruction Instruction d'installation



Unser Produkt wird Ihnen in 3 Paketen geliefert. Die Lieferzeiten dieser 3 Pakete können abweichen, bitte haben Sie etwas Geduld und vielen Dank für Ihr Verständnis.

Our product will be delivered to you in 3 packages. The delivery times of these 3 packages may differ, please be patient and thank you for your understanding.

Notre produit vous sera livré en 3 colis. Les délais de livraison de ces 3 colis peuvent différer, soyez patient et merci pour votre compréhension.

N636P509331 N636P509332
N636P509333

English

IMPORTANT ! KEEP FOR FUTURE REFERENCE : READ CAREFULLY

- To be assembled by an adult. Assembly must be checked by an adult before use
- WARNING! Keep all screws, small parts and plastic bags out of the reach of children
- Properly identify all parts before assembling
- Never use your item if any of its parts are broken or missing
- Should any problems arise, please contact our After Sales Service
- Manufacturer's instructions shall be followed at all times
- Care: Clean with a soft, dry cloth. In case of larger stains, carefully rub with a slightly damp, non- abrasive sponge
- Avoid the risk of fire by not placing furniture near sources of ignition or hot items
- Do not jump on the bed

Deutsch

WICHTIG! ZUM SPÄTEREN NACHSCHLAGEN AUFBEWAHREN: SORGFÄLTIG LESEN

- Muss von einem Erwachsenen zusammengebaut werden. Der Zusammenbau muss vor dem Gebrauch von einem Erwachsenen überprüft werden
- WARNUNG! Bewahren Sie alle Schrauben, Kleinteile und Plastikbeutel außerhalb der Reichweite von Kindern auf
- Kennzeichnen Sie vor dem Zusammenbau alle Teile richtig
- Benutzen Sie Ihren Artikel niemals, wenn Teile gebrochen sind oder fehlen
- Sollten Probleme auftreten, wenden Sie sich bitte an unseren Kundendienst
- Die Anweisungen des Herstellers sind stets zu befolgen
- Pflege: Mit einem weichen, trockenen Tuch reinigen. Bei größeren Flecken vorsichtig mit einem leicht feuchten, nicht scheuernden Schwamm abreiben. nicht scheuernden Schwamm
- Vermeiden Sie die Gefahr eines Brandes, indem Sie die Möbel nicht in der Nähe von Zündquellen oder heißen Gegenständen aufstellen
- Nicht auf das Bett springen



Français

IMPORTANT! CONSERVER POUR RÉFÉRENCE ULTÉRIEURE: LIRE ATTENTIVEMENT

- Le montage doit être effectué par un adulte. Le montage doit être vérifié par un adulte avant utilisation
- ATTENTION! Tenir les vis, les petites pièces et les sachets en plastique hors de portée des enfants
- Identifiez correctement toutes les pièces avant de les assembler
- N'utilisez jamais votre article si l'une de ses pièces est cassée ou manquante
- En cas de problème, veuillez contacter notre service après-vente
- Les instructions du fabricant doivent être respectées à tout moment
- Entretien: nettoyer avec un chiffon doux et sec. En cas de taches plus importantes, frotter soigneusement avec une éponge non abrasive légèrement humide. légèrement humide et non abrasive
- Évitez les risques d'incendie en ne plaçant pas les meubles à proximité de sources d'inflammation ou d'objets chauds
- Ne pas sauter sur le lit

- Deve essere assemblato da un adulto. L'assemblaggio deve essere controllato da un adulto prima dell'uso
- **ATTENZIONE!** Tenere tutte le viti, le piccole parti e i sacchetti di plastica fuori dalla portata dei bambini
- Identificare correttamente tutte le parti prima dell'assemblaggio
- Non utilizzare mai l'articolo se alcune parti sono rotte o mancanti
- In caso di problemi, si prega di contattare il nostro Servizio Post Vendita
- Le istruzioni del produttore devono essere sempre seguite
- Cura: Pulire con un panno morbido e asciutto. In caso di macchie più estese, strofinare accuratamente con una spugna leggermente umida e non spugna leggermente umida e non abrasiva
- Evitare il rischio di incendio, non collocando i mobili vicino a fonti di accensione o a oggetti caldi
- Non saltare sul letto

- Debe ser montado por un adulto. El montaje debe ser comprobado por un adulto antes del uso
- **ADVERTENCIA** Mantenga todos los tornillos, piezas pequeñas y bolsas de plástico fuera del alcance de los niños
- Identifique correctamente todas las piezas antes de montarlas
- Nunca utilice su artículo si alguna de sus piezas está rota o falta
- Si surge algún problema, póngase en contacto con nuestro Servicio Postventa
- Las instrucciones del fabricante deben seguirse en todo momento
- Cuidado: Limpiar con un paño suave y seco. En caso de manchas más grandes, frote cuidadosamente con una esponja no abrasiva ligeramente humedecida
- Evite el riesgo de incendio no colocando los muebles cerca de fuentes de ignición u objetos calientes
- No saltar sobre la cama










Vor dem Einbau die Schrauben in die Löcher stecken und festziehen, aber nicht bis 100%, 70% bis 80% anziehen reicht aus. Schließlich, nachdem alle Schrauben installiert sind, ziehen Sie alle Schrauben auf 100%. Wenn Sie auf diese Probleme stoßen, wie z. B. Fehlausrichtung der Löcher oder Unfähigkeit, bestimmte Teile zu installieren, überprüfen Sie bitte, ob die Schrauben korrekt verwendet werden und passen Sie die Dichtigkeit der Schrauben an.

Before installation, insert the screws into the holes and tighten them, but do not tighten them to 100%, 70% to 80% is sufficient. Finally, after all screws are installed, tighten all screws to 100%. If you encounter these issues, such as if the holes cannot be aligned or some parts cannot be installed, please check if the screws are used correctly and adjust the tightness of the screws.

Insérer la vis dans le trou avant la fin de l'assemblage, serrer la vis, mais ne pas serrer à 100%, 70% ~ 80% est correct. Enfin, une fois que toutes les vis sont bien serrées, toutes les vis sont serrées à 100%. Si vous rencontrez ces problèmes, par exemple si les trous ne sont pas alignés ou si certaines pièces ne peuvent pas être montées, vérifiez que les vis sont utilisées correctement et Ajustez leur serrage.

Hardware List For N636P509333





 M8x12mm A x 12+2	 M8x18mm B x 86+9	 M8x30mm C x 6+1	 M8x40mm D x 16+2	 M8x60mm E x 6+1	 M6x10mm F x 34+4
 Ø5x35mm G x 32+4	 Ø4x10mm H x 2+1	 M8 nut I x 10+1	 M4 J x 1	 M4 K x 1	 M3 L x 1
 M5 M x 1					

 M6x10mm F x 34	 Ø5x35mm G x 32
---	---

DE:Bitte beachten Sie, dass die Formen der Schrauben F und G ähnlich sind. Bitte installieren Sie entsprechend der Anleitung und unterscheiden Sie sie!

UK:Please note that the shapes of screws F and G are similar. Please install according to the instructions and distinguish them!

FR:Notez que les vis F et G ont des formes similaires. Veuillez les installer en suivant les instructions pour les séparer!

 M8x12mm A x 12	 M8x18mm B x86	 M8x30mm C x 6	 M8x40mm D x16
---	--	---	--

DE:Bitte beachten Sie, dass die Formen der Schrauben A und B und C und D ähnlich sind. Bitte installieren Sie entsprechend der Anleitung und unterscheiden Sie sie!


UK:Please note that the shapes of screws A and B and C and D are similar. Please install according to the instructions and distinguish them!

FR:Notez que les vis A et B et C et D ont des formes similaires. Veuillez les installer en suivant les instructions pour les séparer!


Montagemethode / Méthode de montage

1. Das Bettgestell ist links und rechts montierbar, alle Teile passen für beide Seiten.
Oben = rechte Seite, unten = linke Seite.
 2. Links und rechts am Kopfteil sind identische Löcher vorhanden.
 3. Schrauben zunächst nicht voll festziehen, erst nach passender Ausrichtung endgültig anziehen.
1. L'ensemble est interchangeable gauche/droite, mêmes pièces. Haut = côté droit, bas = côté gauche.
 2. La tête de lit a des perçages identiques sur les deux côtés.
 3. Ne serrez pas les vis complètement avant de valider l'orientation.



Variante 1




Variante 2



Part list



32x16




33x2




34x2



35x7




36x1




37x1




42x24



43 x1



44 x2



45 x2




46x1



47 x1



48 x1



49 x1




50 x1


SKU:N636P509331

PART LIST / STÜCKLISTE (N636P509331)
(N636P509332)(N636P509333)


① x1




② x1




⑨ x1




⑬ x1




⑭ x1



⑮ x1












⑯ x6



SKU:N636P509332


PART LIST / STÜCKLISTE (N636P509331)
(N636P509332)(N636P509333)

③ x1 	④ x1 
⑤ x1 	⑥ x1 
⑦ x1 	⑧ x1 
⑩ x1 	⑪ x1 
⑫ x1 	⑰ x2 
⑱ 	


SKU:N636P509333

PART LIST / STÜCKLISTE (N636P509331)
(N636P509332)(N636P509333)


19 x2




20 x1




21 x1



22 x2




23 x1




24 x1




25




26 x2




27 x2




28 x2

















29



30



31 x2 	32 x16 
33 x2 	34 x2 
35 x7 	36 x1 
37 x1 	38 x1 
39 x1 	40 x2 
41 x12 	42 x24 
43 x1 	44 x2 
45 x2 	46 x1 

1.4m

47 x1




2m


48 x1



49 x1



50 x1



Step 1


Variante 1/2

F



x4

M6 x10mm



	M6x10mm
	Ø 5x35mm

Step 2


Variante 1/2

F



x4

M6 x10mm



	M6x10mm
	Ø 5x35mm


13

Step 3

Variante 1/2

B**x2**

M8 x18mm




	M8x12mm
	M8x18mm
	M8x30mm
	M8x40mm
	M8x60mm

Step 4

Variante 1/2

F**x2**



M6 x10mm



	M6x10mm
	Ø 5x35mm



Step 5

Variante 1/2



Step 6

Variante 1/2




	M8x12mm
	M8x18mm
	M8x30mm
	M8x40mm
	M8x60mm



Step 7


Variante 1

B		x4	E		x6
	M8 x18mm			M8 x60mm	



Variante 2



	M8x12mm
	M8x18mm
	M8x30mm
	M8x40mm
	M8x60mm

Step 8



Variante 1

B




x4

M8 x18mm



Variante 2




	M8x18mm
	M8x30mm
	M8x40mm
	M8x60mm


Step 9

Variante 1

G  **x8**
Ø5x35mm





Variante 2




Step 10

Variante 1

- B**  **x4**
M8 x18mm
- C**  **x3**
M8 x30mm



Variante 2



	M8x12mm
	M8x18mm
	M8x30mm
	M8x40mm
	M8x60mm


Step 11

Variante 1


D


**x4**

M8 x40mm






Variante 2




	M8x12mm
	M8x18mm
	M8x30mm
	M8x40mm
	M8x60mm

Step 12

Variante 1



Variante 2



	M8x12mm
	M8x18mm
	M8x30mm
	M8x40mm
	M8x60mm


Step 13 Variante 1

B




x10

M8 x18mm



Variante 2



	M8x12mm
	M8x18mm
	M8x30mm
	M8x40mm
	M8x60mm


Step 14

Variante 1


C



x3
M8 x30mm



Variante 2



	M8x12mm
	M8x18mm
	M8x30mm
	M8x40mm
	M8x60mm


Step 15 Variante 1

B




x4

M8 x18mm




Variante 2




	M8x12mm
	M8x18mm
	M8x30mm
	M8x40mm
	M8x60mm

Step 16

Variante 1




Variante 2





Step 17

Variante 1




Variante 2




Step 18

Variante 1



Variante 2





Step 19 Variante 1

B




x8

M8 x18mm



Variante 2



	M8x12mm
	M8x18mm
	M8x30mm
	M8x40mm
	M8x60mm


Step 20 Variante 1

B




x2

M8 x18mm





Variante 2




	M8x12mm
	M8x18mm
	M8x30mm
	M8x40mm
	M8x60mm

Step 21 Variante 1

B  **x4**
M8 x18mm



Variante 2



30

	M8x12mm
	M8x18mm
	M8x30mm
	M8x40mm
	M8x60mm


Step 22

F



x24

M6 x10mm



	M6x10mm
	Ø 5x35mm

Step 23

Variante 1


A

x2



B

x2

M8 x12mm
M8 x18mm



Variante 2




	M8x12mm
	M8x18mm
	M8x30mm
	M8x40mm
	M8x60mm


Step 24


Variante 1

A		x2	B		x2
	M8 x12mm			M8 x18mm	



Variante 2



	M8x12mm
	M8x18mm
	M8x30mm
	M8x40mm
	M8x60mm

Step 25




Variante 1

A


x2
 M8 x12mm

B

x2
 M8 x18mm



Variante 2



	M8x12mm
	M8x18mm
	M8x30mm
	M8x40mm
	M8x60mm

Step 26


Variante 1

A


**x2**

M8 x12mm


B

**x2**

M8 x18mm



Variante 2




	M8x12mm
	M8x18mm
	M8x30mm
	M8x40mm
	M8x60mm


Step 27


Variante 1

- A**  **x2**
M8 x12mm
- B**  **x2**
M8 x18mm



Variante 2



	M8x12mm
	M8x18mm
	M8x30mm
	M8x40mm
	M8x60mm

Step 28

Variante 1

A




x2

B


x2

M8 x12mm

M8 x18mm



Variante 2



	M8x12mm
	M8x18mm
	M8x30mm
	M8x40mm
	M8x60mm

Step 29



Variante 1

B




x6

M8 x18mm



Variante 2



	M8x12mm
	M8x18mm
	M8x30mm
	M8x40mm
	M8x60mm



Step 30 Variante 1

B




x6

M8 x18mm



Variante 2



	M8x12mm
	M8x18mm
	M8x30mm
	M8x40mm
	M8x60mm

Step 31



Variante 1/2

G



x24

Ø5x35mm



	M6x10mm
	Ø 5x35mm

Step 32

Variante 1/2

LED **46** :



1.4m

1. Please align the position to remove the red sticker behind the light strip carefully when installing, and then paste it to the product.
2. Please tear off the light strip slowly when changing the position to prevent breaking.
1. Bitte richten Sie die Position aus, um den roten Aufkleber hinter dem Lichtstreifen bei der Installation vorsichtig zu entfernen, und fügen Sie ihn dann auf das Produkt ein.
2. Bitte reißen Sie den Lichtstreifen langsam ab, wenn Sie die Position ändern, um zu verhindern, dass Sie brechen.
1. S'il vous plaît aligner la position pour retirer l'autocollant rouge derrière la bande de lumière soigneusement lors de l'installation, puis collez-le sur le produit.
2. S'il vous plaît déchirer lentement la bande de lumière lorsque vous changez de position pour empêcher la cassure.

The light strip goes out from the outside to the inside



Der Lichtstreifen geht aus von außen nach innen

La bande lumineuse sort de l'extérieur à l'intérieur

Tear off the film on the light strip

Reiß die Folie auf dem Lichtband ab.

Arrachez le film sur la bande de lampe



Step 33

Variante 1/2

LED **47** :




1. Please align the position to remove the red sticker behind the light strip carefully when installing, and then paste it to the product.
2. Please tear off the light strip slowly when changing the position to prevent breaking.
1. Bitte richten Sie die Position aus, um den roten Aufkleber hinter dem Lichtstreifen bei der Installation vorsichtig zu entfernen, und fügen Sie ihn dann auf das Produkt ein.
2. Bitte reißen Sie den Lichtstreifen langsam ab, wenn Sie die Position ändern, um zu verhindern, dass Sie brechen.
1. S'il vous plaît aligner la position pour retirer l'autocollant rouge derrière la bande de lumière soigneusement lors de l'installation, puis collez-le sur le produit.
2. S'il vous plaît déchirer lentement la bande de lumière lorsque vous changez de position pour empêcher la cassure.

The light strip goes out from the outside to the inside

Der Lichtstreifen geht aus von außen nach innen


La bande lumineuse sort de l'extérieur à l'intérieur



Tear off the film on the light strip

Reiß die Folie auf dem Lichtband ab.




Arrachez le film sur la bande de lampe



The light strip needs to pass through this position


Der Lichtstreifen muss Durch diese Position

La bande de lumière doit traverser cette position




Step 34

Variante 1/2




Step 35

Variante 1/2



Step 36

Variante 1/2



B  **x8**
M8 x18mm

	M8x12mm
	M8x18mm
	M8x30mm
	M8x40mm
	M8x60mm


Step 37 Variante 1/2

D



x2

M8 x40mm



	M8x12mm
	M8x18mm
	M8x30mm
	M8x40mm
	M8x60mm


Step 38 Variante 1/2

B



x4

M8 x18mm



	M8x12mm
	M8x18mm
	M8x30mm
	M8x40mm
	M8x60mm

Step 39 Variante 1/2

I



M8 nut



x6

D




M8 x40mm

x6



	M8x12mm
	M8x18mm
	M8x30mm
	M8x40mm
	M8x60mm

Step 40 Variante 1/2





I




M8 nut

x4




Step 41

Variante 1/2




Step 42

Variante 1/2





Step 43

Variante 1/2



Step 44

Variante 1/2




Step 45

Variante 1/2


Attention: When you turn the bed over, be sure to move the pneumatic support of the bed to avoid accidental injury.

Hinweis: Wenn Sie den Bettkörper umdrehen, achten Sie darauf, dass sich die pneumatische Halterung des Bettkörpers bewegt, um Fehlverletzungen zu vermeiden.

Remarque: lorsque vous retournez le corps du lit, faites attention à ce que le support pneumatique du corps du lit bouge pour éviter les blessures par erreur.



Velcro



LotusLantern APP Manual

1. Software Overview

1.1 Overview

LotusLantern is a mobile APP to control LED strip by both IOS and Android phones. The traditional control ways like infrared, 433MHz, 2.4GHz and others old wired ways will be replaced by mobile phone control way with convenient, powerful and scalable features.

Through this mobile APP , you can not only control the color, brightness and color temperature of the LED strips but also set up all kinds of fancy flash mode ; Also this APP can change the light of the LED strip according to the rhythm of the music. This APP can set and control several LED strips through Bluetooth and the operation is very simple, easy to learn and easy to use.

1.2 Features

- Adjust color LED strips with 60,000 colors to change color and brightness and adjust monochrome LED strips to change brightness and color temperature
- Play music or turn on a sound playback device, you can let the light change the color and brightness with the rhythm of music, the music rhythm beautiful
- Inside multiple setting mode for color change and control LED strips without mobile
- Long distance control with omni-directional antenna, and many-to-many group control mode
- Once the connection is successful, connect automatically next time

1.3 Performance

LotusLantern APP is easy for use as well as great compatible with all kinds of smart phones; After the actual test of hundreds of mobile phones verification, the compatibility is above 95% of mobile phones in the market. APP is small and convenient, it consumes less system resources, so the requirements of the mobile configuration are low. Control delay is small, the operation feels good, light control is smooth with people's visual sense.

2. Operating Environment

This APP program requires phones of system above Andriod 4.3 and IOS 8.0. Mobile phone configuration is not limited.

3. Instructions

Note: Android version and iOS version download and use the same method, here in the Android version as an example.

3.1 APP Download

Scan the QR code


IOS and Android systems can download the "LotusLantern" APP by scanning the QR code. Open the browser or other tools with "Scan QR code" function, scan the "LotusLantern" QR code as below:




1

3.2 App Operation

(1) Click on the LotusLantern APP icon, enter the APP page:



(2) After entering the APP interface, if Bluetooth is not enabled, "an application wants to enable the Bluetooth function of this device." Click [Allow]



(3) switch to color and brightness interface:

Click to show the lamp list

Switch the color wheel

Display the RGB value
Click to manual adjustment view

Click to shift the interface

Click to display setting view

Lamp switch button

Adjust the color

Click square icon to adjust the color




2

(4) click to show the lamp list, view lamp list:


Bluetooth auto connect after search for devices

Lamp list

Status of device connection



Status of device connection



(5) Click to RGB manual adjustment view:




3

(6) switch to the mode interface:

Scroll the selection mode

Adjust speed

Adjust brightness




(7) switch to the music rhythm interface:

Previous song, Pause/Play, Next song


Plav mode

Music List




4

(8) Switch to the online music interface:




(9) Switch to the microphone rhythm interface:

Music rhythm through cell phone microphone



Switch phone microphone and external microphone

Music rhythm through the microphone on the product



Switch phone microphone and external microphone

4-style rhythm


Change the sensitivity of MIC to match the sound

5

(10) Switch to the schedule interface:

Set the time of Light-On

Set the time of Light-Off



Enable or disable the Light-On function

Repeat setting
No selection for once Light-On


Enable or disable the Light-Off function

Repeat setting
No selection for once Light-Off

(11) Switch to the modify pin sequence interface:

Click to save the new assignment

Change the real color of this line



Technical parameters:

Working temperature: -20-60°C (-4 F°-140 F°)

Power supply voltage: DC5-24V

Output: 3 Loops

Static power consumption: <0.5W

Output current: <3A(each circuit)5V <30W 12V <108 24V <21 6W

6



VERIFICATION OF CONFORMITY

No. : PTC26061106101E-EM01
Applicant : Shenzhen Shuiyuntian Industrial Co., LTD
Address : Room 1002, Building 6, No. 36, Zhikang Road, lishong community, gongming subdistrict, guangming district, shenzhen city
Manufacturer : Shenzhen Shuiyuntian Industrial Co., LTD
Address : Room 1002, Building 6, No. 36, Zhikang Road, lishong community, gongming subdistrict, guangming district, shenzhen city
Factory : henzhen Shuiyuntian Industrial Co., LTD
Address : Room 1002, Building 6, No. 36, Zhikang Road, lishong community, gongming subdistrict, guangming district, shenzhen city
Product : LEDdu al-cdor light strip
Trade Mark : ---
Model : YH-358
Ratings : DC 5V,0.9A, 4.5W

The submitted sample of the above equipment has been tested and found to comply with the following European Directive:

Electromagnetic Compatibility Directive (EMC) - 2014/30/EU

The standard(s) used for showing compliance with the essential requirements:

Applicable Standard(s)	Test Report(s) Number
EN IEC 55015:2019+A11:2020 EN IEC 61547:2023 EN IEC 61000-3-2:2019+A1:2021+A2:2024 EN 61000-3-3:2013+A1:2019+A2:2021	PTC26061106101E-EM01

This verification is part of the full test report(s) and should be read in conjunction with it. This verification is based on an evaluation of one sample of above mentioned product. It does not imply assessment of the production of the product. Without the written approval of Precise Testing & Certification (Guangdong) Co., Ltd., this verification is not permitted to be reproduced, except in full. It is not permitted to use the test lab's logo.

Provided that other applicable Directive requirements are satisfied, the manufacturer (or the European authorized representative), may draw up an EC/EEA Declaration of Conformity and affix the CE-marking to each conforming product.



Jacky Qu
Jacky Qu
Manager
Date: 2026-07-01



Precise Testing & Certification(Guangdong)Co.,Ltd.

Tel: 0769-38808222 Web: www.ptc-testing.com E-mail: inquiry@ptc-testing.com
Add: Building 1, No.6, Tongxin Road, Dongcheng Street, Dongguan, Guangdong, China



精准检测
PRECISE TESTING

CERTIFICATE OF CONFORMITY

No.: PTC26061106101C-EN01

Applicant : Shenzhen Shuiyuntian Industrial Co., LTD
Address : Room 1002, Building 6, No. 36, Zhikang Road, lishong community, gongming subdistrict, guangming district, shenzhen city

Manufacturer : Shenzhen Shuiyuntian Industrial Co., LTD
Address : Room 1002, Building 6, No. 36, Zhikang Road, lishong community, gongming subdistrict, guangming district, shenzhen city

Trademark : --
Product Name : LED dual-color light strip
Model No. : YH-358

The submitted sample of the above equipment has been tested and found to comply with the following European Directive:

RoHS Directive 2011/65/EU & Directive (EU)2015/863 & EN IEC 63000:2018

The standard(s) used for showing compliance with the essential requirements:

Applicable Standard(s)	Test Report(s) Number
IEC 62321-1: 2013, IEC 62321-2: 2021 IEC 62321-3-1:2013, IEC 62321-3-2: 2020 IEC62321-4: 2013+AMD1:2017 IEC 62321-5:2013 IEC 62321-6:2015, IEC 62321-7-1: 2015 IEC 62321-7-2: 2017, IEC 62321-8:2017	PTC26061106101C-EN01

This certificate is part of the full test report(s) and should be read in conjunction with it. This certificate is based on an evaluation of one sample of above mentioned product. It does not imply assessment of the production of the product. Without the written approval of Precise Testing & Certification (Guangdong) Co., Ltd., this certificate is not permitted to be reproduced, except in full. It is not permitted to use the test lab's logo.



Jacky Ou

Jacky Ou
Manager

Date: Jul. 03, 2026

Precise Testing & Certification (Guangdong) Co., Ltd.
Building 1, No.6, Tongxin Road, Dongcheng Street,
Dongguan, Guangdong, China
Tel: 86 769 38808222 Web: www.ptc-testing.com
Mail: inquiry@ptc-testing.com



Certificate of Conformity

No.: LP24060215C01-01

The following products have been tested by us with the listed standards and found in compliance with the council EMC directive 2014/30/EU. It is demonstrative for the compliance with this EMC Directive.

Applicant : Dongguan Yali Electric Appliance Co.,Ltd
Address : 8 / F, Building 9, No. 6, Yuyuan 4th Road, Yuyuan Industrial Zone, Huangjiang Town, Dongguan City, Guangdong Province
Product : Strip power supply
Model No. : YL-SKCE-901, YL-SKCE-902, YL-SKCE-903, YL-SKCE-905, YL-SKCE-906, YL-SKCE-907, YL-SKCE-908, YL-SKCE-909, YL-SKCE-901A, YL-SKCE-902A, YL-SKCE-903A, YL-SKCE-905A, YL-SKCE-906A, YL-SKCE-907A, YL-SKCE-908A, YL-SKCE-909A
Test Standards : EN 55032:2015+A11:2020+A1:2020
EN 55035:2017+A11:2020
EN IEC 61000-3-2:2019+A1:2021
EN 61000-3-3:2013+A1:2019+A2:2021



The CE marking may be used if all relevant and effective EC Directives/Regulations are complied with.


Manager: Frank Shen
Date: October 31, 2024

Dongguan Lepont Testing Service Co., Ltd.

Tel.:86-769-83086888 Fax.:86-769-83096886

Room 102, Building 11, No.7, Houjie Science And Technology Avenue, Houjie, Dongguan, Guangdong, China

The statement is based on a single evaluation of one sample of above mentioned products. It does not imply an assessment of the whole production and does not permit the use of the test lab's logo.

Shenzhen ZKT Technology Co., Ltd.
1/F, No. 101, Building B, No. 6, Tangwei Community Industrial Avenue,
Fuhai Street, Bao'an District, Shenzhen, China



Certificate of Compliance

Certificate Number: ZKT-25070215182C

Certificate's Holder : Dongguan Yihong Hardware Electronics Co., Ltd
Room 1106, No.2, Shangheng Road, Chang' an Town,
Dongguan

Manufacturer : Dongguan Yihong Hardware Electronics Co., Ltd
Room 1106, No.2, Shangheng Road, Chang' an Town,
Dongguan

Trade Mark : N/A

Product : LED controller

Model(s) : YH-6183
YH-252, YH-284, YH-290, YH-287, YH-358, YH-360, YH-6180,
YH-6184

Requirement	Standard	Report No.
Art.3.1(a) Safety	EN IEC 62368-1:2024+A11:2024	ZKT-25070215183S
Art.3.1(a) Health	EN IEC 62311:2020 EN 50665:2017	ZKT-25070215182E-1
Art.3.1(b) EMC	ETSI EN 301 489-1 V2.2.3 (2019-11) ETSI EN 301 489-17 V3.3.0 (2024-07)	ZKT-25070215182E-2
Art.3.2 Radio	ETSI EN 300 328 V2.2.2 (2019-07)	ZKT-25070215182E-3

This Attestation of Compliance is issued on a voluntary basis for electrical equipment below the voltage limits of Radio Equipment Directive (RED) 2014/53/EU. The essential requirement are fulfilled accordingly based on the technical specifications applicable at the time of issuance.



This Certificate of Conformity is based on single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole product and relevant . Directives to be observed.

☎ +86-400 000 9970 ☎ +86-755-22336688 ✉ zkt@zkt-lab.com 🌐 www.zkt-lab.com

CERTIFICATE OF CONFORMITY

The following products have been tested by us and found in conformity with the (RoHS) Directive 2011/65/EU Annex II amending Directive (EU)2015/863. It is possible to use CE marking to demonstrate the conformity with this Directive.

Report No. : XNO251021001CX2-1
Applicant : YA LI ELECTRIC CO LTD
Address : Room 801, Building 9, No. 6, Yuyuan 4th Road, Huangjiang Town, DONGGUAN Guangdong 523000
Sample Name: : Furniture power distribution unit
Model No.: : YL-SKCE-909A
Sub-Model No.: : YL-SKCE-901, YL-SKCE-901A, YL-SKCE-902, YL-SKCE-902A, YL-SKCE-903, YL-SKCE-903A, YL-SKCE-905, YL-SKCE-905A, YL-SKCE-905C, YL-SKCE-906, YL-SKCE-906A, YL-SKCE-907, YL-SKCE-907A, YL-SKCE-908, YL-SKCE-908A, YL-SKCE-909
Manufacturer : YA LI ELECTRIC CO LTD
Manufacturer Address : Room 801, Building 9, No. 6, Yuyuan 4th Road, Huangjiang Town, DONGGUAN Guangdong 523000
Test method : IEC 62321-3-1:2013 & IEC 62321-5:2013 & IEC 62321-4:2013+A1:2017 & IEC 62321-7-1:2015 & IEC 62321-7-2:2017 & IEC 62321-6:2015 & IEC 62321-8:2017



Signature :

Technical supervisor

Signed for and on behalf of

Guangzhou Supreme Technology & Testing Service Co., LTD

21-Oct-2025



This certification is part of the full test report(s) and should be read in conjunction with it. The certificate is based on a single evaluation of one sample of above-mentioned products. It does not imply an assessment of the whole production and does not permit the use of the test lab logo.

Guangzhou Supreme Technology & Testing Service Co., LTD

103, NanSha IT Park, South Tower, No.2 Huanshi Dadao Nan, NanSha District, GuangZhou City, GuangDong Province.China

Tel: 020-39004143

Fax: 020-39390517

Email: service@xnotesting.com

Website: <http://www.xnotesting.com>



Product Service

Attestation of Conformity

No. N8A 129388 0002 Rev. 00

Holder of Attestation: **Dongguan Yali Electric Appliance Co., Ltd.**

8/F, Building 9, No. 6, Yuyuan 4th Road
Yuyuan Industrial Zone, Huangjiang Town
523750 Dongguan City, Guangdong Province
PEOPLE'S REPUBLIC OF CHINA

Product: **Socket-outlets**

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: www.tuvsud.com/ps-cert

Test report no.: 6810024020601

Date, 2024-12-04

(Michael Xu)

Page 1 of 2

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.

TÜV SÜD Product Service GmbH • Ridlerstraße 65 • 80339 Munich • Germany

TÜV®



Product Service

Attestation of Conformity

No. N8A 129388 0002 Rev. 00

Model(s):

YL-SKCE-901, YL-SKCE-901A, YL-SKCE-901A-PD20W,
YL-SKCE-902, YL-SKCE-902A, YL-SKCE-902A-PD20W,
YL-SKCE-903, YL-SKCE-903A, YL-SKCE-903A-PD20W,
YL-SKCE-905, YL-SKCE-905A, YL-SKCE-905A-PD20W,
YL-SKCE-906, YL-SKCE-906A, YL-SKCE-906A-PD20W,
YL-SKCE-907, YL-SKCE-907A, YL-SKCE-907A-PD20W,
YL-SKCE-908, YL-SKCE-908A, YL-SKCE-908A-PD20W,
YL-SKCE-909, YL-SKCE-909A, YL-SKCE-909A-PD20W

Parameters:

Rated voltage: 250Vac
Rated frequency: 50/60Hz
Rated current: 16A
Protection class: I
Degree of protection: IP20
Type of cable: H05VV-F 3G1.5mm²

Tested**according to:**

DIN VDE 0620-1:2021
DIN VDE 0620-2-1:2021/A1:2023

Page 2 of 2

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.

TÜV SÜD Product Service GmbH • Ridlerstraße 65 • 80339 Munich • Germany

TÜV®

Importeur	Decobus Handel GmbH
Adresse	Innungsstraße 9,21244 Buchholz, Deutschland
Email/URL	https://www.decobusgroup.de
Hersteller	Dongguan Yali Electric Appliance co.,Ltd
Adresse	8 /F,Building 9, No. 6, Yuyuan 4th Road, Yuyuan Industrial Zone,Huangjiang Town, Dongguan city, Guangdong Province
Email/URL	38053076@qq.com
Partienummer	20251225-08
Hergestellt in	CHINA
EC REP	Decobus Handel GmbH Innungsstraße 9,21244 Buchholz,Deutschland https://www.decobusgroup.de



Produkt:Strip power supply
Modell:YL-SKCE-902A
Nennspannung:16A 250V AC, 50/60Hz
Nennfrequenz:USB-A 5V 2.1A TYPE-C
5V 2.1A
Leistung:10.5W



FR

**Pensez à
donner ou recycler.**



Association

ou



Magasin

ou



Déchèterie

<https://quefairedemesdechets.fr>



FR

**Cet appareil,
ses cordons,
et batterie
se recyclent**

À DÉPOSER
EN MAGASIN



ou

À DÉPOSER
EN DÉCHÈTERIE



Points de collecte sur www.quefairedemesdechets.fr
Privilégiez la réparation ou le don de votre appareil !