
Montageanleitung | Instructions de montage Assembly Instructions | Instrucciones de montaje

160*200

SKU NUMBER:N616P510089/N616P510090



GB This set comes in 2 boxes. If you do not receive a full set of 2 boxes, please contact our customer service.

DE Dieses Set wird in 2 Schachteln geliefert. Wenn Sie nicht ein komplettes Set von 2 Boxen erhalten, kontaktieren Sie bitte unseren Kundenservice.

FR Ce set est livr é en 2 boîtes. Si vous ne recevez pas un jeu complet de 2 boîtes, veuillez contacter notre service client èle.

English

IMPORTANT FOR GAS LIFT BEDS&MAINTAINCE

- Please place the mattress on top of the bed frame.
- Please do not pull on the strap handles.
- Please press heavily to release the compressed gas.
- Periodically check all screw & fixings to ensure they are secure.
- When moving your product, carefully lift into place.
- Wipe clean with a slightly damp cloth–please do not use abrasive chemicals or bleach.
- Do NOT allow children to operate the lift mechanism.
- Do NOT allow children near the lift base when operating the mechanism.
- Do NOT stand inside the bed or the internal storage base.
- Do NOT overload the internal storage base.
- DO NOT jump on the product or any of its parts.

Deutsch

WICHTIG FÜR GASLIF－BTETTEN&WARTUNG

- Bitte legen Sie die Matratze oben auf den Bettrahmen.
- Bitte ziehen Sie nicht an den Gurtgriffen.
- Bitte drücken Sie kräftig, um das komprimierte Gas freizusetzen.
- Überprüfen Sie regelmäßig alle Schrauben und Befestigungen, um sicherzustellen, dass sie sicher sind.
- Wenn Sie Ihr Produkt bewegen, heben Sie es vorsichtig an seinen Platz.
- Mit einem leicht feuchten Tuch abwischen －bitte keine scheuernden Chemikalien oder Bleichmittel verwenden.
- Erlauben Sie Kindern NICHT, den Hebemechanismus zu bedienen.
- Lassen Sie Kinder NICHT in die Nähe des Liftsockels, wenn Sie den Mechanismus bedienen.
- Stellen Sie sich NICHT in das Bett oder in die Innenablage.
- Überlasten Sie den internen Liftsockel NICHT.
- Springen Sie NICHT auf das Produkt oder eines seiner Teile.

Français

IMPORTANT POUR LES LITS À RELEVAGE DE GAZ&MAINTENANCE

- Veuillez placer le matelas sur le dessus du cadre de lit.
- Ne tirez pas sur les poign ées de la sangle.
- Appuyez fortement pour libérer le gaz comprimé.
- Vérifiez régulièrement que toutes les vis et fixations sont bien en place.
- Lorsque vous déplacez votre produit, soulevez–le avec précaution pour le mettre en place.
- Nettoyez avec un chiffon légèrement humide －n'utilisez pas de produits chimiques abrasifs ou d'eau de Javel.
- Ne laissez pas les enfants utiliser le mécanisme de levage.
- Ne laissez pas les enfants s'approcher de la base de levage lorsqu'ils actionnent le mécanisme.
- Ne vous tenez PAS à l'intérieur du lit ou de la base de stockage interne.
- Ne surchargez pas la base de stockage interne.
- Ne pas sauter sur le produit ou l’ une de ses parties.

Italiano

IMPORTANTE PER I LETTI CON SOLLEVAMENTO A GAS E LA MANUTENZIONE


- Posizionare il materasso sopra la struttura del letto.
- Non tirare le maniglie della cinghia.
- Premere con forza per rilasciare il gas compresso.
- Controllare periodicamente tutte le viti e i fissaggi per assicurarsi che siano saldi.
- Quando si sposta il prodotto, sollevarlo con cautela.
- Pulire con un panno leggermente umido, senza usare prodotti chimici abrasivi o candeggina.
- NON permettere ai bambini di azionare il meccanismo di sollevamento.
- NON permettere ai bambini di avvicinarsi alla base di sollevamento quando si aziona il meccanismo.
- NON sostare all'interno del letto o della base di contenimento interna.
- NON sovraccaricare la base di contenimento interna.
- NON saltare sul prodotto o sulle sue parti.

Español


IMPORTANTE PARA LAS CAMAS ELEVADORAS DE GAS&MANTENIMIENTO

- Coloque el colchón sobre el somier.
- No tire de las asas de la correa.
- Presione con fuerza para liberar el gas comprimido.
- Compruebe periódicamente que todos los tornillos y fijaciones estén bien sujetos.
- Al mover el producto, lev ántelo con cuidado para colocarlo en su sitio.
- Limpie con un paño ligeramente humedecido; no utilice productos quí micos abrasivos ni lejí a.
- NO permita que los niños accionen el mecanismo de elevación.
- NO permita que los niños se acerquen a la base elevadora cuando accionen el mecanismo.
- NO se ponga de pie dentro de la cama o de la base de almacenamiento interna.
- NO sobrecargue el somier.
- NO salte sobre el producto ni sobre ninguna de sus piezas.







EN_QUICKFIT: Tighten quickfit until shoulder is flush with panel.Do not overtighten or undertighten.
FR_RACCORD RAPIDE:Faites serrer le raccord rapide jusqu'à ce que l'épaulement soit parfaitement encastré dans le panneau. Il ne faut ni trop serrer ni insuffisamment serrer.
ES_QUICKFIT:Apriete quickfit hasta que el hombre se descargue con el panel. NO lo sobreapriete ni lo apriete poco.
DE_QUICKFIT:Ziehen Sie den Quickfit fest, bis die Schulter mit der Platte bündig ist. Bitte nicht zu fest oder zu schwach anziehen.
IT_MONTAGGIO RAPIDO:Stringere il montaggio rapido fino a quando la spalla è a filo con il pannello, non stringere troppo o troppo poco.




EN_CAM LOCK: When fitting cam lock, ensure starting position is correct before you insert connecting quickfit.
FR_SERRURE BATTEUSE:Avant d'insérer la serrure batteuse, veillez à la bonne orientation avant d'insérer le raccord rapide.
ES_CIERRE DE LA CÁMARA:Cuando instale el cierre de la cámara, asegúrese de que la posición de inicio es correcta antes de que inserte el quickfit conector.
DE_CAM-LOCK:Achten Sie bei der Montage des Cam-Locks auf die richtige Ausgangsposition, bevor Sie den Quickfit einsetzen.
IT_BLOCCAGGIO A CAMMA:Quando si monta il bloccaggio a camma, assicurarsi che la posizione iniziale sia corretta prima di inserire il montaggio rapido di collegamento.




EN_ Quickfit head should be in the centre of the cam lock when the two panels are joined.
Cam lock should be inserted before quickfit.
FR_ Lorsque les deux panneaux sont assemblés, la tête du raccord rapide doit reposer au centre de la serrure batteuse.
Il faut insérer la serrure batteuse avant le raccord rapide.
ES_ El cabezal del quickfit debe estar en el centro del cierre de la cámara cuando se unan los dos paneles.
Se debe insertar el cierre de la cámara antes que el quickfit.
DE_ Der Quickfit-Kopf sollte sich in der Mitte des Cam-Locks befinden, wenn die beiden Platten zusammengefügt sind.
Der Cam-Lock sollte vor dem Quickfit eingesetzt werden.
IT_ La testa del montaggio rapido deve trovarsi al centro del bloccaggio a camma quando i due pannelli sono uniti.
Il Bloccaggio a Camma deve essere inserito prima del montaggio rapido.













EN_ Turn cam lock clockwise to tighten.
FR_ Faites tourner la serrure batteuse dans le sens des aiguilles d'une montre pour la resserrer.
ES_ Gire el cierre de la cámara en sentido horario para apretarlo.
DE_ Drehen Sie den Cam-Lock im Uhrzeigersinn, um ihn festzuziehen.
IT_ Ruotare il bloccaggio a camma in senso orario per stringere.




12
16
10
11
14
13
9
3
15
16
1
10
17
11
5
25
26
4
7
28
18
2
6
27
23
8














19
30
20
22
24
24
21
20
19
29

N616P510089

1		X1
2		X1
9		X2
11		X2
12		X1
13		X1
19		X2
20		X2
23		X1
29		X12





N616P510090

3		X1
4		X1
5		X1
6		X1

7		X1
8		X1
10		X2
14		X1
15		X1
16		X2
17		X1
18		X1
21		X1
22		X1
24		X2
25		X2
26		X1
27		X1
28	 Φ10/350mm/800N	X2
30		X2

Hardware List -Hardware-Liste-Liste dumatériel

N616P510090

A	 M8*16	X50+2	B	 M8*12	X4	C	 M8*40	X8
D	 M8*25	X16+1	E		X24+2	F	 M8	X10+1
G	 M5*37	X24+2	H		X24+2	I	 M8*45	X8
J	 M8*70	X4	K		X2	L		X2
M	 H150	X4	N		X1	O		X4
P		X1	Q		X1	R	ST3*12 	X2
S		X1	T		X1	U		X24+2
V		X2	W		X1	X		X20
Y		X1						


1





E x 8pcs




T x 1pcs










2




H x 8pcs


X2



3


T x 1pcs






4

H x16pcs




5

E x 8pcs	Q x 1pcs	ST3*12 R x 2pcs	T x 1pcs




6

E x 8pcs	T x 1pcs	P x 1pcs




7

T x 1pcs



8

M8*12	M5*37	O	T	Y
B x 4pcs	G x 24pcs	x 4pcs	x 1pcs	x 1pcs




9

M8*25

D x 4pcs

T x 1pcs




10

M8*40


C x 4pcs

T x 1pcs




11

M8*16	M8*70	
A x 4pcs	J x 4pcs	T x 1pcs



12

M8*16			
A x 10pcs	M x 2pcs	L x 1pc	T x 1pcs




13

M8*16
A x 10pcs

M x 2pcs

L x 1pc


T x 1pcs



14


M8*16
A x 8pcs

T x 1pcs




15

M8*25	M8*40	T	V	N
D x 4pcs	C x 2pcs	T x 1pcs	V x 2pcs	N x 1pcs



16


M8*25	T	K
D x 8pcs	T x 1pcs	K x 2pcs



17

M8*40
C x 2pcs


T x 1pcs



18

M8*16
Ax 18pcs


T x 1pcs




19


M8*45 I x 8pcs	F x 6pcs	T x 1pcs	S x 1pc

STEP1:




STEP2:





20


W x 1pc	U x 24pcs




21

F x 4pcs

S x 1pc




22




23

X x 20pcs



24



GB- NOTE: The battery in the remote control requires you to purchaseand install it yourself.
Model: CR2025 3.V

DE-HINWEIS: Die Batterie in der Fernbedienung massen Sie selbst kaufen und installieren.
Modell: CR2025 3.V

FR-REMARQUE : la pile de la télécommande doit être achetée et installée par vos soins.
Modèle:CR2025 3.V

IT-NOTA: la batteria del telecomando deve essere acquistata e installata autonomamente.
Modell:CR2025 3.V

ES-NOTA: La pila del mando a distancia debe comprarla e instalarla usted mismo.
Modelo CR2025 3.V

①



②



③



④



⑤



⑥



⑦



⑧



EN:Batery Safety Instructions

1.Do not dispose of used buton bateries or remote controls in household trash. To protect the environment and prevent hazardous leakage, please follow these guidelines:

2.Remove buton bateries afer use and take them to a local batery recycling point or hazardous waste collection site.

3.Do not burn or dismantle the bateries to avoid explosion or toxic release.

4.If the remote control is no longer in use, please deliver it to a certified electronics recycling facility to promote resource reuse.

5.Keep out of reach of children to prevent accidental ingestion or injury.

6.This product does not include bateries; please purchase them separately. The compatible buton cell model for the remote control is CR2025 3V.

7.If the light strip is not working, please try replacing the batery first. If the issue persists, contact the seller for assistance.

8.Keep the remote control away from children — keep it away from children! If the batery is accidentally swallowed, seek medical atenntion immediately.

DE:Bateriesicherheitshinweise

1. Entsorgen Sie gebrauchte Knopfzellen oder Fernbedienungen nicht im Hausmüll. Um die Umwelt zu schützen und gefährliche Leckagen zu vermeiden, beachten Sie bite die folgenden Hinweise:
2. Enternen Sie die Knopfzelle nach dem Gebrauch und bringen Sie sie zu einer örtlichen Bateriesammelstelle oder einem Sondermüllentsorgungszentrum.
3. Baterien nicht verbrennen oder zerlegen, um Explosionen oder die Freisetzung gifti er Stoffe zu vermeiden.
4. Wenn die Fernbedienung nicht mehr verwendet wird, bringen Sie sie zu einer zertifizie en Elektronik-Recyclingstelle, um eine Wiederverwertung zu ermöglichen.

5. Außerhalb der Reichweite von Kindern aufb wahren, um versehentliches Verschlucken oder Verletzungen zu verhindern.

6.Dieses Produkt enthält keine Baterien. Bite kaufen Sie diese separat. Das kompatible Knopfzellenmodell für die Fernbedienung ist CR2025, 3V.

7.Wenn der Lichtstreifen nicht funktioniert, versuchen Sie zunächst, die Baterie zu wechseln. Besteht das Problem weiterhin, kontaktieen Sie bite den Verkäufer.

8.Halten Sie die Fernbedienung unbedingt von Kindern fern — unbedingt fernhalten! Wird die Baterie versehentlich verschluckt, suchen Sie sofort medizinische Hilfe auf.

FR:Instructions de sécurité pour les piles

1. Ne jetez pas les piles bouton usagées ou les télécommandes à la poubelle ménagère. Pour protéger l ' environnement et éviter tout risque de fuite dangereuse, veuillez suivre les consignes suivantes :
2. Retiez les piles bouton après usage et déposez-les dans un point de collecte local ou un centre de déchets dangereux.
3. Ne brûlez pas et ne démontez pas les piles, cela pourrait entraîner une explosion ou libérer des substances toxiques.
4. Si la télécommande n'est plus utilisée, déposez-la dans un centre de recyclage agréé pour appareils électroniques, afin de favoriser la réutilis ationdes ressources.
5. Gardez hors de portée des enfants pour éviter tout risque d'ingestion accidentelle ou de blessure.


6.Ce produit ne contie t pas de pile. Veuillez l'acheter séparément. Le modèle de pile bouton compatible pour la télécommande est CR2025, 3V.

7.Si le ruban LED ne fonctionne pas, essayez d'abord de remplacer la pile. Si le problème persiste, contactez le vendeur.

8.Tenez la télécommande éloignée des enfants — éloignez-la vraiment ! En cas d'ingestion accidentelle de la pile, consultez immédiatement un médecin.







If a battery has been ingested, or there is a possibility one might have been ingested, please seek medical attention and inform the medical authorities that you suspect battery ingestion.

It's not always clear when a child has swallowed a button battery, as there are no specific symptoms.However, they might:

- **cough, gag, or drool;**
- **seem to have a stomach bug or virus;**
- **vomit;**
- **complain of pain in their stomach, chest, or throat;**
- **appear tired or sluggish; and**
- **lose their appetite.**

Since the signs aren't obvious, it's important to keep a close eye on loose, used, or spare button batteries in your home, as well as the products that contain them.

This certificate is responsible for testing sample only.
Please refer to this corresponding test report to get testing process and data.

CERTIFICATE

ATTESTATION
Certificate of Compliance

Technical file of the company mentioned below has been inspected and audit has been completed successfully.

The RoHS Directive 2015/863/EU amending Annex II to Directive 2011/65/EU has been taken as references for these processes.

Certificate's Holder	:	Shenzhen zhengxin Optoelectronics Technology Co., Ltd
Address	:	7th Floor, Building A9, Xinghuaxiong Science and Technology Park, Baihua Community, Guangming New District, Shenzhen, China
Manufacturer	:	Shenzhen zhengxin Optoelectronics Technology Co., Ltd
Address	:	7th Floor, Building A9, Xinghuaxiong Science and Technology Park, Baihua Community, Guangming New District, Shenzhen, China
Product Name:	:	5050 RGB 5M light strip
Model No.:	:	ZX5050-60LED/M-RGB-5V-24Key, ZX5050-12LED/M-RGB-5V-24Key, ZX5050-18LED/M-RGB-5V-24Key, ZX5050-30LED/M-RGB-5V-24Key, ZX5050-72LED/M-RGB-5V-24Key, ZX5050-84LED/M-RGB-5V-24Key
Trade Mark	:	N/A
Related Directive	:	Directive 2015/863/EU amending Annex II to Directive 2011/65/EU Directive (EU)2017/2102 amending Annex III to Directive 2011/65/EU
Test Method	:	IEC 62321-2:2021, IEC 62321-3-1:2013, IEC 62321-5:2013, IEC 62321-4:2013+AMD1:2017, IEC 62321-7-1:2015, IEC 62321-7-2:2017, IEC 62321-6:2015, IEC 62321-8:2017
Certificate Number	:	HK25091010731R
Report No.	:	HK25091010731-1RR
Issue date	:	September 19, 2025

Jason

Certification Manager

The information of the certificate can be checked through www.huak.com. The CE mark which is shown on the certificate can only be used under the conditions that the products complete with all of the relevant Directives of EC Declaration of Conformity. The Manufacturer should be responsible for the internal production control so that the products complied with the essential requirements of the above mentioned Directive(s). Certificate holder must notify all changes to the original certification laboratory of HUAK.

RoHS

Shenzhen HUAK Testing Technology Co., Ltd.
Add.:1-2/F, B2 Building, Junfeng Zhongcheng Zhizao Innovation Park, Heping Community, Fuhai Street, Bao'an District, Shenzhen, China
Tel.:+86-0755-2302 9901 E-mail:info@huak.com Website:https://www.huak.com

CERTIFICATE

ATTESTATION
Certificate of Compliance

Technical file of the company mentioned below has been inspected and audit has been completed successfully

The Low Voltage Directive 2014/35/EU has been taken as references for these processes.

Certificate's Holder	:	Shenzhen zhengxin Optoelectronics Technology Co., Ltd
Address	:	7th Floor, Building A9, Xinghuaxiong Science and Technology Park, Baihua Community, Guangming New District, Shenzhen, China
Manufacturer	:	Shenzhen zhengxin Optoelectronics Technology Co., Ltd
Address	:	7th Floor, Building A9, Xinghuaxiong Science and Technology Park, Baihua Community, Guangming New District, Shenzhen, China
Product Name	:	5050 RGB 5M light strip
Product Model (S)	:	ZX5050-60LED/M-RGB-5V-24Key, ZX5050-30LED/M-RGB-5V-24Key, ZX5050-72LED/M-RGB-5V-24Key, ZX5050-84LED/M-RGB-5V-24Key
Trade Mark	:	N/A
Related Directive	:	2014/35/EU
Related Standards	:	EN IEC 60598-2-1:2021 EN IEC 60598-1:2021 + AMD11:2022

Certificate Number	:	HK2509102828S
Report No.	:	HK2509102828-SR
Registration Date	:	Nov. 07, 2025

Jason Li

Certification Manager

HUAK APPROVAL

The information of the certificate can be checked through https://www.huak.com. The CE mark which is shown on the certificate can only be used under the conditions that the products complete with all of the relevant Directives of CE Declaration of Conformity. The Manufacturer should be responsible for the internal production control so that the products complied with the essential requirements of the above mentioned Directive(s). Certificate holder must notify all changes to the original certification laboratory of HUAK.

Shenzhen HUAK Testing Technology Co., Ltd.
Add.:1-2/F, B2 Building, Junfeng Zhongcheng Zhizao Innovation Park, Heping Community, Fuhai Street, Bao'an District, Shenzhen, China
Tel.:+86-0755-2302 9901 E-mail:info@huak.com Website:https://www.huak.com

This certificate is responsible for testing sample only
Please refer to this corresponding test report to get testing process and data.

CERTIFICATE

ATTESTATION
Certificate of Compliance

Technical file of the company mentioned below has been inspected and audit has been completed successfully

The RED Directive 2014/53/EU has been taken as references for these processes.

Certificate's Holder	:	Shenzhen zhengxin Optoelectronics Technology Co., Ltd
Address	:	7th Floor, Building A9, Xinghuaxiong Science and Technology Park, Baihua Community, Guangming New District, Shenzhen, China
Manufacturer	:	Shenzhen zhengxin Optoelectronics Technology Co., Ltd
Address	:	7th Floor, Building A9, Xinghuaxiong Science and Technology Park, Baihua Community, Guangming New District, Shenzhen, China
Product Name	:	5050 RGB 5M light strip
Product Model (S)	:	ZX5050-60LED/M-RGB-5V-24Key, ZX5050-12LED/M-RGB-5V-24Key, ZX5050-18LED/M-RGB-5V-24Key, ZX5050-30LED/M-RGB-5V-24Key, ZX5050-72LED/M-RGB-5V-24Key, ZX5050-84LED/M-RGB-5V-24Key
Trade Mark	:	N/A
Related Directive	:	2014/53/EU
Related Standards	:	Article 3.1a): EN IEC 62368-1:2024 + A11:2024 EN 62479:2010 EN 50663:2017 ETSI EN 301 489-1 V2.2.3 (2019-11) ETSI EN 301 489-3 V2.3.2 (2023-01) Article 3.1b): ETSI EN 301 489-17 V3.3.1 (2024-09) EN 55032:2015 + A1:2020 + A11:2020 EN 55035:2017 + A11:2020 Article 3.2): ETSI EN 300 328 V2.2.2 (2019-07) ETSI EN 300 440 V2.2.1 (2018-07)
Certificate Number	:	HK2509105177E
Report No.	:	HK2509105177-1SR/-2EH/-1ER/-2ER/-3ER
Registration Date	:	Nov. 07, 2025

Jason Liu

HUAK APPROVAL

Certification Manager

The information of the certificate can be checked through https://www.huak.com. The CE mark which is shown on the certificate can only be used under the conditions that the products complete with all of the relevant Directives of CE Declaration of Conformity. The Manufacturer should be responsible for the internal production control so that the products complied with the essential requirements of the above mentioned Directive(s). Certificate holder must notify all changes to the original certification laboratory of HUAK.

Shenzhen HUAK Testing Technology Co., Ltd.
Add.:1-2/F, B2 Building, Junfeng Zhongcheng Zhizao Innovation Park, Heping Community, Fuhai Street, Bao'an District, Shenzhen, China
Tel.:+86-0755-2302 9901 E-mail:info@huak.com Website:https://www.huak.com

This certificate is responsible for testing sample only.
Please refer to this corresponding test report to get testing process and data.

CERTIFICATE

ATTESTATION
Certificate of Compliance

Technical file of the company mentioned below has been inspected and audit has been completed successfully

The EMC Directive 2014/30/EU has been taken as references for these processes.

Certificate's Holder	:	Shenzhen zhengxin Optoelectronics Technology Co., Ltd
Address	:	7th Floor, Building A9, Xinghuaxiong Science and Technology Park, Baihua Community, Guangming New District, Shenzhen, China
Manufacturer	:	Shenzhen zhengxin Optoelectronics Technology Co., Ltd
Address	:	7th Floor, Building A9, Xinghuaxiong Science and Technology Park, Baihua Community, Guangming New District, Shenzhen, China
Product Name	:	5050 RGB 5M light strip
Product Model (S)	:	ZX5050-60LED/M-RGB-5V-24Key, ZX5050-30LED/M-RGB-5V-24Key, ZX5050-72LED/M-RGB-5V-24Key, ZX5050-84LED/M-RGB-5V-24Key
Trade Mark	:	N/A
Related Directive	:	2014/30/EU
Related Standards	:	EN IEC 55015:2019 + A11:2020 EN IEC 61547:2023
Certificate Number	:	HK2509105178E
Report No.	:	HK2509105178-1ER
Registration Date	:	Nov. 07, 2025

Jason Hu

Certification Manager

HUAK APPROVAL

The information of the certificate can be checked through https://www.huak.com. The CE mark which is shown on the certificate can only be used under the conditions that the products complete with all of the relevant Directives of CE Declaration of Conformity. The Manufacturer should be responsible for the internal production control so that the products complied with the essential requirements of the above mentioned Directive(s). Certificate holder must notify all changes to the original certification laboratory of HUAK.

Shenzhen HUAK Testing Technology Co., Ltd.
Add.:1-2/F, B2 Building, Junfeng Zhongcheng Zhizao Innovation Park, Heping Community, Fuhai Street, Bao'an District, Shenzhen, China
Tel.:+86-0755-2302 9901 E-mail:info@huak.com Website:https://www.huak.com

KeySense Testing & Certification International Co., Ltd.
1-3F,Lab Building, No.29 District, Zhongkai Hi-Tech Industrial Development Park, Huizhou, Guangdong, China

Tel:0752-3219929
Fax:0752-3219929
http://www.kst-cert.com

Technical Compliance Statement

Certificate No.: KST240304L008Q01

Report No.: KST240304L008Q01

The following product has been tested by us with the listed standards and found in Compliance with the council LVD directive 2014/35/EU. It is demonstrative for the Compliance with this LVD Directive.

Holder:	**DONGGUAN BAIYOU ELECTRONIC CO LTD**
Address:	**2F A Building, Wufeng Industrial, Jintan Road, Danwu Shijie Town, Dongguan, Guangdong**
Product:	**USB CHARGER**
Model Name:	**BY213-TD04-C**
Trade Name:	**N/A**

Test Standard	
EN 62368-1:2014+A11:2017	Audio/video, information and communication technology equipment Part 1: safety requirements

CE

Signature:
Name: Tony Xu
Position: General Manager
Date: Apr. 26, 2024

The statement is based on single evaluation of one sample of above mentioned product. It does not imply an assessment of the whole production and does not permit the use of the test lab. Logo.

KeySense Testing & Certification International Co., Ltd.
1-3F,Lab Building, No.29 District, Zhongkai Hi-Tech Industrial Development Park, Huizhou, Guangdong, China

Tel:0752-3219929
Fax:0752-3219929
http://www.kst-cert.com

Technical Compliance Statement

Certificate No.: KST240304E008Q01
Report No.: KST240304E008Q01

The following product has been tested by us with the listed standards and found in Compliance with the council EMC directive 2014/30/EU. It is demonstrative for the Compliance with this EMC Directive.

Holder: DONGGUAN BAIYOU ELECTRONIC CO LTD

Address: 2F A Building, Wufeng Industrial, Jintan Road, Danwu Shijie Town, Dongguan, Guangdong

Product: USB CHARGER

Model Name: BY213-TD04-C

Trade Name: N/A

Test Standard	
EN 55032:2015+A1:2020	Electromagnetic compatibility of multimedia equipment – Emission requirements
EN IEC 61000-3-2:2019+A1: 2021	Electromagnetic Compatibility (EMC) Part 3-2:Limits-Limits for harmonic current emissions(equipment input current ≤16A per phase)
EN 61000-3-3:2013+A2: 2021	Electromagnetic Compatibility(EMC) Part 3-3:Limits-limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤16A per phase and not subject to conditional connection
EN 55035:2017+A11:2020	Electromagnetic compatibility of multimedia equipment – Immunity requirements

CE

Signature:
Name: Jack.Li
Position: Supervisor
Date: April 26, 2024

The statement is based on single evaluation of one sample of above mentioned product. It does not imply an assessment of the whole production and does not permit the use of the test lab. Logo.

Certificate of Conformity

No.: CCI240300872EN-1CER

Reference Report No.	:	CCI240300872EN-1
Applicant	:	DONGGUAN BAIYOU ELECTRONIC CO LTD
Address	:	2F A Building, Wufeng Industrial, Jintan Road, Danwu Shijie Town, Dongguan, Guangdong
Sample Name	:	USB CHARGER
Model/Item No.	:	BY213-TD04-C
Test Standards	:	IEC 62321-2:2013 IEC 62321-3-1:2013 IEC 62321-4: 2013+A1:2017 IEC 62321-5: 2013 IEC 62321-6:2015 IEC 62321-7-1:2015 IEC 62321-7-2:2017 IEC 62321-8:2017

The submitted sample(s) stated as above has(have) been tested by us with the listed standards and found in conformity with the requirements stated in Directive 2011/65/EU of the European Parliament and of the Council with regard to the restriction of the use of certain hazardous substances in electrical and electronic equipment and its subsequent amendments as well as Commission Delegated Directive (EU) 2015/863. It is possible to use CE marking on the product to demonstrate the conformity with this Directive.

This certification is part of the full test report(s) and should be read in conjunction with it. The certificate is based on a single evaluation of one sample of above-mentioned products. It does not imply an assessment of the whole production. Other CE marking directives may be applied, they have not been considered during this RoHS conformity assessment.

CE

.....

Technical director

Apr. 18, 2024

Compliance Control Institute (Guangzhou) Co., Ltd
Room 701, Building 2, No.89, Majun Street, Nansha District, Guangzhou, Guangdong, China
Tel: +86-20-84900678 Fax: +86-20-84910993 Email: cs@ccilab.com.cn
Website: www.ccilab.com.cn

Importeur Importateur	Decobus Handel GmbH
Adresse	Innungsstraße 9, 21244 Buchholz, Deutschland
Email/URL Courriel /URL	https://www.decobusgroup.de
Hersteller Fabricant	DONGGUAN BAIYOU ELECTRONIC CO LTD
Adresse	2F A Building, Wufeng Industrial, Jintan Road, Danwu Shijie Town, Dongguan, Guangdong
Email/URL Courriel /URL	http://www.kst cert.com
Partienummer Identification du produit	ZY26-233
Hergestellt in Fabriqué en	CHINA CHINE
EC REP	Decobus Handel GmbH Innungsstraße 9, 21244 Buchholz, Deutschland https://www.decobusgroup.de



Produkt /Nom du produit:USB CHARGER
Modell/Modèle:BY213-TD04-C
Nennspannung/Tension nominale: :100-240V
Nennfrequenz/Fréquence nominale:50-60Hz
Leistung/Puissance:0.6A

Importeur Importateur	Decobus Handel GmbH
Adresse	Innungsstraße 9, 21244 Buchholz, Deutschland
Email/URL Courriel /URL	https://www.decobusgroup.de
Hersteller Fabricant	Shenzhen zhengxin Optoelectronics Technology Co., Ltd
Adresse	7th Floor, Building A9, Xinghuaxiong Science and Technology Park,Baihua Community, Guangming New District, Shenzhen, China
Email/URL Courriel /URL	http://www.huak.com
Partienummer Identification du produit	ZY26-233
Hergestellt in Fabriqué en	CHINA CHINE
EC REP	Decobus Handel GmbH Innungsstraße 9, 21244 Buchholz, Deutschland https://www.decobusgroup.de

Produkt /Nom du produit:Light strip/2.4G Remote control
Modell/Modèle:ZX5050-60LED/M-RGB-5V-24KEY
Nennspannung/Tension nominale: 5V
Nennfrequenz/Fréquence nominale:50-60Hz
Leistung/Puissance: 5v 2A