

N657P459273

N657P459274



Product manual

Gebrauchsanweisung



Manuel du produit

Manual del producto

Manuale del prodotto



Tool Required Not Provided



FR
Cet appareil,
ses cordons,
et batterie
se recyclent

A DÉPOSER
EN MAGASIN
OU
A DÉPOSER
EN DÉCHÈTERIE

Points de collecte sur www.quefairedemesdechets.fr
Privilégiez la réparation ou le don de votre appareil !



FR
DONNEZ
OU
RECYCLEZ

ASSOCIATION
OU
MAGASIN

OU
DÉCHÈTERIE

Adresses sur www.quefairedemesdechets.fr

EN:Our product will be delivered to you in 2 packages.The delivery times of these 2 packagesmay differ,please be patient and thank you for your understanding
FR:Notre produit vous sera livré en 2 colis.Les delais delivraison de ces 2 colis peuvent différer,soyezpatient et merci de votre compréhension.

DE:Unser Produkt wird Ihnen in 2 Paketen geliefert.Die Lieferzeiten dieser 2 Paketekonnenabweichen,bitte habenSie etwas Geduld und vielen Dank fur Ihr Verstandnis

IT:I nostri prodotti vengono trasportati in 2 pacchetti. I tempi di consegna dei 2 pacchetti sono diversi:abbiate pazienza e vi ringrazio per la vostra comprensione.

ES:Nuestro producto se entrega en 2 paquetes. El tiempo de entrega de estos 2 paquetes es diferente. Porfavor,sea paciente. Gracias por su comprensión.



DE

Warnung: Die maximale Belastbarkeit dieses Möbels beträgt:70 kg, bitte nicht überlasten!

EN

Warning: The maximum load-bearing capacity of this furniture is:70 kg, please do not overload!

FR

Avertissement : La capacité de charge maximale de ce meuble est de :70 kg, merci de ne pas surcharger !

IT

Attenzione: la capacità di carico massima di questo mobile è:70 kg, non sovraccaricare!

ES

Advertencia: La capacidad máxima de carga de este mueble es:70 kg, ¡no lo sobrecargue!



[DE]

Warnung: Lesen Sie diese Anleitung vor dem Zusammenbau bitte vollständig durch. Überprüfen Sie, ob Sie alle auf den Seiten aufgeführten Komponenten und Werkzeuge haben. Bewahren Sie die Anleitung zum späteren Nachschlagen auf. Teile des Zusammenbaus lassen sich mit 2 Personen leichter durchführen. Suchen Sie bei Bedarf professionelle Hilfe.

Warnung: Legen Sie alle Teile auf eine ebene Fläche. Legen Sie eine weiche Decke oder Ähnliches darunter, um sie vor Kratzern oder Flecken zu schützen. Vermeiden Sie es, Komponenten über den Boden zu ziehen oder zu schieben.

Warnung: Überprüfen Sie regelmäßig alle Beschläge und Befestigungen, um sicherzustellen, dass sie sicher sind und um Unfälle zu vermeiden. Wenn Teile fehlen, kaputt, beschädigt oder abgenutzt sind, verwenden Sie das Produkt nicht weiter, bis es mit vom Hersteller autorisierten Teilen repariert wurde.

Warnung: Lassen Sie Kinder nicht auf die Möbel klettern, da dies zum Umkippen und zu schweren Verletzungen führen kann. Bauen Sie die Möbel außerhalb der Reichweite von Kindern zusammen.

Warnung: Stellen Sie die Möbel nicht in die Nähe von Feuerquellen oder heißen Gegenständen, um Brandgefahr zu vermeiden.

Warnung: Reinigen Sie die Möbel mit einem feuchten Tuch oder Alkohol. Verwenden Sie keine Reinigungsmittel mit ätzenden Chemikalien.

Warnung: Dieses Produkt ist mit einer Kippschutzvorrichtung ausgestattet. Bitte installieren Sie diese Vorrichtung unbedingt, um unnötige Verletzungen durch Umkippen zu vermeiden.

[EN]

Warning: Please read these instructions fully before starting assembly. Check you have all the components and tools listed on pages. Keep the instructions for later reference. Parts of the assembly will be easier with 2 people. Seek professional assistance if necessary.

Warning: Please place all parts on a flat surface. Place a soft blanket or similar underneath to protect against scratches or stains. Avoid dragging or sliding components across the floor.

Warning: Regularly check all fittings and fastenings to ensure they are secure and to prevent accidents. If any parts are missing, broken, damaged, or worn, discontinue use of the product until repairs have been made using factory authorized parts.

Warning: Do not allow children to climb on the furniture as this may result in tipping and serious personal injury. Assemble the furniture away from the reach of children.

Warning: Do not place furniture close to fire sources or high-temperature objects to avoid the risk of fire. Do not place furniture in damp environments to prevent material damage.

Warning: Clean furniture with a damp cloth or alcohol, avoid using cleaning agents containing corrosive chemicals.

Warning: This product is equipped with an anti-tilt device. Please be sure to install this device to prevent unnecessary injuries caused by tipping.

[FR]

Avertissement : Veuillez lire attentivement ces instructions avant de commencer l'assemblage. Vérifiez que vous disposez de tous les composants et outils répertoriés sur les pages. Conservez les instructions pour référence ultérieure. Certaines parties de l'assemblage seront plus faciles à 2 personnes. Demandez l'aide d'un professionnel si nécessaire.

Avertissement : Veuillez placer toutes les pièces sur une surface plane. Placez une couverture douce ou similaire en dessous pour les protéger des rayures ou des taches. Évitez de faire glisser les composants sur le sol.

Avertissement : Vérifiez régulièrement tous les raccords et fixations pour vous assurer qu'ils sont bien fixés et pour éviter les accidents. Si des pièces manquent, sont cassées, endommagées ou usées, cessez d'utiliser le produit jusqu'à ce que des réparations aient été effectuées à l'aide de pièces autorisées par l'usine.

Avertissement : Ne laissez pas les enfants grimper sur les meubles car cela pourrait entraîner un basculement et des blessures graves. Assemblez les meubles hors de portée des enfants.

Avertissement : Ne placez pas les meubles à proximité de sources de feu ou d'objets à haute température pour éviter tout risque d'incendie.

Avertissement : Nettoyez les meubles avec un chiffon humide ou de l'alcool, évitez d'utiliser des produits de nettoyage contenant des produits chimiques corrosifs.

Avertissement : Ce produit est équipé d'un dispositif anti-bascullement. Assurez-vous d'installer ce dispositif pour éviter les blessures inutiles causées par un basculement.

[IT]

Attenzione: leggere attentamente queste istruzioni prima di iniziare il montaggio. Verificare di avere tutti i componenti e gli strumenti elencati nelle pagine. Conservare le istruzioni per riferimento futuro. Alcune parti del montaggio saranno più facili con 2 persone. Se necessario, chiedere assistenza professionale.

Attenzione: posizionare tutte le parti su una superficie piana. Posizionare una coperta morbida o simile sotto per proteggere da graffi o macchie. Evitare di trascinare o far scivolare i componenti sul pavimento.

Attenzione: controllare regolarmente tutti i raccordi e i dispositivi di fissaggio per assicurarsi che siano sicuri e per prevenire incidenti. Se alcune parti sono mancanti, rotte, danneggiate o usurate, interrompere l'uso del prodotto fino a quando non siano state eseguite le riparazioni utilizzando parti autorizzate dalla fabbrica.

Attenzione: non consentire ai bambini di arrampicarsi sui mobili poiché ciò potrebbe causare ribaltamenti e gravi lesioni personali. Montare i mobili lontano dalla portata dei bambini.

Attenzione: non posizionare i mobili vicino a fonti di fuoco o oggetti ad alta temperatura per evitare il rischio di incendio

Attenzione: pulire i mobili con un panno umido o alcol, evitare di utilizzare detergenti contenenti sostanze chimiche corrosive.

Attenzione: questo prodotto è dotato di un dispositivo antiribaltamento. Assicurarsi di installare questo dispositivo per prevenire lesioni inutili causate dal ribaltamento.

[ES]

Advertencia: Lea estas instrucciones completamente antes de comenzar el montaje. Compruebe que tiene todos los componentes y herramientas que se enumeran en las páginas. Conserve las instrucciones para consultarlas más adelante. El montaje de algunas partes será más sencillo con 2 personas. Busque ayuda profesional si es necesario.

Advertencia: Coloque todas las piezas sobre una superficie plana. Coloque una manta suave o algo similar debajo para protegerlas de rayones o manchas. Evite arrastrar o deslizar los componentes por el piso.


Advertencia: Verifique regularmente todos los accesorios y fijaciones para asegurarse de que estén seguros y evitar accidentes. Si falta alguna pieza, está rota, dañada o desgastada, deje de usar el producto hasta que se hayan realizado las reparaciones con piezas autorizadas de fábrica.


Advertencia: No permita que los niños se suban a los muebles, ya que esto puede provocar que se vuelquen y lesiones personales graves. Monte los muebles fuera del alcance de los niños.

Advertencia: No coloque los muebles cerca de fuentes de fuego u objetos de alta temperatura para evitar el riesgo de incendio.

Advertencia: Limpie los muebles con un paño húmedo o alcohol, evite usar agentes de limpieza que contengan químicos corrosivos.

Advertencia: Este producto está equipado con un dispositivo antivuelco. Asegúrese de instalar este dispositivo para evitar lesiones innecesarias causadas por vuelcos.

Importeur	Decobus Handel GmbH
Adresse	Innungsstraße 9, 21244 Buchholz, Deutschland
Email/URL	https://www.decobusgroup.de
Hersteller	Kangqi Home Furnishing Co., Ltd.
Adresse	No. 16, Zhongyitou Internet Furniture Park, Jingba Industrial Zone, Nankang, Ganzhou, Jiangxi, China
Email/URL	346189842@qq.com
Partienummer	N657P459273 / N657P459274
Hergestellt in	China
	Decobus Handel GmbH Innungsstraße 9, 21244 Buchholz, Deutschland https://www.decobusgroup.de




EN_QUICKFIT: Tighten quickfit until shoulder is flush with panel. Do not overtighten or undertighten.

FR_RACCORD RAPIDE: Faites serrer le raccord rapide jusqu'à ce que l'épaulement soit parfaitement encastré dans le panneau. Il ne faut ni trop serrer ni insuffisamment serrer.

ES_QUICKFIT: Apriete quickfit hasta que el hombro se descargue con el panel. NO lo sobreapriete ni lo apriete poco.

DE_QUICKFIT: Ziehen Sie den Quickfit fest, bis die Schulter mit der Platte bündig ist. Bitte nicht zu fest oder zu schwach anziehen.

IT_MONTAGGIO RAPIDO: Stringere il montaggio rapido fino a quando la spalla è a filo con il pannello, non stringere troppo o troppo poco.




EN_CAM LOCK: When fitting cam lock, ensure starting position is correct before you insert connecting quickfit.

FR_SERRURE BATTEUSE: Avant d'insérer la serrure batteuse, veillez à la bonne orientation avant d'insérer le raccord rapide.

ES_CIERRE DE LA CÁMARA: Cuando instale el cierre de la cámara, asegúrese de que la posición de inicio es correcta antes de que inserte el quickfit conector.

DE_CAM-LOCK: Achten Sie bei der Montage des Cam-Locks auf die richtige Ausgangsposition, bevor Sie den Quickfit einsetzen.

IT_BLOCCAGGIO A CAMMA: Quando si monta il bloccaggio a camma, assicurarsi che la posizione iniziale sia corretta prima di inserire il montaggio rapido di collegamento.



EN_Quickfit head should be in the centre of the cam lock when the two panels are joined.

Cam lock should be inserted before quickfit.

FR_Lorsque les deux panneaux sont assemblés, la tête du raccord rapide doit reposer au centre de la serrure batteuse. Il faut insérer la serrure batteuse avant le raccord rapide.

ES_El cabezal del quickfit debe estar en el centro del cierre de la cámara cuando se unan los dos paneles.

Se debe insertar el cierre de la cámara antes que el quickfit.

DE_Der Quickfit-Kopf sollte sich in der Mitte des Cam-Locks befinden, wenn die beiden Platten zusammengefügt sind.

Der Cam-Lock sollte vor dem Quickfit eingesetzt werden.

IT_La testa del montaggio rapido deve trovarsi al centro del bloccaggio a camma quando i due pannelli sono uniti.

Il Bloccaggio a Camma deve essere inserito prima del montaggio rapido.

EN_Turn cam lock clockwise to tighten.

FR_Faites tourner la serrure batteuse dans le sens des aiguilles d'une montre pour la resserrer.

ES_Gire el cierre de la cámara en sentido horario para apretarlo.

DE_Drehen Sie den Cam-Lock im Uhrzeigersinn, um ihn festzuziehen.

IT_Ruotare il bloccaggio a camma in senso orario per stringere.


EN_ It may be necessary to adjust the hinges so that the doors align. Use the instructions below as a guide.

FR_ Il est parfois nécessaire d'ajuster les charnières pour un meilleur alignement des portes. Servez-vous des instructions ci-dessous comme guide.

ES_ Puede que sea necesario ajustar los quicios de forma que se alineen las puertas. Use las instrucciones que aparecen debajo como guía.

DE_ Möglicherweise müssen Sie die Scharniere so einstellen, dass die Türen ausgerichtet sind. Verwenden Sie die nachstehenden Anweisungen als Leitfaden.

IT_ Potrebbe essere necessario regolare le cerniere in modo che le porte siano allineate. Per fare ciò attenersi alle istruzioni sottostanti.




EN_ To adjust the door vertically loosen the screw as shown and move up and down as needed.

FR_ Si vous souhaitez régler la porte **verticalement**, desserrez la vis comme indiqué et déplacez la porte de haut en bas selon les besoins.

ES_ Para ajustar la puerta **verticalmente** afloje el tornillo tal y como se muestra y muévalo hacia arriba o hacia abajo según sea necesario.

DE_ Um die Tür **vertikal** auszurichten, lösen Sie die Schraube wie abgebildet und bewegen Sie sie nach Bedarf nach oben oder nach unten.

IT_ Per allineare la porta **verticalmente** allentare la vite come mostrato e spostarla in alto o in basso secondo necessità.




EN_ To adjust the gap from the door to the main frame turn the screw clockwise or anti-clockwise as needed.

FR_ Si vous souhaitez ajuster l'**écart** entre la porte et le cadre principal, tournez la vis dans le sens des aiguilles d'une montre ou dans le sens inverse, si nécessaire.

ES_ Para ajustar el **espacio** desde la puerta al marco principal, gire el tornillo en sentido horario o antihorario, según se necesite.

DE_ Um den **Abstand** von der Tür zum Hauptrahmen auszurichten, drehen Sie die Schraube je nach Bedarf im oder gegen den Uhrzeigersinn.

IT_ Per regolare lo **spazio** tra la porta e il telaio principale, avvitare o svitare la vite secondo necessità.




EN_ To adjust the door laterally adjust the screw as shown by turning clockwise or anti-clockwise.

FR_ Si vous souhaitez ajuster la porte **latéralement**, ajustez la vis comme indiqué en tournant dans le sens des aiguilles d'une montre ou dans le sens inverse des aiguilles d'une montre.

ES_ Para ajustar la puerta **lateralmente** ajuste el tornillo tal y como se muestra girándolo en sentido horario y antihorario.

DE_ Um die Tür **seitlich** auszurichten, stellen Sie bitte die Schraube wie abgebildet durch Drehen im oder gegen den Uhrzeigersinn ein.

IT_ Per allineare la porta **lateralmente** regolare la vite come mostrato, avvitandola o svitandola.



EN_ Please fix other screws

FR_ Merci de serrer les autres vis.

ES_ Fije los demás tornillos

DE_ Befestigen Sie bitte die anderen Schrauben









IT_ Fissare le altre viti

Components - Fittings



Please check you have all the panels listed below

Note: The quantitie below are the correct amount to complete the assembly. In some cases more fittings maybe supplied than are required.

SKU: N657P459274

Ⓐ  x117	Ⓑ  x117
Ⓒ  x8	Ⓓ  x4
Ⓔ  M3. 5x12mm x100	Ⓕ  M4x30mm x16
Ⓖ  x8	Ⓖ  x8
Ⓙ  x20	Ⓚ  x2
Ⓛ  x1	Ⓜ  x1
Ⓝ  x1	Ⓞ  x5

Ruler - Use this ruler to help correctly identify the screws



The screws length is measured from the head to the point (35mm screw shown).

Components - Fittings



Please check you have all the panels listed below

Note: The quantitie below are the correct amount to complete the assembly. In some cases more fittings maybe supplied than are required.

SKU: N657P459274


Ⓟ  x8	

Ruler - Use this ruler to help correctly identfy the screws




The screws length is measured from the head to the point (35mm screw shown).

Assembly Instructions




Assembly Instructions

SKU: N657P459273

















Assembly Instructions

SKU: N657P459273

35  1pcs	36  1pcs	






Assembly Instructions

SKU: N657P459274

2  1pcs	5  1pcs	6  1pcs
7  1pcs	11  1pcs	13  2pcs
14  2pcs	15  2pcs	17  2pcs
18  2pcs	19  2pcs	20  2pcs
21  2pcs	22  1pcs	26  1pcs


Assembly Instructions

SKU: N657P459274


27  1pcs	28  2pcs	30  2pcs
32  1pcs	36  2pcs	

Warm Reminder


Before installing the drawer rail, you need to separate the Part-1 and Part-2 first.




STEP 1: Extend Slider






STEP 2: Push Lever Up





STEP 3: Remove Runner








1



2





3





4

Front



2




3


Rotate 180°




3



10



5




4

Rotate 180°



4




A x36




E x16

5




B x10

6




B x10




7




8





9




10




11



12



12



Flip upward and install the back eccentric wheel.

Nach oben klappen und das hintere Exzenterrad montieren.


Tourner vers le haut et installer la roue excentrique arrière.

Girar hacia arriba e instalar la rueda excéntrica trasera.


Ruotare verso l'alto e installare la ruota eccentrica posteriore.




13



Rotate 180°




14





B x12


15



Rotate 180°




Rotate 180°





A x8

16




B x8

17




A x10

18








B x6


19




20



21




22




B x7

23




E x16


24





25



26





Importeur	Decobus Handel GmbH
Adresse	Innungsstraße 9, 21244 Buchholz, Deutschland
URL	https://www.decobusgroup.de
Hersteller	Shenzhen Xuxing Technology Co., Ltd.
Adresse	3rd Floor, Building C, Huaze High-tech Industrial Park, Shiyang Subdistrict, Bao'an District, Shenzhen
URL/Email	3122312202@qq.com
Productiondatum	2026年3月
Hergestellt In	China
EC REP	Decobus Handel GmbH Innungsstraße 9, 21244 Buchholz, Deutschland https://www.decobusgroup.de
CE 	Product: XX5050RGB-30D strip Modell: XX5050RGB-30D-10MM-5V Nennspannung: 5V Nennfrequenz: 433.98 MHZ Leistung: 1A



This certificate is responsible for testing sample only.
Please refer to this corresponding test report to get testing process and data.

CERTIFICATE

ATTESTATION

Certificate of Compliance

Technical file of the company mentioned below has been inspected and audit has been completed successfully

The Low Voltage Directive 2014/35/EU has been taken as references for these processes.

Certificate's Holder	: Shenzhen xu xing technology co., LTD
Address	: Floor 3, building C, Huaze hi tech Industrial Park, Shiyang street, Bao'an District, Shenzhen
Manufacturer	: Shenzhen xu xing technology co., LTD
Address	: Floor 3, building C, Huaze hi tech Industrial Park, Shiyang street, Bao'an District, Shenzhen
Product Name	: XX LED RGB STRIP
Product Model (S)	: XX5050RGB-60D, 5V-5050RGB-30D, 5V-5050RGB-60D, 12V-5050RGB-60D, 12V-5050RGB-30D, DY050RGB122, DY050RGB140, DY050RGB88
Trade Mark	: N/A
Related Directive	: 2014/35/EU
Related Standards	: EN IEC 60598-2-1:2021 used in conjunction with : EN IEC 60598-1:2021 + AMD11:2022
Certificate Number	: HK2509022741S
Report No.	: HK2509022741-SR
Registration Date	: Oct. 21, 2025



Jason

Certification Manager



The information of the certificate can be checked through <https://www.huak.com>. The CE mark which is shown on the certificate can only be used under the conditions that the products complete with all of the relevant Directives of CE Declaration of Conformity. The Manufacturer should be responsible for the internal production control so that the products complied with the essential requirements of the above mentioned Directive(s). Certificate holder must notify all changes to the original certification laboratory of HUAKE.

Shenzhen HUAK Testing Technology Co., Ltd.
 Add: 12/F, B2 Building, Junfeng Zhongcheng Zhizao Innovation Park, Heping Community, Fuhai Street, Bao'an District, Shenzhen, China
 Tel.: +86-0755-2302 9901 E-mail: info@huak.com Website: <https://www.huak.com>

CERTIFICATE

ATTESTATION Certificate of Compliance

Technical file of the company mentioned below has been inspected and audit has been completed successfully

The EMC Directive 2014/30/EU has been taken as references for these processes.

Certificate's Holder : Shenzhen xu xing technology co., LTD
Address : Floor 3, building C, Huaze hi tech Industrial Park, Shiyan street,Bao'an District, Shenzhen
Manufacturer : Shenzhen xu xing technology co., LTD
Address : Floor 3, building C, Huaze hi tech Industrial Park, Shiyan street,Bao'an District, Shenzhen
Product Name : XX LED RGB STRIP
Product Model (S) : XX5050RGB-60D, 5V-5050RGB-30D, 5V-5050RGB-60D, 12V-5050RGB-60D, 12V-5050RGB-30D, DY05RGB122, DY05RGB140, DY05RGB88
Trade Mark : N/A
Related Directive : 2014/30/EU
EN IEC 55015:2019 + A11:2020
EN IEC 61000-3-2:2019 + A1:2021 + A2:2024
EN 61000-3-3:2013 + A1:2019 + A2:2021
EN IEC 61547:2023
Related Standards :
Certificate Number : HK2509024994E
Report No. : HK2509024994-1ER
Registration Date : Oct. 21, 2025



The information of the certificate can be checked through <https://www.huak.com>. The CE mark which is shown on the certificate can only be used under the conditions that the products complete with all of the relevant Directives of CE Declaration of Conformity. The Manufacturer should be responsible for the internal production control so that the products complied with the essential requirements of the above mentioned Directive(s). Certificate holder must notify all changes to the original certification laboratory of HUAKE.



CERTIFICATE

ATTESTATION Certificate of Compliance

Technical file of the company mentioned below has been inspected and audit has been completed successfully

The RoHS Directive 2015/863/EU amending Annex II to Directive 2011/65/EU has been taken as references for these processes.

Certificate's Holder : Shenzhen xu xing technology co., LTD
Address : Floor 3, building C, Huaze hi tech Industrial Park, Shiyan street,Bao'an District, Shenzhen
Manufacturer : Shenzhen xu xing technology co., LTD
Address : Floor 3, building C, Huaze hi tech Industrial Park, Shiyan street,Bao'an District, Shenzhen
Product Name : XX LED RGB STRIP
Model No.: XX5050RGB-60D, 5V-5050RGB-30D, 5V-5050RGB-60D, 12V-5050RGB-60D, 12V-5050RGB-30D, DY05RGB122, DY05RGB88
Trade Mark : N/A
Related Directive : Directive 2015/863/EU amending Annex II to Directive 2011/65/EU
Directive (EU)2017/2102 amending Annex III to Directive 2011/65/EU
IEC 62321-2:2021, IEC 62321-3-1:2013,
IEC 62321-5:2013, IEC 62321-4:2013+AMD1:2017, IEC 62321-7-1:2015,
IEC 62321-7-2:2017, IEC 62321-6:2015, IEC 62321-8:2017
Test Method :
Certificate Number : HK25090210619R
Report No. : HK25090210619-1RR
Issue date : October 20, 2025



The information of the certificate can be checked through [www. huak.com](http://www.huak.com). The CE mark which is shown on the certificate can only be used under the conditions that the products complete with all of the relevant Directives of EC Declaration of Conformity. The Manufacturer should be responsible for the internal production control so that the products complied with the essential requirements of the above mentioned Directive(s). Certificate holder must notify all changes to the original certification laboratory of HUAKE.



RoHS



CERTIFICATE

ATTESTATION Certificate of Compliance

Technical file of the company mentioned below has been inspected and audit has been completed successfully

The RED Directive 2014/53/EU has been taken as references for these processes.

Certificate's Holder : Shenzhen xu xing technology co., LTD
Address : Floor 3, building C, Huaze hi tech Industrial Park, Shiyan street, Bao'an District, Shenzhen
Manufacturer : Shenzhen xu xing technology co., LTD
Address : Floor 3, building C, Huaze hi tech Industrial Park, Shiyan street, Bao'an District, Shenzhen
Product Name : XX LED RGB STRIP
Product Model (S) : XX5050RGB-60D, 5V-5050RGB-30D, 5V-5050RGB-60D, 12V-5050RGB-60D, 12V-5050RGB-30D, DY05RGB122, DY05RGB140, DY05RGB88
Trade Mark : N/A
Related Directive : 2014/53/EU
Article 3.1a) : EN IEC 62368-1:2024 + A11:2024
EN 62479:2010
EN 50663:2017
Related Standards : Article 3.1b) : ETSI EN 301 489-1 V2.2.3 (2019-11)
ETSI EN 301 489-3 V2.3.2 (2023-01)
EN IEC 61000-3-2:2019 + A1:2021 + A2:2024
EN 61000-3-3:2013 + A1:2019 + A2:2021
Article 3.2) : ETSI EN 300 220-1 V3.1.1 (2017-02)
ETSI EN 300 220-2 V3.3.1 (2025-03)
Certificate Number : HK2509024992E
Report No. : HK2509024992-1SR/-2EH/-1ER/-2ER
Registration Date : Oct. 21, 2025

Jason 
Certification Manager



The information of the certificate can be checked through <https://www.huak.com>. The CE mark which is shown on the certificate can only be used under the conditions that the products complete with all of the relevant Directives of CE Declaration of Conformity. The Manufacturer should be responsible for the internal production control so that the products complied with the essential requirements of the above mentioned Directive(s). Certificate holder must notify all changes to the original certification laboratory of HUAKE.

Shenzhen HUAKE Testing Technology Co., Ltd.

Testing procedure and testing location:

Testing Laboratory

Address

Date of Test

Tested by (name + signature)

Reviewer by (name + signature)

Approved by (name + signature)

Guangdong Zhonghan Testing Technology Co., Ltd.

Room 104, Building 1, Yibaolai Industrial Park, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China

Apr. 18, 2024

Laney Xie

Summer Yang

Levi Lee

Guangdong Zhonghan Testing Technology Co., Ltd.

Room 104, Building 1, Yibaolai Industrial Park, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China

Laney Xie

Summer Yang

Levi Lee

Guangdong Zhonghan Testing Technology Co., Ltd.

Room 104, Building 1, Yibaolai Industrial Park, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China

Laney Xie

Summer Yang

Levi Lee

TEST REPORT

COMMISSION REGULATION (EU) 2019/2020 of 1 October 2019 laying down ecodesign requirements for light sources and separate control gears pursuant to Directive 2009/125/EC of the European Parliament and of the Council

Report Number

Date of issue

Total number of pages

ZHT-240411023S

Apr. 19, 2024

6

Testing Laboratory

Address

Guangdong Zhonghan Testing Technology Co., Ltd.

Room 104, Building 1, Yibaolai Industrial Park, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China

Applicant's name

Address

Shenzhen xu xing technology co., LTD

Floor 3, building C, Huaaze hi tech Industrial Park, Shiyang street, Bao'an District, Shenzhen

Test specification

Standard

COMMISSION REGULATION (EU) 2019/2020 of 1 October 2019

COMMISSION DELEGATED REGULATION (EU) 2019/2015

COMMISSION DELEGATED REGULATION (EU) 2021/340

COMMISSION DELEGATED REGULATION (EU) 2021/341

Test procedure

COMMISSION REGULATION (EU) 2019/2020 of 1 October 2019

COMMISSION DELEGATED REGULATION (EU) 2019/2015

COMMISSION DELEGATED REGULATION (EU) 2021/340

COMMISSION DELEGATED REGULATION (EU) 2021/341

Non-standard test method

N/A

Test item description

Trademark

Manufacturer

Address

Model/Type reference

Rating(s)

Conclusion

Colorful light strip

/

Shenzhen xu xing technology co., LTD

Floor 3, building C, Huaaze hi tech Industrial Park, Shiyang street, Bao'an District, Shenzhen

XX5050RGB-60D

Input:5-24VDC 1A

Test result details see page 5.

Importeur	Decobus Handel GmbH
Adresse	Innungsstraße 9, 21244 Buchholz, Deutschland
URL	https://www.decobusgroup.de
Hersteller	Dongguan Gaofande Technology Co., Ltd.
Adresse	Room 301, No. 8, Fo'ao 1st Street, Dalang Town, Dongguan City, Guangdong Province, P.R. China
URL/Email	13302935381@163.com
Productiondatum	2026/03
Hergestellt In	China
EC REP	Decobus Handel GmbH Innungsstraße 9, 21244 Buchholz, Deutschland https://www.decobusgroup.de
CE 	Product: AC/DC ADAPTER Modell: GFDQ3L-xxxxxyyyz Input: 100-240V~, 50/60Hz, 0.3A Max. Output: 3.0-24.0Vdc, 0.01-2.00A, 12.0W Max



CERTIFICATE OF CONFORMITY

Electromagnetic Compatibility (EMC) Directive 2014/30/EU

Appendix of Certificate No.: 23EP06078E01

Table A: Definition of variables:

Variable:	Range of variable:	Content:
xxx	030-240	3 digits, which representing 10 times of output voltage in V, the output voltage value rising in step of 0.1V; eg: 030=3.0Vdc, 240=24.0Vdc
yyyy	0010-2000	4 digits, which represents 1000 times output current in A, the output current value rising in step of 0.01A; eg: 0010 = 0.01A, 2000=2.0A
z	G, B	One capital letter representing the plug type for different countries: G= European plug; B= Britain plug;

Table B: Model list and output ratings:

Model No	Output voltage (Vdc)	Output current (A)	Max. output power (W)	Transformer type
GFDQ3L-xxxxxyyyz, GFDQ3L-xxxxyyG1L	3.0-8.9	0.01-2.00	12.0	ZZ150003
	9.0-16.0	0.01-1.00	12.0	ZZ150002
	16.1-24.0	0.01-0.50	12.0	ZZ150001

Remark:

- 1) The rated output voltage is rising from 3.0V and in steps of 0.1V.
- 2) The rated output current is rising from 0.01A and in steps of 0.01A, but not more than the indicated max o/p current.
- 3) Actual output current depends on range of output voltage. The max. Output current multiplied by output voltage cannot exceed the max. Output power.





CERTIFICATE OF CONFORMITY

Electromagnetic Compatibility (EMC) Directive 2014/30/EU

This Certificate of Conformity is hereby issued to the product designated below:


Certificate No.: 23EP06078E01
Report No.: EP2306078E01
Date Issue: 2023-08-10
Applicant's name: Dongguan GaoFanDe Technology Co., Ltd
Address: Room 301, No. 8, FoAo One Street, Dalang Town, DONGGUAN CITY, Guangdong, China.
Manufacturer's name: Dongguan GaoFanDe Technology Co., Ltd
Address: Room 301, No. 8, FoAo One Street, Dalang Town, DONGGUAN CITY, Guangdong, China.
Product Description: AC/DC ADAPTER
Model(s)/Type References: GFDQ3L-xxxxyyyz, GFDQ3L-xxxxyyzGL
(xxx, yyyz and z are variables, see appendix for details)
Parameters: Input: 100-240V~, 50/60Hz, 0.3A Max.
Output: 3.0-24.0Vdc, 0.01-2.00A, 12.0W Max
Standard(s): EN IEC 55014-1:2021
EN IEC 55014-2:2021
EN IEC 61000-3-2:2019+A1:2021
EN IEC 61000-3-3:2013+A1:2019+A2:2021

On the basis of the referenced test report(s), sample(s) tested of the above product have been found to comply with the standards harmonized with the directives listed on this verification at the time the tests were carried out. Other standards and Directives may be relevant to the product. This verification is part of the full test report(s) and should be read in conjunction with it(them).
Once compliance with all product relevant CE mark directives are verified, including any relevant e.g. risk assessment and production control, the manufacturer may indicate compliance by signing a Declaration of Conformity themselves and applying the mark to products identical to the tested sample(s).

Approved By

Eric Liu

Director of engineering department



CERTIFICATE OF CONFORMITY

Low Voltage Directive 2014/35/EU

Appendix of Certificate No.: 23SP06078L01

Table A: Definition of variables

Variable	Range of variable	Content
xxx	030-240	3 digits, which representing 10 times of output voltage in V, the output voltage value rising in step of 0.1V, eg: 030=3.0Vdc, 240=24.0Vdc
yyyy	0010-2000	4 digits, which represents 1000 times output current in A, the output current value rising in step of 0.01A, eg: 0010 = 0.01A, 2000=2.0A
z	G, B	One capital letter representing the plug type for different countries: G= European plug, B= Britain plug

Table B: Model list and output rating

Model	Output voltage (Vdc)	Output current (A)	Max Power (W)	Transformer
GFDQ3L-xxxxyyyz, GFDQ3L-xxxxyyzGL	3.0-8.9	0.01-2.00	12.0	ZZ150003
	9.0-16.0	0.01-1.00	12.0	ZZ150002
	16.1-24.0	0.01-0.50	12.0	ZZ150001

Remark:

- 1) The rated output voltage is rising from 3.0V and in steps of 0.1V.
- 2) The rated output current is rising from 0.01A and in steps of 0.01A, but not more than the indicated max o/p current.
- 3) Actual output current depends on range of output voltage. The max. Output current multiplied by output voltage cannot exceed the max. Output power.





CERTIFICATE OF CONFORMITY

Low Voltage Directive 2014/35/EU

This Certificate of Conformity is hereby issued to the product designated below:

Certificate No.: 23SP06078L01
Report No.: SP2306078L01
Date Issue.: 2023-07-31
Applicant's name: Dongguan GaoFanDe Technology Co., Ltd.
Address: Room 301, No. 8, FoAo One Street, Dalang Town, DONGGUAN CITY, Guangdong, China.
Manufacturer's name: Dongguan GaoFanDe Technology Co., Ltd.
Address: Room 301, No. 8, FoAo One Street, Dalang Town, DONGGUAN CITY, Guangdong, China.
Product Description: AC/DC ADAPTER
Model(s)/Type References : GFDQ3L-xxxxxyyz, GFDQ3L-xxxxxyyGL (xxx, yyy and z are variables, details see table A for details)
Parameters: Input: 100-240V~, 50/60Hz, 0.3A Max
Output: See Table B for details
Standard(s): EN IEC 62368-1:2020/A11:2020

On the basis of the referenced test report(s), sample(s) tested of the above product have been found to comply with the standards harmonized with the directives listed on this verification at the time the tests were carried out. Other standards and Directives may be relevant to the product. This verification is part of the full test report(s) and should be read in conjunction with it(them).

Once compliance with all product relevant CE mark directives are verified, including any relevant e.g. risk assessment and production control, the manufacturer may indicate compliance by signing a Declaration of Conformity themselves and applying the mark to products identical to the tested sample(s).

Approved By

Eric Liu
Director of engineering department



Dongguan Pubiao Testing Technology Co., Ltd.
No. 3, 1/F., Building A, No.30, Minghua Road, Juzhou, Shijie, Dongguan, Guangdong, China.
Tel: +86 769 81813516 E-mail: service@pubiaotest.com Web: www.pubiaotest.com



CERTIFICATE OF CONFORMITY

RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU

This Certificate of Conformity is hereby issued to the product designated below:

Certificate No.: 23CP06078R01
Report No.: CP2306078R01
Date Issue.: 2023-07-27
Applicant's name: Dongguan GaoFanDe Technology Co., Ltd.
Address: Room 301, No. 8, FoAo One Street, Dalang Town, DONGGUAN CITY, 523770 Guangdong, P. R. China
Manufacturer's name: Same as applicant
Address: Same as applicant
Product Description: AC/DC ADAPTER
Model(s)/Type References : GFDQ3L-xxxxxyyz, GFDQ3L-xxxxxyyGL (xxx, yyy and z are variables, details see table A for details)
Conclusion: Based on the performance of the product, the results of the tests carried out are in compliance with the requirements of the RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.

Standard(s): 1102:1V+13102:7-12323 CEI

On the basis of the referenced test report(s), sample(s) tested of the above product have been found to comply with the standards harmonized with the directives listed on this verification at the time the tests were carried out. Other standards and Directives may be relevant to the product. This verification is part of the full test report(s) and should be read in conjunction with it(them).

Once compliance with all product relevant CE mark directives are verified, including any relevant e.g. risk assessment and production control, the manufacturer may indicate compliance by signing a Declaration of Conformity themselves and applying the mark to products identical to the tested sample(s).

Eric Liu
Director of engineering department



Dongguan Pubiao Testing Technology Co., Ltd.
No. 3, 1/F., Building A, No.30, Minghua Road, Juzhou, Shijie, Dongguan, Guangdong, China.
Tel: +86 769 81813516 E-mail: service@pubiaotest.com Web: www.pubiaotest.com



CERTIFICATE OF CONFORMITY

RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU

Appendix of Certificate No.: 23CP06078R01

Table A: Definition of variables:

Variable:	Range of variable:	Content:
xxx	030-240	3 digits, which representing 10 times of output voltage in V, the output voltage value rising in step of 0.1V; eg: 030=3.0Vdc, 240=24.0Vdc
yyyy	0010-2000	4 digits, which represents 1000 times output current in A, the output current value rising in step of 0.01A; eg: 0010 = 0.01A, 2000=2.0A
z	G, B	One capital letter representing the plug type for different countries: G= European plug; B= Britain plug;

Table B: Model list and output ratings:

Model No.	Output voltage (Vdc)	Output current (A)	Max. output power (W)	Transformer type
GFDQ3L-xxxxyyyz, GFDQ3L-xxxxyyyzL	3.0-8.9	0.01-2.00	12.0	ZZ150003
	9.0-16.0	0.01-1.00	12.0	ZZ150002
	16.1-24.0	0.01-0.50	12.0	ZZ150001

Remark:

- 1) The rated output voltage is rising from 3.0V and in steps of 0.1V.
- 2) The rated output current is rising from 0.01A and in steps of 0.01A, but not more than the indicated max o/p current.
- 3) Actual output current depends on range of output voltage. The max. Output current multiplied by output voltage cannot exceed the max. Output power.



Dongguan Pubiao Testing Technology Co., Ltd.

No. 3, 1/F., Building A, No.30, Minghua Road, Juzhou, Shijie, Dongguan, Guangdong, China.

Tel: +86 769 81813516 E-mail: service@pubiaotest.com Web: www.pubiaotest.com