Installation sanleitung
Installation Instruction
Insturction d'installation



FR
Cet appareil, ses cordons, et batterie se recyclent
À DÉPOSER EN MAGASIN
OU
À DÉPOSER EN DÉCHÈTERIE
Points de collecte sur www.quefairedemesdechets.fr
Privilégiez la réparation ou le don de votre appareil !

Unser Produkt wird Ihnen in 3 Paketen geliefert. Die Lieferzeiten dieser 3 Pakete können abweichen, bitte haben Sie etwas Geduld und vielen Dank für Ihr Verständnis.

Our product will be delivered to you in 3 packages. The delivery times of these 3 packages may differ, please be patient and thank you for your understanding.

Notre produit vous sera livré en 3 colis. Les délais de livraison de ces 3 colis peuvent différer, soyez patient et merci pour votre compréhension.

N636P453651
N636P453652
N636P453653

English

IMPORTANT ! KEEP FOR FUTURE REFERENCE : READ CAREFULLY

- To be assembled by an adult. Assembly must be checked by an adult before use
- WARNING ! Keep all screws, small parts and plastic bags out of the reach of children
- Properly identify all parts before assembling
- Never use your item if any of its parts are broken or missing
- Should any problems arise, please contact our After Sales Service
- Manufacturer's instructions shall be followed at all times
- Care: Clean with a soft, dry cloth. In case of larger stains, carefully rub with a slightly damp, non-abrasive sponge
- Avoid the risk of fire by not placing furniture near sources of ignition or hot items
- Do not jump on the bed

Deutsch

WICHTIG ! ZUM SPÄTEREN NACHSCHLAGEN AUFBEWAHREN: SORGFÄLTIG LESEN

- Muss von einem Erwachsenen zusammengebaut werden.Der Zusammenbau muss vor dem Gebrauch von einem Erwachsenen überprüft werden
- WARNUNG! Bewahren Sie alle Schrauben, Kleinteile und Plastikbeutel außerhalb der Reichweite von Kindern auf
- Kennzeichnen Sie vor dem Zusammenbau alle Teile richtig
- Benutzen Sie Ihren Artikel niemals, wenn Teile gebrochen sind oder fehlen
- Sollten Probleme auftreten, wenden Sie sich bitte an unseren Kundendienst
- Die Anweisungen des Herstellers sind stets zu befolgen
- Pflege: Mit einem weichen, trockenen Tuch reinigen. Bei größeren Flecken vorsichtig mit einem leicht feuchten, nicht scheuernden Schwamm abreiben. nicht scheuernden Schwamm
- Vermeiden Sie die Gefahr eines Brandes, indem Sie die Möbel nicht in der Nähe von Zündquellen oder heißen Gegenständen aufstellen
- Nicht auf das Bett springen

Français

IMPORTANT ! CONSERVER POUR RÉFÉRENCE ULTÉRIEURE : LIRE ATTENTIVEMENT

- Le montage doit être effectué par un adulte. Le montage doit être vérifié par un adulte avant Utilisation
- ATTENTION ! Tenir les vis, les petites pièces et les sachets en plastique hors de portée des enfants
- Identifiez correctement toutes les pièces avant de les assembler
- N'utilisez jamais votre article si l'une de ses pièces est cassée ou manquante
- En cas de problème, veuillez contacter notre service après-vente
- Les instructions du fabricant doivent être respectées à tout moment
- Entretien : nettoyer avec un chiffon doux et sec. En cas de taches plus importantes, frotter soigneusement avec une éponge non abrasive légèrement humide. légèrement humide et non Abrasive
- Évitez les risques d'incendie en ne plaçant pas les meubles à proximité de sources d'inflammation ou d'objets chauds
- Ne pas sauter sur le lit

Italiano

IMPORTANTE! CONSERVARE PER RIFERIMENTO FUTURO: LEGGERE ATTENTAMENTE

- Deve essere assemblato da un adulto. L'assemblaggio deve essere controllato da un adulto prima dell'uso
- ATTENZIONE! Tenere tutte le viti, le piccole parti e i sacchetti di plastica fuori dalla portata dei bambini
- Identificare correttamente tutte le parti prima dell'assemblaggio
- Non utilizzare mai l'articolo se alcune parti sono rotte o mancanti
- In caso di problemi, si prega di contattare il nostro Servizio Post Vendita
- Le istruzioni del produttore devono essere sempre seguite
- Cura: Pulire con un panno morbido e asciutto. In caso di macchie più estese, strofinare accuratamente con una spugna leggermente umida e nonspugna leggermente umida e non abrasiva
- Evitare il rischio di incendio, non collocando i mobili vicino a fonti di accensione o a oggetti caldi
- Non saltare sul letto

Español


¡IMPORTANTE ! CONSÉRVELO PARA FUTURAS CONSULTAS: LEA ATENTAMENTE

- Debe ser montado por un adulto. El montaje debe ser comprobado por un adulto antes del uso


ADVERTENCIA Mantenga todos los tornillos, piezas pequeñas y bolsas de plástico fuera del alcance de los niños.

- Identifique correctamente todas las piezas antes de montarlas
- Nunca utilice su artículo si alguna de sus piezas está rota o falta
- Si surge algún problema, póngase en contacto con nuestro Servicio Postventa
- Las instrucciones del fabricante deben seguirse en todo momento
- Cuidado: Limpiar con un paño suave y seco. En caso de manchas más grandes, frote cuidadosamente con una esponja no abrasiva ligeramente humedecida.
- Evite el riesgo de incendio no colocando los muebles cerca de fuentes de ignición u objetos calientes.
- No saltar sobre la cama.












EN_QUICKFIT: Tighten quickfit until shoulder is flush with panel.Do not overtighten or undertighten.
FR_RACCORD RAPIDE:Faites serrer le raccord rapide jusqu'à ce que l'épaulement soit parfaitement encastré dans le panneau. Il ne faut ni trop serrer ni insuffisamment serrer.
ES_QUICKFIT:Apriete quickfit hasta que el hombre se descargue con el panel. NO lo sobreapriete ni lo apriete poco.
DE_QUICKFIT:Ziehen Sie den Quickfit fest, bis die Schulter mit der Platte bündig ist. Bitte nicht zu fest oder zu schwach anziehen.
IT_MONTAGGIO RAPIDO:Stringere il montaggio rapido fino a quando la spalla è a filo con il pannello, non stringere troppo o troppo poco.



EN_CAM LOCK: When fitting cam lock, ensure starting position is correct before you insert connecting quickfit.
FR_SERRURE BATTEUSE:Avant d'insérer la serrure batteuse, veillez à la bonne orientation avant d'insérer le raccord rapide.
ES_CIERRE DE LA CÁMARA:Cuando instale el cierre de la cámara, asegúrese de que la posición de inicio es correcta antes de que inserte el quickfit conector.
DE_CAM-LOCK:Achten Sie bei der Montage des Cam-Locks auf die richtige Ausgangsposition, bevor Sie den Quickfit einsetzen.
IT_BLOCCAGGIO A CAMMA:Quando si monta il bloccaggio a camma, assicurarsi che la posizione iniziale sia corretta prima di inserire il montaggio rapido di collegamento.




EN_ Quickfit head should be in the centre of the cam lock when the two panels are joined.
Cam lock should be inserted before quickfit.
FR_ Lorsque les deux panneaux sont assemblés, la tête du raccord rapide doit reposer au centre de la serrure batteuse.
Il faut insérer la serrure batteuse avant le raccord rapide.
ES_ El cabezal del quickfit debe estar en el centro del cierre de la cámara cuando se unan los dos paneles.
Se debe insertar el cierre de la cámara antes que el quickfit.
DE_ Der Quickfit-Kopf sollte sich in der Mitte des Cam-Locks befinden, wenn die beiden Platten zusammengefügt sind.
Der Cam-Lock sollte vor dem Quickfit eingesetzt werden.
IT_ La testa del montaggio rapido deve trovarsi al centro del bloccaggio a camma quando i due pannelli sono uniti.
Il Bloccaggio a Camma deve essere inserito prima del montaggio rapido.










EN_ Turn cam lock clockwise to tighten.
FR_ Faites tourner la serrure batteuse dans le sens des aiguilles d'une montre pour la resserrer.
ES_ Gire el cierre de la cámara en sentido horario para apretarlo.
DE_ Drehen Sie den Cam-Lock im Uhrzeigersinn, um ihn festzuziehen.
IT_ Ruotare il bloccaggio a camma in senso orario per stringere.





MONTAGEANLEITUING/ASSEMBLY INSTRUCTIONS



MONTAGEANLEITUING/ASSEMBLY INSTRUCTIONS





N636P453651




1		1PC
2		1PC
3		1PC
4		1PC
5		1PC
6		1PC
7		15PCS
8		1PC
9		2PCS
10		1PC
Hardware box		1PC

11		1PC
15		2PCS
17		1PC
20		1PC
21		1PC
22		4PCS
25		1PC
37		3PCS
40		2PCS
41		1PC

MONTAGEANLEITUING/ASSEMBLY INSTRUCTIONS







N636P453651 Hardware box







A	6x70 	17PCS
B	4x30 	38PCS
C	8x30 	40PCS
D		42PCS
E	6x110 	19PCS
F	6x25 	9PCS
G	6x20 	13PCS
H	5x40	44PCS
I	7x60 	23PCS
J	3x14 	35PCS
K		2PCS
L	M3 	1PC

M	M4 	2PCS
N		1PC
O		2PCS
P	6x30 	36PCS
Q		6PCS
R		8PCS
S		8PCS
T		5PCS
U	6x90 	6PCS
V		1PC
W		2PCS
X	6x55 	4PCS



MONTAGEANLEITUING/ASSEMBLY INSTRUCTIONS




N636P453652

13		2PCS
14		1PC
16		1PC
18		1PC
19		1PC
26		1PC
27		1PC




28		1PC
29		1PC
30		2PCS
32		1PC
38		1PC
39		1PC

N636P453653



12		5PCS
31		1PC
33		4PCS

34		4PCS
35		2PCS
36		2PCS

MONTAGEANLEITUING/ASSEMBLY INSTRUCTIONS



E 19PCS  M6x110	A 17PCS  M6x70	U 6PCS  M6x90

Bitte beachten Sie, dass die Formen der Schrauben E und A und U ähnlich sind. Bitte installieren Sie entsprechend der Anleitung und unterscheiden Sie sie!
Please note that the shapes of screws E and A and U are similar. Please install according to the instructions and distinguish them!
Notez que les vis E et A et U ont des formes similaires. Veuillez les installer en suivant les instructions pour les séparer!



J 35PCS  M3x14	B 38PCS  M4x30	

Bitte beachten Sie, dass die Formen der Schrauben J und B ähnlich sind. Bitte installieren Sie entsprechend der Anleitung und unterscheiden Sie sie!
Please note that the shapes of screws J and B are similar. Please install according to the instructions and distinguish them!
Notez que les vis J et B ont des formes similaires. Veuillez les installer en suivant les instructions pour les séparer!

MONTAGEANLEITUING/ASSEMBLY INSTRUCTIONS

H 44PCS  ø5x40	I 23PCS  ø7x60	

Bitte beachten Sie, dass die Formen der Schrauben H und I ähnlich sind. Bitte installieren Sie entsprechend der Anleitung und unterscheiden Sie sie!
Please note that the shapes of screws H and I are similar. Please install according to the instructions and distinguish them!
Notez que les vis H et I ont des formes similaires. Veuillez les installer en suivant les instructions pour les séparer!

C 40PCS  ø8x30	P 36PCS  ø6x30	

Bitte beachten Sie, dass die Formen der Schrauben C und P ähnlich sind. Bitte installieren Sie entsprechend der Anleitung und unterscheiden Sie sie!
Please note that the shapes of screws C and P are similar. Please install according to the instructions and distinguish them!
Notez que les vis C et P ont des formes similaires. Veuillez les installer en suivant les instructions pour les séparer!

MONTAGEANLEITUING/ASSEMBLY INSTRUCTIONS

F 9PCS  ø6x25	X 4PCS  ø6x55	


Bitte beachten Sie, dass die Formen der Schrauben F und X ähnlich sind. Bitte installieren Sie entsprechend der Anleitung und unterscheiden Sie sie!
Please note that the shapes of screws F and X are similar. Please install according to the instructions and distinguish them!
Notez que les vis F et X ont des formes similaires. Veuillez les installer en suivant les instructions pour les séparer!

Vor dem Einbau die Schrauben in die Löcher stecken und festziehen, aber nicht bis 100%, 70% bis 80% anziehen reicht aus. Schließlich, nachdem alle Schrauben installiert sind, ziehen Sie alle Schrauben auf 100%.
Wenn Sie auf diese Probleme stoßen, wie z. B. Fehlausrichtung der Löcher oder Unfähigkeit, bestimmte Teile zu installieren, überprüfen Sie bitte, ob die Schrauben korrekt verwendet werden und passen Sie die Dichtigkeit der Schrauben an.

Before installation, insert the screws into the holes and tighten them, but do not tighten them to 100%, 70% to 80% is sufficient.Finally, after all screws are installed, tighten all screws to 100%.
If you encounter these issues, such as if the holes cannot be aligned or some parts cannot be installed, please check if the screws are used correctly and adjust the tightness of the screws.

Insérer la vis dans le trou avant la fin de l'assemblage, serrer la vis, mais ne pas serrer à 100%, 70% ~ 80% est correct. Enfin, une fois que toutes les vis sont bien serrées, toutes les vis sont serrées à 100%.
Si vous rencontrez ces problèmes, par exemple si les trous ne sont pas alignés ou si certaines pièces ne peuvent pas être montées, vérifiez que les vis sont utilisées correctement et Ajustez leur serrage.

MONTAGEANLEITUING/ASSEMBLY INSTRUCTIONS





U	6x90				
E	6x110		P	6x30	

A	6x70	10PCS	C	8x30	12PCS
D		10PCS	M	M4	1PC

MONTAGEANLEITUING/ASSEMBLY INSTRUCTIONS

2






U	6x90				
E	6x110		P	6x30	

A	6x70	6PCS	C	8x30	8PCS
D		6PCS	M	M4	1PC

MONTAGEANLEITUING/ASSEMBLY INSTRUCTIONS





U	6x90				
A	6x70		P	6x30	

E	6x110	17PCS	C	8x30	13PCS
D		17PCS	M	M4	1PC

MONTAGEANLEITUING/ASSEMBLY INSTRUCTIONS

4






~~X~~	~~6x55~~	

F	6x25	9PCS
G	6x20	9PCS
M	M4	2PCS

MONTAGEANLEITUING/ASSEMBLY INSTRUCTIONS


5



~~F~~	~~6x25~~				
X	6x55	4PCS	W		2PCS
G	6x20	4PCS	M	M4	2PCS

MONTAGEANLEITUING/ASSEMBLY INSTRUCTIONS


6



W		2PCS	M	M4	1PC

MONTAGEANLEITUING/ASSEMBLY INSTRUCTIONS


7



A	6x70	1PC	P	6x30	
E	6x110	2PCS			
U	6x90	2PCS	C	8x30	5PCS
D		5PCS	M	M4	1PC

MONTAGEANLEITUING/ASSEMBLY INSTRUCTIONS


8



~~J~~	~~3x14~~				
B	4x30	4PCS	N		1PC

MONTAGEANLEITUING/ASSEMBLY INSTRUCTIONS


9



~~J~~	~~3x14~~				
B	4x30	4PCS	N		1PC

MONTAGEANLEITUING/ASSEMBLY INSTRUCTIONS


10



~~B~~	~~4x30~~		~~H~~	~~5x40~~	
J	3x14	24PCS	I	7x60	2PCS
Q		6PCS	M	M4	1PC

MONTAGEANLEITUING/ASSEMBLY INSTRUCTIONS


11




~~H~~	~~5x40~~				
I	7x60	16PCS	~~P~~	~~6x30~~	
M	M4	1PC	C	8x30	2PCS

MONTAGEANLEITUING/ASSEMBLY INSTRUCTIONS

12






~~H~~	~~5x40~~	


I	7x60	5PCS
M	M4	1PC

MONTAGEANLEITUING/ASSEMBLY INSTRUCTIONS

13








EN:Scan to download App control the Led light.
DE:Scannen, um die App zum Steuern des LED -Lichts herunterzuladen
FR:Scanner pour télécharger App contróler la lumière Led.


~~B~~	~~4x30~~				

J	3x14	5PCS	T		5PCS
N		1PC	V		1PC

MONTAGEANLEITUING/ASSEMBLY INSTRUCTIONS

14







~~C~~	~~8x30~~	

P	6x30	32PCS			
R		8PCS	N		1PC

MONTAGEANLEITUING/ASSEMBLY INSTRUCTIONS

15






~~I~~	~~7x60~~				

H	5x40	8PCS	S		8PCS
L	M3	1PC	N		1PC


16




~~I~~	~~7x60~~	

H	5x40	24PCS
L	M3	1PC

17




18




~~A~~	~~6x70~~	
~~E~~	~~6x110~~	
U	6x90	4PCS
D		4PCS
M	M4	1PC

19




~~J~~	~~3x14~~	


B	4x30	30PCS
N		1PC




MONTAGEANLEITUING/ASSEMBLY INSTRUCTIONS

20








~~I~~	~~7x60~~	

H	5x40	12PCS	~~B~~	~~4x30~~	
L	M3	1PC	J	3x14	4PCS
~~C~~	~~8x30~~		O		2PCS
P	6x30	4PCS	N		1PC

MONTAGEANLEITUING/ASSEMBLY INSTRUCTIONS

21





~~B~~	~~4x30~~	


J	3x14	2PCS
N		1PC

MONTAGEANLEITUING/ASSEMBLY INSTRUCTIONS

22







K		2PCS
N		1PC

Led Bluetooth Mini Controller Manual



Download App Software

Please download "LotusLamp X" in the app store or scan the QR code below to download.

1. Download the"LotusLamp X"app with your phone by scanning the QR code on the user manual or searching for the Lotus Lamp app in the iPhone App Store or Google Play Store


2. After the APP are downloaded successfully, you need to turn on Bluetooth function on your phone firstly, then plug in the strip light, then open the APP, your APP will pair with the strip light automatically and you can control it.

Unable to Connect Troubleshooting


(1) Check if the power supply of the light strip is normal.
(2) Check if the Bluetooth is turn on.
(3) Check if there are other mobile phone are connected, Bluetooth 4.0 only support connections one to many, dose not support many to many.
(4) Check APP Bluetooth setting if the phone is connected to the device, if connect, exit the APP and reopen, the APP will go to connect automatically.
(5) Normal operations and can not connect, please exit the APP and reopen.
(6) Exit APP, restart mobile phone, power on the strip light, reopen the APP, then them will connect automatically.

Instructions


Scan the code or search to get the following APP, open the APP



1.Open the control software to get the following interface



Clicking on the connected device will appear as shown in the dashboard image on the right.



2.Use the color palette function when connecting devices.



(1).Drag the ring to switch colors

(2).Click on the RGB value to adjust the color

(3).Tap Color to toggle

(4).Click Pattern + and press (1) to perform color DIY

(Long press DIY color to redo color DIY)

(5).Drag the white point to adjust the brightness

3.Use the rhythm function when connecting the device.



(1) Device MIC: Sound rhythm is received through the device

(Four rhythm modes can be selected under the receiving sound rhythm through the device)

(2) Phone MIC: Receive sound rhythm via your phone

(3) Music: By selecting a music groove

(4) Sensitivity: Drag the white point to adjust the receive responsiveness

4.Use the mode function when connecting the device.



Swipe / tap the screen to switch static colors or jump changes and other functions

Slide the white dot to adjust the flashing speed in the changing state


Slide the white dot to adjust the brightness

5.Use scene features when connecting devices.



The scene function intelligently adjusts the flickering effect according to the system.

6.Use the timing function when connecting the device.



Turn on the lights regularly

Set the auto-start time and date by clicking to select

Turn off the lights regularly

Set the automatic lights off time and date by clicking to select

The timing function can be used together in other modes.

This certificate is responsible for testing sample only.
Please refer to this corresponding test report to get testing process and data.

CERTIFICATE

ATTESTATION
Certificate of Compliance

Technical file of the company mentioned below has been inspected and audit has been completed successfully

The Low Voltage Directive 2014/35/EU has been taken as references for these processes.

Certificate's Holder	:	Shenzhen xu xing technology co., LTD
Address	:	Floor 3, building C, Huaze hi tech Industrial Park, Shiyan street,Bao'an District, Shenzhen
Manufacturer	:	Shenzhen xu xing technology co., LTD
Address	:	Floor 3, building C, Huaze hi tech Industrial Park, Shiyan street,Bao'an District, Shenzhen
Product Name	:	XX LED RGB STRIP
Product Model (S)	:	XX5050RGB-60D, 5V-5050RGB-30D, 5V-5050RGB-60D, 12V-5050RGB-60D, 12V-5050RGB-30D, DY05RGB122, DY05RGB140, DY05RGB88
Trade Mark	:	N/A
Related Directive	:	2014/35/EU
Related Standards	:	EN IEC 60598-2-1:2021 used in conjunction with EN IEC 60598-1:2021 + AMD11:2022

Certificate Number	:	HK2509022741S
Report No.	:	HK2509022741-SR
Registration Date	:	Oct. 21, 2025

Jason Zhu

Certification Manager

The information of the certificate can be checked through https://www.huak.com. The CE mark which is shown on the certificate can only be used under the conditions that the products complete with all of the relevant Directives of CE Declaration of Conformity. The Manufacturer should be responsible for the internal production control so that the products complied with the essential requirements of the above mentioned Directive(s). Certificate holder must notify all changes to the original certification laboratory of HUAK.

Shenzhen HUAK Testing Technology Co., Ltd.
Add.:1-2/F, B2 Building, Junfeng Zhongcheng Zhizao Innovation Park, Heping Community, Fuhai Street, Bao'an District, Shenzhen, China
Tel.:+86-0755-2302 9901 E-mail:info@huak.com Website:https://www.huak.com

This certificate is responsible for testing sample only.
Please refer to this corresponding test report to get testing process and data.

CERTIFICATE

ATTESTATION
Certificate of Compliance

Technical file of the company mentioned below has been inspected and audit has been completed successfully

The RED Directive 2014/53/EU has been taken as references for these processes.

Certificate's Holder	:	Shenzhen xu xing technology co., LTD
Address	:	Floor 3, building C, Huaze hi tech Industrial Park, Shiyan street, Bao'an District, Shenzhen
Manufacturer	:	Shenzhen xu xing technology co., LTD
Address	:	Floor 3, building C, Huaze hi tech Industrial Park, Shiyan street, Bao'an District, Shenzhen
Product Name	:	XX LED RGB STRIP
Product Model (S)	:	XX5050RGB-60D, 5V-5050RGB-30D, 5V-5050RGB-60D, 12V-5050RGB-60D, 12V-5050RGB-30D, DY05RGB122, DY05RGB140, DY05RGB88
Trade Mark	:	N/A
Related Directive	:	2014/53/EU
Related Standards	:	Article 3.1a) : EN IEC 62368-1:2024 + A11:2024 EN 62479:2010 EN 50663:2017 Article 3.1b) : ETSI EN 301 489-1 V2.2.3 (2019-11) ETSI EN 301 489-3 V2.3.2 (2023-01) EN IEC 61000-3-2:2019 + A1:2021 + A2:2024 EN 61000-3-3:2013 + A1:2019 + A2:2021 Article 3.2) : ETSI EN 300 220-1 V3.1.1 (2017-02) ETSI EN 300 220-2 V3.3.1 (2025-03)
Certificate Number	:	HK2509024992E
Report No.	:	HK2509024992-1SR/-2EH/-1ER/-2ER
Registration Date	:	Oct. 21, 2025

Jason Liu

Certification Manager

The information of the certificate can be checked through https://www.huak.com. The CE mark which is shown on the certificate can only be used under the conditions that the products complete with all of the relevant Directives of CE Declaration of Conformity. The Manufacturer should be responsible for the internal production control so that the products complied with the essential requirements of the above mentioned Directive(s). Certificate holder must notify all changes to the original certification laboratory of HUAK.

Shenzhen HUAK Testing Technology Co., Ltd.
Add.:1-2/F, B2 Building, Junfeng Zhongcheng Zhizao Innovation Park, Heping Community, Fuhai Street, Bao'an District, Shenzhen, China
Tel.:+86-0755-2302 9901 E-mail:info@huak.com Website:https://www.huak.com

Shenzhen POCE Technology Co.,Ltd.
H Building, Hongfa Science and Technology Park,
Tangtou, Shiyan, Bao'an District, Shenzhen, China

CERTIFICATE OF CONFORMITY

Certificate No	:	POCE220829292TCE
Applicant	:	Shenzhen Xuxing Technology Co.,Ltd
Address	:	Floor 3, Building C, Huaze Hi-Tech Industrial Park, No.108 Zhushi Road, Shiyan Street, Bao'an District, Shenzhen
Manufacturer	:	Shenzhen Xuxing Technology Co.,Ltd
Address	:	Floor 3, Building C, Huaze Hi-Tech Industrial Park, No.108 Zhushi Road, Shiyan Street, Bao'an District, Shenzhen
Product	:	Led lights bring
Trade Name	:	旭兴科技 XUXING TECHNOLOGY
Model(s)	:	XX5050-RGB-60D, XX5050-RGB-30D, XX5050-RGB-72D, XX5050-RGB-96D, XX5050-RGB-120D, CLB1-2835-1, CLB1-2835-0, XX2835-W/Y-120D, XX2835-W/Y-60D, XX2835-W/Y-240D, XX2835-W/Y-238D, XX2835-W/Y-168D, XX2835-W/Y-224D, XX2835-W/Y-118D, XX2835-W/Y-162D, XX2835-W/Y-124D, XX2835-W/Y-170D, XX2835-60D, XX2835-120D, XX2835-150D, XX2835-180D
Test Report No	:	POCE220829292TRE
Test Standards	:	**EN IEC 55015:2019/A11:2020** **EN 61547:2009** **EN IEC 61000-3-2:2019/A1:2021** **EN 61000-3-3:2013/A2:2019**

The EUT described above has been tested by us with the listed standards and found in compliance with the council **EMC** Directive 2014/30/EU. It is possible to use CE marking to demonstrate the compliance with this EMC Directive.

CE

Tom Chen

For Chief Executive / Tom Chen
Date: Sep. 02, 2022

This certificate of conformity is based on a single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole production and other relevant directives have to be observed.

扫一扫关注 扫码查证书

Shenzhen POCE Technology Co.,Ltd.

H Building, Hongfa Science and Technology Park,
Tangtou, Shiyan, Bao'an District, Shenzhen, China

CERTIFICATE OF CONFORMITY

Certificate No.	:	POCE220829293QCR
Applicant	:	Shenzhen Xuxing Technology Co., Ltd
Address	:	Floor 3, Building C, Huaze Hi-Tech Industrial Park, No. 108 Zhushi Road, Shiyan Street, Bao'an District, Shenzhen
Manufacturer	:	Shenzhen Xuxing Technology Co., Ltd
Address	:	Floor 3, Building C, Huaze Hi-Tech Industrial Park, No. 108 Zhushi Road, Shiyan Street, Bao'an District, Shenzhen
Product	:	Led lights bring
Trade Name	:	旭兴科技 XUXING TECHNOLOGY
Model(s)	:	XX5050-RGB-60D, XX5050-RGB-30D, XX5050-RGB-72D, XX5050-RGB-96D, XX5050-RGB-120D, CLB1-2835-1, CLB1-2835-0, XX2835-W/Y-120D, XX2835-W/Y-60D, XX2835-W/Y-240D, XX2835-W/Y-238D, XX2835-W/Y-168D, XX2835-W/Y-224D, XX2835-W/Y-118D, XX2835-W/Y-162D, XX2835-W/Y-124D, XX2835-W/Y-170D, XX2835-60D, XX2835-120D, XX2835-150D, XX2835-180D
Test Report No.	:	POCE220829293QRR
Test Standards	:	**IEC 62321-3-1:2013; IEC 62321-4:2013+A1:2017; IEC 62321-5:2013; IEC 62321-6:2015; IEC 62321-7-1:2015; IEC 62321-7-2:2017; IEC 62321-8:2017**

The EUT described above has been tested by us with the listed standards and found in compliance with the council **RoHS Directive(EU) 2015/863 amending Annex II to Directive 2011/65/EU.** It is possible to use **CE** marking to demonstrate the compliance with this **RoHS** Directive.

RoHS POCE CE

For Chief Executive / Jerry Yang
Date: Sep. 02, 2022

This certificate of conformity is based on a single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole production and other relevant directives have to be observed.

扫一扫关注 扫码查证书

Web: http://www.poce-cert.com Tel: +86-755-29113252 E-mail: service@poce-cert.com