
Installation sanleitung
Installation Instruction
Instruction d'installation

BETT 140*200



FR
Cet appareil, ses cordons, et batterie se recyclent
À DÉPOSER EN MAGASIN
OU
À DÉPOSER EN DÉCHÈTERIE
Points de collecte sur www.quefairedemesdechets.fr
Privilégiez la réparation ou le don de votre appareil !

Unser Produkt wird Ihnen in 4 Paketen geliefert. Die Lieferzeiten dieser 4 Pakete können abweichen, bitte haben Sie etwas Geduld und vielen Dank für Ihr Verständnis.

Our product will be delivered to you in 4 packages. The delivery times of these 4 packages may differ, please be patient and thank you for your understanding.

Notre produit vous sera livré en 4 colis. Les délais de livraison de ces 4 colis peuvent différer, soyez patient et merci pour votre compréhension.

N879P406611/N879P406612/N879P406613/N879P406614

INSTRUCTIONS

IMPORTANT-READ CAREFULLY-RETAIN FOR FUTURE REFERENCE

a) **WARNING -**Children can become trapped between the bed and the wall, the adjoining pieces of furniture (e.g. cupboards) and the like. To avoid risk of serious injury the distance between the safety barrier and the adjoining structure shall not exceed 75 mm or shall be more than 230 mm.

b) **WARNING-**Do not use the bed if any structural part is broken or missing; Replacement parts are between requested from the manufacturer or the store.

c) **WARNING-**Do not climb or wiggle on any non-designated structures.

d) it is imperative to always follow the installation instructions and manufacturer's use.

e) The recommended size of the mattress to be used with the bed is 200cmx140cm, maximum thickness mattress:12cm.

f) It is necessary to ventilate the room in order to maintain a low level moisture and prevent mold growth in the bed and its periphery.

g) Joining devices should always be tightened properly and regularly verified. Tighten if necessary.

ANLEITUNGEN

WICHTIG - SORGFÄLTIG LESEN - FÜR SPÄTERE VERWENDUNG AUFBEWAHREN

a) **WARNUNG -** Kinder können zwischen dem Bett und der Wand, den angrenzenden Möbelstücken (z. B. Schränken) und der Lücke eingeklemmt werden. Um die Gefahr schwerer Verletzungen zu vermeiden, darf der Abstand zwischen der Sicherheitsbarriere und der angrenzenden Struktur nicht mehr als 75 mm oder mehr als 230 mm betragen.

b) **WARNUNG-**Das Bett darf nicht benutzt werden, wenn ein Bauteil gebrochen ist oder fehlt; Ersatzteile sind beim Hersteller oder im Geschäft anzufordern.

c) **WARNUNG -** Klettern oder wackeln Sie nicht auf nicht dafür vorgesehenen Strukturen.

d) Befolgen Sie unbedingt die Installationsanweisungen und die Gebrauchsanweisungen des Herstellers.

e) Die empfohlene Größe der Matratze für das Bett beträgt 200x140cm, maximale Dicke der Matratze: 12cm.

f) Es ist notwendig, den Raum zu lüften, um die Feuchtigkeit niedrig zu halten und Schimmelbildung im Bett und seiner Umgebung zu verhindern.

g) Die Verbindungselemente sollten immer richtig angezogen sein und regelmäßig überprüft werden. Ziehen Sie sie gegebenenfalls nach.

English

IMPORTANT ! KEEP FOR FUTURE REFERENCE : READ CAREFULLY

- To be assembled by an adult. Assembly must be checked by an adult before use
- WARNING ! Keep all screws, small parts and plastic bags out of the reach of children
- Properly identify all parts before assembling
- Never use your item if any of its parts are broken or missing
- Should any problems arise, please contact our After Sales Service
- Manufacturer's instructions shall be followed at all times
- Care: Clean with a soft, dry cloth. In case of larger stains, carefully rub with a slightly damp, non-abrasive sponge
- Avoid the risk of fire by not placing furniture near sources of ignition or hot items
- Do not jump on the bed

Deutsch

WICHTIG ! ZUM SPÄTEREN NACHSCHLAGEN AUFBEWAHREN: SORGFÄLTIG LESEN

- Muss von einem Erwachsenen zusammengebaut werden.Der Zusammenbau muss vor dem Gebrauch von einem Erwachsenen überprüft werden
- WARNUNG! Bewahren Sie alle Schrauben, Kleinteile und Plastikbeutel außerhalb der Reichweite von Kindern auf
- Kennzeichnen Sie vor dem Zusammenbau alle Teile richtig
- Benutzen Sie Ihren Artikel niemals, wenn Teile gebrochen sind oder fehlen
- Sollten Probleme auftreten, wenden Sie sich bitte an unseren Kundendienst
- Die Anweisungen des Herstellers sind stets zu befolgen
- Pflege: Mit einem weichen, trockenen Tuch reinigen. Bei größeren Flecken vorsichtig mit einem leicht feuchten, nicht scheuernden Schwamm abreiben. nicht scheuernden Schwamm
- Vermeiden Sie die Gefahr eines Brandes, indem Sie die Möbel nicht in der Nähe von Zündquellen oder heißen Gegenständen aufstellen
- Nicht auf das Bett springen

Français

IMPORTANT ! CONSERVER POUR RÉFÉRENCE ULTÉRIEURE : LIRE ATTENTIVEMENT

- Le montage doit être effectué par un adulte. Le montage doit être vérifié par un adulte avant Utilisation
- ATTENTION ! Tenir les vis, les petites pièces et les sachets en plastique hors de portée des enfants
- Identifiez correctement toutes les pièces avant de les assembler
- N'utilisez jamais votre article si l'une de ses pièces est cassée ou manquante
- En cas de problème, veuillez contacter notre service après-vente
- Les instructions du fabricant doivent être respectées à tout moment
- Entretien : nettoyer avec un chiffon doux et sec. En cas de taches plus importantes, frotter soigneusement avec une éponge non abrasive légèrement humide. légèrement humide et non Abrasive
- Évitez les risques d'incendie en ne plaçant pas les meubles à proximité de sources d'inflammation ou d'objets chauds
- Ne pas sauter sur le lit

Italiano

IMPORTANTE! CONSERVARE PER RIFERIMENTO FUTURO: LEGGERE ATTENTAMENTE

- Deve essere assemblato da un adulto. L'assemblaggio deve essere controllato da un adulto prima dell'uso
- ATTENZIONE! Tenere tutte le viti, le piccole parti e i sacchetti di plastica fuori dalla portata dei bambini
- Identificare correttamente tutte le parti prima dell'assemblaggio
- Non utilizzare mai l'articolo se alcune parti sono rotte o mancanti
- In caso di problemi, si prega di contattare il nostro Servizio Post Vendita
- Le istruzioni del produttore devono essere sempre seguite
- Cura: Pulire con un panno morbido e asciutto. In caso di macchie più estese, strofinare accuratamente con una spugna leggermente umida e nonspugna leggermente umida e non abrasiva
- Evitare il rischio di incendio, non collocando i mobili vicino a fonti di accensione o a oggetti caldi
- Non saltare sul letto


Español


¡ IMPORTANTE ! CONSÉRVELO PARA FUTURAS CONSULTAS: LEA ATENTAMENTE

- Debe ser montado por un adulto. El montaje debe ser comprobado por un adulto antes del uso


ADVERTENCIA Mantenga todos los tornillos, piezas pequeñas y bolsas de plástico fuera del alcance de los niños.

- Identifique correctamente todas las piezas antes de montarlas
- Nunca utilice su artículo si alguna de sus piezas está rota o falta
- Si surge algún problema, póngase en contacto con nuestro Servicio Postventa
- Las instrucciones del fabricante deben seguirse en todo momento
- Cuidado: Limpiar con un paño suave y seco. En caso de manchas más grandes, frote cuidadosamente con una esponja no abrasiva ligeramente humedecida.
- Evite el riesgo de incendio no colocando los muebles cerca de fuentes de ignición u objetos calientes.
- No saltar sobre la cama.











EN_QUICKFIT: Tighten quickfit until shoulder is flush with panel.Do not overtighten or undertighten.
FR_RACCORD RAPIDE:Faites serrer le raccord rapide jusqu'à ce que l'épaulement soit parfaitement encastré dans le panneau. Il ne faut ni trop serrer ni insuffisamment serrer.
ES_QUICKFIT:Apriete quickfit hasta que el hombre se descargue con el panel. NO lo sobreapriete ni lo apriete poco.
DE_QUICKFIT:Ziehen Sie den Quickfit fest, bis die Schulter mit der Platte bündig ist. Bitte nicht zu fest oder zu schwach anziehen.
IT_MONTAGGIO RAPIDO:Stringere il montaggio rapido fino a quando la spalla è a filo con il pannello, non stringere troppo o troppo poco.



EN_CAM LOCK: When fitting cam lock, ensure starting position is correct before you insert connecting quickfit.
FR_SERRURE BATTEUSE:Avant d'insérer la serrure batteuse, veillez à la bonne orientation avant d'insérer le raccord rapide.
ES_CIERRE DE LA CÁMARA:Cuando instale el cierre de la cámara, asegúrese de que la posición de inicio es correcta antes de que inserte el quickfit conector.
DE_CAM-LOCK:Achten Sie bei der Montage des Cam-Locks auf die richtige Ausgangsposition, bevor Sie den Quickfit einsetzen.
IT_BLOCCAGGIO A CAMMA:Quando si monta il bloccaggio a camma, assicurarsi che la posizione iniziale sia corretta prima di inserire il montaggio rapido di collegamento.



EN_ Quickfit head should be in the centre of the cam lock when the two panels are joined.
Cam lock should be inserted before quickfit.
FR_ Lorsque les deux panneaux sont assemblés, la tête du raccord rapide doit reposer au centre de la serrure batteuse.
Il faut insérer la serrure batteuse avant le raccord rapide.
ES_ El cabezal del quickfit debe estar en el centro del cierre de la cámara cuando se unan los dos paneles.
Se debe insertar el cierre de la cámara antes que el quickfit.
DE_ Der Quickfit-Kopf sollte sich in der Mitte des Cam-Locks befinden, wenn die beiden Platten zusammengefügt sind.
Der Cam-Lock sollte vor dem Quickfit eingesetzt werden.
IT_ La testa del montaggio rapido deve trovarsi al centro del bloccaggio a camma quando i due pannelli sono uniti.
Il Bloccaggio a Camma deve essere inserito prima del montaggio rapido.




EN_ Turn cam lock clockwise to tighten.
FR_ Faites tourner la serrure batteuse dans le sens des aiguilles d'une montre pour la resserrer.
ES_ Gire el cierre de la cámara en sentido horario para apretarlo.
DE_ Drehen Sie den Cam-Lock im Uhrzeigersinn, um ihn festzuziehen.
IT_ Ruotare il bloccaggio a camma in senso orario per stringere.

DE:Vor dem Einbau die Schrauben in die Löcher stecken und festziehen, aber nicht bis 100%,70% bis 80% anziehen reicht aus. Schließlich, nachdem alle Schrauben installiert sind, ziehen Sie alle Schrauben auf 100%. Wenn Sie auf diese Probleme stoßen, wie z. B. Fehlausrichtung der Löcher oder Unfähigkeit, bestimmte Teile zu installieren, überprüfen Sie bitte, ob die Schrauben korrekt verwendet werden und passen Sie die Dichtigkeit der Schrauben an.


UK:Before installation, insert the screws into the holes and tighten them, but do not tighten them to 100%, 70% to 80% is sufficient. Finally, after all screws are installed, tighten all screws to 100%.If you encounter these issues, such as if the holes cannot be aligned or some parts cannot be installed, please check if the screws are used correctly and adjust the tightness of the screws.

FR:Insérer la vis dans le trou avant la fin de l'assemblage, serrer la vis, mais ne pas serrer à 100%, 70% ~ 80% est correct. Enfin, une fois que toutes les vis sont bien serrées, toutes les vis sont serrées à 100%.Si vous rencontrez ces problèmes, par exemple si les trous ne sont pas alignés ou si certaines pièces ne peuvent pas être montées, vérifiez que les vis sont utilisées correctement et Ajustez leur serrage.












Detailansicht











Detailansicht










N879P406611

① 	② 	③ 
④ 	⑤x2 	⑥ 
⑦ 	⑨ 	⑰ 
⑳ 	㉑ 	












N879P406612

⑧x2 	⑩x2 	⑪x4 
⑫x2 	⑭x4 	⑮ 
⑯ 	⑲x3 	㉒ 





N879P406613

18 	23 	26 
27 	29 	30 
31 	35 	37 













N879P406614

13 x2 	24 	25 
28 	32 x2 	33 x2 
34 	36 	38 x2 
39 x2 	40 	


N879P406611

A 	M 	N 
φ8*30mm(77pcs)	(1pcs)	(10pcs)
O 	Q 	R 
φ3*12mm(54pcs)	(4pcs)	(4pcs)
U 	V 	W 
(1pcs)	(2pcs)	(2pcs)

N879P406612


B 	C 	D 
φ10*13mm(51pcs)	M6*70mm (16pcs)	φ3.5*30mm(56pcs)
E 	F 	G 
φ6*50mm (12pcs)	M6*110mm (16pcs)	M6*30mm (6pcs)
H 	I 	J 
M6*20mm (14pcs)	φ7*50mm(16pcs)	φ6*40mm(23pcs)
K 	L 	P 
φ15*10mm(23pcs)	(2pcs)	M6*60mm (19pcs)
S 	T 	X 
M6*20mm (8pcs)	M6*40mm (2pcs)	(2pcs)

STEP:1




A	φ8*30	32

STEP:2




B	φ10*13	8
C	M6*70	8
X	M4	1

STEP:3




B	φ10*13	8
C	M6*70	8
X	M4	1

STEP:4




D	φ3.5*30	8
E	φ6*50	2
X	M4	1

STEP:5




D	φ3.5*30	8
E	φ6*50	2
X	M4	1

STEP:6




B	φ10*13	16
F	M6*110	16
G	M6*30	3
H	M6*20	3
X	M4	1

STEP:7




G	M6*30	3
H	M6*20	3
X	M4	2

STEP:8




I	φ7*50	16
X	M4	1


STEP:9



E	φ6*50	4
X	M4	1

STEP:10







M		1
N		10
O	φ3*12	20

STEP:11

EN:Scan to download App control the Led light.
DE:Scannen, um die App zum Steuern des LED-Lichts herunterzuladen
FR:Scanner pour télécharger App contrôler la lumière Led.




STEP:12




J		φ6*40	7

STEP:13




A		φ8*30	2
K		φ15*10	3

STEP:14




K	φ15*10	4


STEP:15




A	φ8*30	2
B	φ10*13	4
P	M6*60	4
X	M4	1


STEP:16




J		φ6*40	12


STEP:17




A		φ8*30	14
B		φ10*13	1
K		φ15*10	6
P		M6*60	1

X		M4	1

STEP:18




STEP:19



A	φ8*30	14
B	φ10*13	1
K	φ15*10	6
P	M6*60	1


X	M4	1	

STEP:20




A	φ8*30	2
J	φ6*40	3
K	φ15*10	3
O	φ3*12	8
Q		2
R		2

STEP:21




B	φ10*13	3
P	M6*60	3
X	M4	1

STEP:22




A	φ8*30	2			
B	φ10*13	3			
H	M6*20	4	P	M6*60	3
X	M4	1	S	M6*20	4

STEP:23




B	φ10*13	2			
H	M6*20	2			
O	φ3*12	4			
P	M6*60	2			
X	M4	1	S	M6*20	2

STEP:24




O		φ3*12	4

STEP:25




O		φ3*12	8
R			2

STEP:26




O	φ3*12	8
Q		2

STEP:27




A	φ8*30	9
J	φ6*40	1
K	φ15*10	1

STEP:28




D	φ3.5*30	4
L		2

STEP:29




D	φ3.5*30	4

STEP:30




B	φ10*13	5
P	M6*60	5
X	M4	1

STEP:31




E	φ6*50	4
X	M4	1

STEP:32




H	M6*20	2
S	M6*20	2
T	M6*40	2
X	M4	2

STEP:33




O	φ3*12	2
U		1


STEP:34



D	φ3.5*30	30


STEP:35





D	φ3.5*30	2
V		2
W	W1 V2	2

STEP:36



LotusLantern APP Manual

1. Software Overview

1.1 Overview

LotusLantern is a mobile APP to control LED strip by both IOS and Android phones.
The traditional control ways liké infrared, 433MHz, 2.4GHz and others old wired ways will be replaced by mobile phone control way with convenient, powerful and scalable features.

Through this mobile APP , you can not only control the color, brightness and color temperature of the LED strips but also set up all kinds of fancy flash mode ; Also this APP can change the light of the LED strip according to the rhythm of the music. This APP can set and control several LED strips through Bluetooth and the operation is very simple, easy to learn and easy to use.

1.2 Features

- Adjust color LED strips with 60,000 colors to change color and brightness and adjust monochrome LED strips to change brightness and color temperature
- Play music or turn on a sound playback device, you can let the light change the color and brightness with the rhythm of music, the music rhythm beautiful
- Inside multiple setting mode for color change and control LED strips without mobile
- Long distance control with omni-directional antenna, and many-to-many group control mode
- Once the connection is successful, connect automatically next time

1.3 Performance

LotusLantern APP Is easy for use as well as great compatible with all kinds of smart phones; After the actual test of hundreds of mobile phones verification, the compatibility is above 95% of mobile phones in the market. APP is small and convenient, it consumes less system resources, so the requirements of the mobile configuration are low. Control delay is small, the operation feels good, light control is smooth with people's visual sense.

2. Operating Environment

This APP program requires phones of system above Andriod 4.3 and iOS 8.0. Mobile phone configuration is not limited.

3. Instructions

Note: Android version and IOS version download and use the same method, here in the Android version as an example.

3.1 APP Download

Scan the QR code
IOS and Android systems can download the "LotusLantern" APP by scanning the QR code. Open the browser or other tools with "Scan QR code" function, scan the "LotusLantern" QR code as below:

3.2 App Operation


(1) Click on the LotusLantern APP icon, enter the APP page:




(2) After entering the APP interface, if Bluetooth is not enabled, "an application wants to enable the Bluetooth function of this device." Click [Allow]



(3) switch to color and brightness interface:




(4) click to show the lamp list, view lamp list:




(5) Click to RGB manual adjustment view:



(6) switch to the mode interface:




(7) switch to the music rhythm interface:




(8) Switch to the online music interface:




(9) Switch to the microphone rhythm interface:



(10) Switch to the schedule interface:



(11) Switch to the modify pin sequence interface:



Technical parameters:
Working temperature: -20-60°C (-4 F°-140 F°)
Power supply voltage: DC5-24V
Output: 3 Loops
Static power consumption: <0. 5W
Output current: <3A(each circuit)5V <30W 12V<108 24V<21 6W

Certificate – Сертификат – 證明書 – Certificat – 증명서 – شهادة

Shenzhen ZKT Technology Co., Ltd.
1/F, No. 101, Building B, No. 6, Tangwei Community Industrial Avenue,
Fuhai Street, Bao'an District, Shenzhen, China

Certificate of Compliance

Certificate Number: ZKT-25070215182C

Certificate's Holder	:	**Dongguan Yihong Hardware Electronics Co., Ltd Room 1106, No.2, Shangheng Road, Chang'an Town, Dongguan**
Manufacturer	:	**Dongguan Yihong Hardware Electronics Co., Ltd Room 1106, No.2, Shangheng Road, Chang'an Town, Dongguan**
Trade Mark	:	**N/A**
Product	:	**LED controller**
Model(s)	:	**YH-6183 YH-252, YH-284, YH-290, YH-287, YH-358, YH-360, YH-6180, YH-6184**

Requirement	Standard	Report No.
Art.3.1(a) Safety	EN IEC 62368-1:2024+A11:2024	ZKT-25070215183S
Art.3.1(a) Health	EN IEC 62311:2020 EN 50665:2017	ZKT-25070215182E-1
Art.3.1(b) EMC	ETSI EN 301 489-1 V2.2.3 (2019-11) ETSI EN 301 489-17 V3.3.0 (2024-07)	ZKT-25070215182E-2
Art.3.2 Radio	ETSI EN 300 328 V2.2.2 (2019-07)	ZKT-25070215182E-3

This Attestation of Compliance is issued on a voluntary basis for electrical equipment below the voltage limits of Radio Equipment Directive (RED) 2014/53/EU. The essential requirement are fulfilled accordingly based on the technical specifications applicable at the time of issuance.

CE

Shenzhen ZKT Technology Co., Ltd.
APPROVED
Manager
Jul. 07, 2025

This Certificate of Conformity is based on single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole product and relevant . Directives to be observed.

VERIFICATION OF CONFORMITY

Reference No.....	:	WTX24X07163348C
Applicant.....	:	Shenzhen Yicaiju Photoelectric Technology Co., LTD
Address.....	:	201, Building 011, Shangyan Second Industrial Zone, Shangcun Community, Gongming Street, Guangming District, Shenzhen
Manufacturer.....	:	Shenzhen Yicaiju Photoelectric Technology Co., LTD
Address.....	:	201, Building 011, Shangyan Second Industrial Zone, Shangcun Community, Gongming Street, Guangming District, Shenzhen
Sample Name.....	:	LED tape lights
Model No.	:	5050
Reference Model No.	:	5050RGB,2835,3528
Brand.....	:	NA

Tested Standards:

IEC62321-3-1:2013, IEC 62321-4:2013+AMD1:2017 CSV , IEC62321-5:2013, IEC62321-7-1:2015, IEC62321-7-2:2017, IEC62321-6:2015, IEC62321-8:2017

The above product has been tested by us with the listed standards and found in compliance with the RoHS Directive 2011/65/EU and its amendment (EU) No 2015/863. It is possible to use CE marking to demonstrate the compliance with the regulations.
Electrotechnical products- determination of levels of ten regulated substances (lead ,mercury , cadmium , hexavalent chromium , polybrominated biphenyls , polybrominateddiphenyl ethers, bis(2-ethylhexyl) -phthalate (DEHP) , dibutyl phthalate (DBP) , benzylbutylphthalate (BBP), diisobutyl phthalate (DIBP)).

The referred test report (s) show that the product complies with standard(s) recognized as giving presumption of compliance with the essential requirements in the above mentioned EU Directive. Other relevant Directives have to be observed.
After preparation of the necessary technical documentation according the requirement of EN IEC 63000:2018 as well as the verification of conformity the CE marking as shown below can be affixed on the equipment.

CE

TESTING CERTIFICATION INSPECTION WALTEK APPROVED

Jandy So/GM
Date of Issue: 2024-07-17

This Verification of Conformity confirms the compliance with the listed requirements on a Voluntary basis. It refers only to the sample submitted and does not imply an assessment of the whole production and does not permit the use of the test lab logo.

Waltek Testing Group (Shenzhen) Co., Ltd.
Tel:+86-755-33663308 Fax:+86-755-33663309
Http://www.waltek.com.cn E-mail:sem@waltek.com.cn

VERIFICATION OF CONFORMITY

Reference No.	:	**WTN24N06132846E**
Applicant	:	**Guangdong Zhangong Electric Technology Co., Ltd.**
Address	:	**701, Building 29, Zhifu Garden, Xingtan Town, Shunde District, Foshan City**
Manufacturer	:	**Same as applicant**
Address	:	**Same as applicant**
Product	:	**Furniture socket**
Model No.	:	**ZG-PDU J00/10A/16A, others see attachment**
Technical data	:	**250 Vac, 50 Hz, other details see attachment**

Test Standards:

EN 55032:2015+A11:2020
EN 55035:2017+A11:2020
EN IEC 61000-3-2:2019+A1:2021
EN 61000-3-3:2013+A1:2019+A2:2021

The above product has been tested by us with the listed standards and found in compliance with the European Electromagnetic Compatibility Directive 2014/30/EU. It is possible to use CE marking to demonstrate the compliance with this EMC Directive.

EN 55032: Electromagnetic compatibility of multimedia equipment - Emission Requirements
EN 55035: Electromagnetic compatibility of multimedia equipment - Immunity requirements
EN IEC 61000-3-2: Electromagnetic compatibility (EMC) - Part 3-2: Limits - Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)
EN 61000-3-3: Electromagnetic compatibility (EMC) -Part 3-3: Limits -Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤16 A per phase and not subject to conditional connection

The referred test report(s) show that the product complies with standard(s) recognized as giving presumption of compliance with the essential requirements in the above mentioned EU Directive. Other relevant Directives have to be observed.

After preparation of the necessary technical documentation as well as the EU Declaration of Conformity, the CE marking as shown below can be affixed on the equipment under the sole responsibility of the manufacturer.

CE

Manager: Jianzhong Mao
Date: 2024-07-15

The statement is based on a single evaluation of the sample of above mentioned product. It does not imply an assessment of the whole production.

Waltek Testing Group (Ningbo) Co., Ltd.

Hotline: 400-840-2288 E-mail: nb@waltek.com.cn
Http://www.waltek.com.cn

Ver.10.22, WALTEK is registered trademark. Utilisation and application requires prior approval.

VERIFICATION OF CONFORMITY

Attachment

Model list

Reference No: WTN24N06132846E

No.	Model	Rated Input	Rated Output	Note
1.	ZG-PDU J00/10A/16A	250 Vac, 50 - 60 Hz	USB max output: 5 Vdc, 2.1 A Socket: max 16 A	/
2.	G-PDUM0/12A/15A			
3.	ZG-PDUG1/10A/16A			
4.	ZG-PDUG			
5.	ZG-PDU00			
6.	ZG-PDU00/10A/16A			
7.	ZG-PDUF/10A/16A			
8.	ZG-PDUW1/10A/16A			
9.	ZG-PDUW2/10A/16A			
10.	ZG-PDU			
11.	ZG-PDUC3/10A/15A			
12.	ZG-PDUC9/10A/15A			
13.	ZG-PDUA/10A/15A			
14.	ZG-PDUY/10A/15A			
15.	ZG-JJ/12A/15A			
16.	ZG-HG/12A/15A			
17.	ZG-ZJ/12A/15A			
18.	ZG-SJ/12A/15A			
19.	ZG-DQ/12A/15A			
20.	ZG-PC/12A/15A			

VERIFICATION OF CONFORMITY

Registration No.	:	**WTN22D07148186R3**
Reference No.	:	**WTN22D07148186R3Z**
Applicant	:	**Guangdong Zhangong Electric Technology Co., Ltd.**
Address	:	**Room 701, Building 29, Shunde Zhifu Park, No.8, 2nd Ring Road, Gaozan village committee, Xingtan town, Shunde District, Foshan City, Guangdong Province**
Manufacturer	:	**The same as above**
Address	:	**The same as above**
Product	:	**See attachment**
Model No.	:	**See attachment**
Technical data	:	**See attachment**

Test Standards:

DIN VDE 0620-1(VDE 0620-1):2021-02
DIN VDE 0620-2-1 VDE 0620-2-1:2021-02/A1 VDE 0620-2-1/A1:2023-09
EN IEC 61558-1:2019
EN 61558-2-16:2009+A1:2013

The above product has been tested by us with the listed standards and found in compliance with the European Directive LVD 2014/35/EU. It is possible to use CE marking to demonstrate the compliance with this LVD Directive.

Plugs and socket-outlets for household and similar purposes Part 1: General requirements
Plugs and socket-outlets for household and similar purposes –
Part 2-1: General requirements on plugs and portable socket-outlets

The referred test report(s) show that the product complies with standard(s) recognized as giving presumption of compliance with the essential requirements in the above mentioned EU Directive.Other relevant Directives have to be observed.

After preparation of the necessary technical documentation as well as the EU Declaration of Con formity,the CE marking as shown below can be affixed on the equipment under the sole responsi bility of the manufacturer.

CE

Manager:Devar Qin
Date:2025-04-18

The statement is based on a single evaluation of the sample of above mentioned product.It does not imply an assessment of the whole production.

Waltek Testing Group Co., Ltd.

Hotline:400-840-2288 **E-mail:info@waltek.com.cn**

Http://www.waltek.com.cn

Ver.03. 26.09.2024, WALTEK is registered trademark. Utilisation and application requires prior approval.

VERIFICATION OF CONFORMITY

Attachment

Model list

Reference No.: WTN22D07148186R3Z

Product name	Model Name	Description
Power Strip	ZG-PDUM0/12A/15A	250V~ 50/60Hz 16A USB Output: DC 5V 2.1A All models are exactly the same except the different appearance and model names
	ZG-PDUG1/10A/16A	
	ZG-PDUG	
	ZG-PDU00	
	ZG-PDU00/10A/16A	
	ZG-PDUJ00/10A/16A	
	ZG-PDUF/10A/16A	
	ZG-PDUW1/10A/16A	
	ZG-PDUW2/10A/16A	
	ZG-PDU	
	ZG-PDUC3/10A/15A	
	ZG-PDUC9/10A/15A	
	ZG-PDUA/10A/15A	
	ZG-PDUY/10A15A	
	ZG-JJ/12A/15A	
	ZG-HG/12A/15A	
	ZG-ZJ/12A/15A	
	ZG-SJ/12A/15A	
	ZG-DQ/12A/15A	
	ZG-PC/12A/15A	

======End of Attachment======

Waltek Testing Group Co., Ltd.

Hotline:400-840-2288 **E-mail:info@waltek.com.cn**

Http://www.waltek.com.cn

Ver.03. 26.09.2024, WALTEK is registered trademark. Utilisation and application requires prior approval.

中国认可
国际互认
检测
TESTING
CNAS L11210

TEST REPORT

Report No.	:	WTN24N06146373A1C
Applicant	:	Guangdong Zhangong Electrical Technology Co., LTD
Address	:	701, Building 29, Zhifu Garden, Xingtan Town, Shunde District, Foshan City
Manufacturer	:	Guangdong Zhangong Electrical Technology Co., LTD
Address	:	701, Building 29, Zhifu Garden, Xingtan Town, Shunde District, Foshan City
Sample Name	:	Furniture socket
Sample Model	:	ZG-PDU J00/10A/16A, ZG-JJY-8UK, ZG-JJY-2UK
Reference Sample Model	:	Refer to following pages
Test Requested	:	As applicant's requirement, in accordance with the RoHS Directive 2011/65/EU and its amendment (EU) No. 2015/863, to determine the Lead (Pb), Cadmium (Cd), Mercury (Hg), Hexavalent chromium [Cr (VI)], polybrominated biphenyls (PBBs), polybrominated diphenyl ethers (PBDEs), dibutyl phthalate (DBP), butyl benzyl phthalate (BBP), di (2-ethylhexyl) phthalate (DEHP), diisobutyl phthalate (DIBP) content in the submitted sample
Test Conclusion	:	**PASS** (Please refer to following pages for details)
Date of Receipt sample	:	2024/6/24 & 2024/7/11
Testing period	:	2024/6/24~2024/7/16
Date of Issue	:	2024/7/16
Test Result	:	Refer to following pages

Prepared By:
Waltek Testing Group (Ningbo) Co., Ltd.
Address: Zone 3, 1/F., No.6, Building 011; Zone 1, 5/F., No.1, Building 007, No.1177 Lingyun Road, Ningbo National Hi -Tech Zone, Ningbo, Zhejiang Province, China
Tel: +86-574-8749 3888 Fax: +86-574-8386 8018 E-mail: nb@waltek.com.cn

Signed for and on behalf of
Waltek Testing Group (Ningbo) Co., Ltd.