

Montageanleitung | Instructions de montage


Assembly Instructions | Instrucciones de montaje

SKU NUMBER:

N616P526353/N616P526354/

N616P526355

140x200



GB This set comes in 3 boxes. If you do not receive a full set of 3 boxes, please contact our customer service.

DE Dieses Set wird in 3 Schachteln geliefert. Wenn Sie nicht ein komplettes Set von 3 Boxen erhalten, kontaktieren Sie bitte unseren Kundenservice.

FR Ce set est livré en 3 boîtes. Si vous ne recevez pas un jeu complet de 3 boîtes, veuillez contacter notre service clientèle.

English

IMPORTANT ! KEEP FOR FUTURE REFERENCE : READ CAREFULLY

- To be assembled by an adult. Assembly must be checked by an adult before use
- **WARNING !** Keep all screws, small parts and plastic bags out of the reach of children
- Properly identify all parts before assembling
- Never use your item if any of its parts are broken or missing
- Should any problems arise, please contact our After Sales Service
- Manufacturer's instructions shall be followed at all times
- Care: Clean with a soft, dry cloth. In case of larger stains, carefully rub with a slightly damp, non-abrasive sponge
- Avoid the risk of fire by not placing furniture near sources of ignition or hot items
- Do not jump on the bed

Deutsch

WICHTIG ! ZUM SPÄTEREN NACHSCHLAGEN AUFBEWAHREN: SORGFÄLTIG LESEN

- Muss von einem Erwachsenen zusammengebaut werden. Der Zusammenbau muss vor dem Gebrauch von einem Erwachsenen überprüft werden
- **WARNUNG!** Bewahren Sie alle Schrauben, Kleinteile und Plastikbeutel außerhalb der Reichweite von Kindern auf
- Kennzeichnen Sie vor dem Zusammenbau alle Teile richtig
- Benutzen Sie Ihren Artikel niemals, wenn Teile gebrochen sind oder fehlen
- Sollten Probleme auftreten, wenden Sie sich bitte an unseren Kundendienst
- Die Anweisungen des Herstellers sind stets zu befolgen
- Pflege: Mit einem weichen, trockenen Tuch reinigen. Bei größeren Flecken vorsichtig mit einem leicht feuchten, nicht scheuernden Schwamm abreiben. nicht scheuernden Schwamm
- Vermeiden Sie die Gefahr eines Brandes, indem Sie die Möbel nicht in der Nähe von Zündquellen oder heißen Gegenständen aufstellen
- Nicht auf das Bett springen

Français

IMPORTANT ! CONSERVER POUR RÉFÉRENCE ULTÉRIEURE : LIRE ATTENTIVEMENT

- Le montage doit être effectué par un adulte. Le montage doit être vérifié par un adulte avant Utilisation
- **ATTENTION !** Tenir les vis, les petites pièces et les sachets en plastique hors de portée des enfants
- Identifiez correctement toutes les pièces avant de les assembler
- N'utilisez jamais votre article si l'une de ses pièces est cassée ou manquante
- En cas de problème, veuillez contacter notre service après-vente
- Les instructions du fabricant doivent être respectées à tout moment
- Entretien : nettoyer avec un chiffon doux et sec. En cas de taches plus importantes, frotter soigneusement avec une éponge non abrasive légèrement humide. légèrement humide et non Abrasive
- Évitez les risques d'incendie en ne plaçant pas les meubles à proximité de sources d'inflammation ou d'objets chauds
- Ne pas sauter sur le lit

Italiano



IMPORTANTE! CONSERVARE PER RIFERIMENTO FUTURO: LEGGERE ATTENTAMENTE


- Deve essere assemblato da un adulto. L'assemblaggio deve essere controllato da un adulto prima dell'uso
- ATTENZIONE! Tenere tutte le viti, le piccole parti e i sacchetti di plastica fuori dalla portata dei bambini
- Identificare correttamente tutte le parti prima dell'assemblaggio
- Non utilizzare mai l'articolo se alcune parti sono rotte o mancanti
- In caso di problemi, si prega di contattare il nostro Servizio Post Vendita
- Le istruzioni del produttore devono essere sempre seguite
- Cura: Pulire con un panno morbido e asciutto. In caso di macchie più estese, strofinare accuratamente con una spugna leggermente umida e nonspugna leggermente umida e non abrasiva
- Evitare il rischio di incendio, non collocando i mobili vicino a fonti di accensione o a oggetti caldi
- Non saltare sul letto

Español

¡ IMPORTANTE ! CONSERVELO PARA FUTURAS CONSULTAS: LEA ATENTAMENTE

- Debe ser montado por un adulto. El montaje debe ser comprobado por un adulto antes del uso
- ADVERTENCIA Mantenga todos los tornillos, piezas pequeñas y bolsas de plástico fuera del alcance de los niños.
- Identifique correctamente todas las piezas antes de montarlas
 - Nunca utilice su artículo si alguna de sus piezas está rota o falta
 - Si surge algún problema, póngase en contacto con nuestro Servicio Postventa
 - Las instrucciones del fabricante deben seguirse en todo momento
 - Cuidado: Limpiar con un paño suave y seco. En caso de manchas más grandes, frote cuidadosamente con una esponja no abrasiva ligeramente humedecida.
 - Evite el riesgo de incendio no colocando los muebles cerca de fuentes de ignición u objetos calientes.
 - No saltar sobre la cama.






EN_QUICKFIT: Tighten quickfit until shoulder is flush with panel. Do not overtighten or undertighten.

FR_RACCORD RAPIDE: Faites serrer le raccord rapide jusqu'à ce que l'épaulement soit parfaitement encastré dans le panneau. Il ne faut ni trop serrer ni insuffisamment serrer.

ES_QUICKFIT: Apriete quickfit hasta que el hombro se descargue con el panel. NO lo sobreapriete ni lo apriete poco.

DE_QUICKFIT: Ziehen Sie den Quickfit fest, bis die Schulter mit der Platte bündig ist. Bitte nicht zu fest oder zu schwach anziehen.

IT_MONTAGGIO RAPIDO: Stringere il montaggio rapido fino a quando la spalla è a filo con il pannello, non stringere troppo o troppo poco.




EN_CAM LOCK: When fitting cam lock, ensure starting position is correct before you insert connecting quickfit.

FR_SERRURE BATTEUSE: Avant d'insérer la serrure batteuse, veillez à la bonne orientation avant d'insérer le raccord rapide.

ES_CIERRE DE LA CÁMARA: Cuando instale el cierre de la cámara, asegúrese de que la posición de inicio es correcta antes de que inserte el quickfit conector.

DE_CAM-LOCK: Achten Sie bei der Montage des Cam-Locks auf die richtige Ausgangsposition, bevor Sie den Quickfit einsetzen.

IT_BLOCCAGGIO A CAMMA: Quando si monta il bloccaggio a camma, assicurarsi che la posizione iniziale sia corretta prima di inserire il montaggio rapido di collegamento.



EN_Quickfit head should be in the centre of the cam lock when the two panels are joined.

Cam lock should be inserted before quickfit.

FR_Lorsque les deux panneaux sont assemblés, la tête du raccord rapide doit reposer au centre de la serrure batteuse. Il faut insérer la serrure batteuse avant le raccord rapide.

ES_El cabezal del quickfit debe estar en el centro del cierre de la cámara cuando se unan los dos paneles.

Se debe insertar el cierre de la cámara antes que el quickfit.

DE_Der Quickfit-Kopf sollte sich in der Mitte des Cam-Locks befinden, wenn die beiden Platten zusammengefügt sind.

Der Cam-Lock sollte vor dem Quickfit eingesetzt werden.

IT_La testa del montaggio rapido deve trovarsi al centro del bloccaggio a camma quando i due pannelli sono uniti.

Il Bloccaggio a Camma deve essere inserito prima del montaggio rapido.

EN_Turn cam lock clockwise to tighten.

FR_Faites tourner la serrure batteuse dans le sens des aiguilles d'une montre pour la resserrer.

ES_Gire el cierre de la cámara en sentido horario para apretarlo.

DE_Drehen Sie den Cam-Lock im Uhrzeigersinn, um ihn festzuziehen.


IT_Ruotare il bloccaggio a camma in senso orario per stringere.

DE: Vor dem Einbau die Schrauben in die Löcher stecken und festziehen, aber nicht bis 100%, 70% bis 80% anziehen reicht aus. Schließlich, nachdem alle Schrauben installiert sind, ziehen Sie alle Schrauben auf 100%. Wenn Sie auf diese Probleme stoßen, wie z. B. Fehlausrichtung der Löcher oder Unfähigkeit, bestimmte Teile zu installieren, überprüfen Sie bitte, ob die Schrauben korrekt verwendet werden und passen Sie die Dichtigkeit der Schrauben an.









UK: Before installation, insert the screws into the holes and tighten them, but do not tighten them to 100%, 70% to 80% is sufficient. Finally, after all screws are installed, tighten all screws to 100%. If you encounter these issues, such as if the holes cannot be aligned or some parts cannot be installed, please check if the screws are used correctly and adjust the tightness of the screws.

FR: Insérer la vis dans le trou avant la fin de l'assemblage, serrer la vis, mais ne pas serrer à 100%, 70% ~ 80% est correct. Enfin, une fois que toutes les vis sont bien serrées, toutes les vis sont serrées à 100%. Si vous rencontrez ces problèmes, par exemple si les trous ne sont pas alignés ou si certaines pièces ne peuvent pas être montées, vérifiez que les vis sont utilisées correctement et Ajustez leur serrage.




















Stückliste



Part List/Teileliste/Liste despièces N616P526353


2 x1 	3 x2 	10 x1 	21 x1 	22 x1 	24 x1 
27 x1 	29 x1 	30 x1 	49 x2 		

Part List/Teileliste/Liste despièces N616P526354


4 x1 	5 x1 	9 x4 	11 x1 	12 x1 	13 x1 
14 x1 	15 x1 	16 x1 	20 x1 	25 x1 	26 x1 
28 x1 	31 x1 	35 x1 	36 x1 	38 x1 	39 x1 
43 x2 	44 x1 	48 x3 			

Part List/Teileliste/Liste des pièces N616P526355


1 x1




2 x1




6 x1




7 x1




8 x1




17 x2




18 x1




19 x1




23 x1




32 x1




33 x1




34 x1




37 x2



40 x1




41 x1



42 x2



















47 x1




Hardware List/Hardware-Liste/Liste du matériel

N616P526354


A x 64  $\varnothing 7 \times 35$	B x 64  $\varnothing 15 \times 9.5$	C x 51  $\varnothing 8 \times 30$	D x 15  $\varnothing 5 \times 40$
E x 114  $\varnothing 4 \times 30$	F x 58  $\varnothing 3.5 \times 12$	G x 20  $M6 \times 60$	H x 10  $M6 \times 100$
I x 32  $M6 \times 10 \times 10$	J x 6 	K x 4  $17 \times 13 \times 17$	L x 2 
M x 2 	N x 1  N-1 N-2	O x 1  O-1 O-2	P x 32 
Q x 136  $\varnothing 21 \text{ mm}$	R x 1  M4	S x 1 	T x 2 
U x 2 	V x 6  $\varnothing 7 \times 50$	W x 3 	X x 2  $M6 \times 40$
Y x 8  $28 \times 12 \times 28$	Z x 1 	AA x 8  $\varnothing 3 \times 16$	BB x 14  $\varnothing 4 \times 25$



GB: Tools required (not included)
 DE: Werkzeuge erforderlich (nicht enthalten)
 FR: Outils requis (non inclus)
 IT: Attrezzi necessari (non inclusi)
 ES: Herramientas necesarias (no incluidas)



TYPE 1




TYPE 2

1


TYPE 1

A



Ø7 x 35


32



1


TYPE 2

A



Ø7 x 35

32



2




TYPE 1

B



Ø15 x 9.5

12



2




TYPE 2

B



Ø15 x 9.5

12



3


TYPE 1/TYPE 2

B



Ø15 x 9.5

4



4


TYPE 1/TYPE 2

D



Ø 5 x 40


2



5

TYPE 1


B		Ø15 x 9.5	4
C		Ø 8 x 30	1



1

2


3



5

TYPE 2


B		Ø15 x 9.5	4
C		Ø 8 x 30	1



1

2




3



6

TYPE 1

B		Ø15 x 9.5	4
C		Ø8 x 30	1

1




2

3

6

TYPE 2

B		Ø15 x 9.5	4
C		Ø8 x 30	1



1

2

3



7

TYPE 1



7

TYPE 2



8




TYPE 1

B



Ø15 x 9.5

8



8




TYPE 2

B



Ø15 x 9.5


8



9

TYPE 1


P		16
W		2




9


TYPE 2

P		16
W		2













TYPE 1



TYPE 2

10	TYPE 1/TYPE 2	A  Ø7 x 35 10
		
11	TYPE 1	A  Ø7 x 35 4
 		
11	TYPE 2	A  Ø7 x 35 4
 		

12


TYPE 1/TYPE 2

B



Ø15 x 9.5

8



13


TYPE 1/TYPE 2

B



Ø15 x 9.5



2



14

TYPE 1



C		Ø 8 x 30	6
D		Ø 5 x 40	7



14

TYPE 2

C		Ø 8 x 30	6
D		Ø 5 x 40	7



15



TYPE 1

B



Ø15 x 9.5

4



15



TYPE 2

B





Ø15 x 9.5

4





16

TYPE 1




16

TYPE 2



17


TYPE 1



C		Ø 8 x 30	2
D		Ø 5 x 40	4

17


TYPE 2




C		Ø 8 x 30	2
D		Ø 5 x 40	4

18

TYPE 1




F		Ø 3.5x12	16
L			2
M			2




18

TYPE 2




F		Ø 3.5x12	16
L			2
M			2



19

TYPE 1


P		8
W		1




19

TYPE 2

P		8
W		1






20

TYPE 1/TYPE 2

A

 Ø 7 x 35

18



21


TYPE 1/TYPE 2

B



Ø15 x 9.5


4



22

TYPE 1/TYPE 2



C		Ø 8 x 30	1
D		Ø 5 x 40	2



23


TYPE 1/TYPE 2

B		Ø15 x 9.5	8
C		Ø 8 x 30	6



24

TYPE 1/TYPE 2




25

TYPE 1/TYPE 2

N



1



26



TYPE 1/TYPE 2

B



Ø15 x 9.5

6




27


TYPE 1/TYPE 2

P



8






28


TYPE 1/TYPE 2

C		Ø 8 x 30	1
G		M 6 x 60	3
I		M 6 x 10x10	3
R			1




29

TYPE 1/TYPE 2




30

TYPE 1/TYPE 2




C		Ø 8 x 30	1
G		M 6 x 60	3
I		M 6 x10x10	3
R			1



31


TYPE 1/TYPE 2



C		Ø 8 x 30	1
G		M 6 x 60	3
I		M 6 x10x10	3
R			1


32

TYPE 1/TYPE 2




33

TYPE 1/TYPE 2




C		Ø 8 x 30	1
G		M 6 x 60	3
I		M 6 x10x10	3
R			1



34

TYPE 1/TYPE 2


C		Ø 8 x 30	6
F		Ø 3.5x12	2
Z			1



35

TYPE 1/TYPE 2


V		Ø 7 x 50	6
---	---	----------	---



36

TYPE 1/TYPE 2


C		Ø 8 x 30	6
H		M 6 x 100	10
I		M 6 x10x10	12
X		M 6 x 40	2
R			1



37

TYPE 1/TYPE 2


F		Ø 3.5x12	4
K			4




X2

38



TYPE 1/TYPE 2


C		Ø 8 x 30	8
E		Ø 4 x 30	36



39

TYPE 1/TYPE 2






E		Ø 4 x 30	28
BB		Ø 4 x 25	14



40

TYPE 1






F		Ø 3.5x12	10
J			3
Y			4
AA		Ø 3 x16	4




40

TYPE 2

F		Ø 3.5x12	10
J			3
Y			4
AA		Ø 3 x16	4





EN

NOTE: The panel behind the lower part of the L-shaped bracket has no pre-drilled holes. Simply use a screwdriver to drive the supplied screws directly into the panel.

DE

HINWEIS: Die Platte hinter dem unteren Teil des L-Winkels hat keine vorgebohrten Löcher. Drehen Sie die mitgelieferten Schrauben einfach mit einem Schraubendreher direkt in die Platte ein.

FR

REMARQUE : Le panneau situé derrière la partie inférieure de l'équerre en L ne comporte pas de trous prépercés. Vissez simplement les vis fournies directement dans le panneau à l'aide d'un tournevis.

ES

NOTA: El panel situado detrás de la parte inferior del soporte en L no tiene orificios pretaladrados. Atornille directamente en el panel los tornillos suministrados utilizando un destornillador.






IT

NOTA: Il pannello dietro la parte inferiore della staffa a L non presenta fori preforati. Avvitare le viti in dotazione direttamente nel pannello utilizzando un cacciavite.

41

TYPE 1






F		Ø 3.5x12	10
J			3
Y			4
AA		Ø 3 x16	4




41

TYPE 2

F		Ø 3.5x12	10
J			3
Y			4
AA		Ø 3 x16	4






TYPE 1/ TYPE 2

42


TYPE 1/TYPE 2


F	 Ø 3.5x12	16
T		2
U		2



43

TYPE 1/TYPE 2


C		Ø 8 x 30	6
E		Ø 4 x 30	28





44

TYPE 1/TYPE 2


C		Ø 8 x 30	4
G		M6 x 60	8
I		M6 x10x10	8
R			1






46

TYPE 1



46


TYPE 2



47



TYPE 1

O



O-2


1



47



TYPE 2

O



O-2

1




48

TYPE 1

O		O-2	1
Q			136

EN:Light strip with Velcro backing for direct attachment
 FR:Ruban adhésif à velcro pour bandes lumineuses :àcoller directement
 DE:Lichtband mit Klettverschluss zum direkten Aufkleben
 IT:Strisce luminose con velcro: si applicano direttamente
 ES:Tiras de luz con velcro para pegar directamente

O-1



EN-This product contains <1>light source of energy efficiency class<F>
 DE-Dieses Produkt enthält <1>Lichtquelle der Energie effizienzklasse<F>
 FR-Ce produit contient <1>source lumineuse de classe d'efficacité énergétique<F>

LED Bluetooth Controller




EN:Scan to download App control the Led light.
 DE:Scannen, um die App zum Steuern des LED-Lichts herunterzuladen
 FR:Scanner pour télécharger App contrôler la lumière Led.
 ES:Analice para descargar la aplicación control de la luz Led.
 IT:Scansiona per scaricare l'applicazione controlla la luce Led

48

TYPE 2

O		O-2	1
Q			136

O-1



EN:Light strip with Velcro backing for direct attachment
 FR:Ruban adhésif à velcro pour bandes lumineuses :àcoller directement
 DE:Lichtband mit Klettverschluss zum direkten Aufkleben
 IT:Strisce luminose con velcro: si applicano direttamente
 ES:Tiras de luz con velcro para pegar directamente


EN-This product contains <1>light source of energy efficiency class<F>
 DE-Dieses Produkt enthält <1>Lichtquelle der Energie effizienzklasse<F>
 FR-Ce produit contient <1>source lumineuse de classe d'efficacité énergétique<F>

LED Bluetooth Controller



EN:Scan to download App control the Led light.
 DE:Scannen, um die App zum Steuern des LED-Lichts herunterzuladen
 FR:Scanner pour télécharger App contrôler la lumière Led.
 ES:Analice para descargar la aplicación control de la luz Led.
 IT:Scansiona per scaricare l'applicazione controlla la luce Led

APP-PROGRAMMANWENDUNG



VERBINDUNGSSCHRITTE

- ① LED-Farbstreifen & Controller verbinden, Controller einschalten
- ② QR-Code scannen zum App-Download:



- ③ App starten, Controller suchen & verbinden
- ④ Bluetooth-Drahtlossteuerung genießen

PRODUKTMERKMALE

- Direkte Handy-Steuerung (20m Reichweite)
- Automatische Verbindung in 5 Sekunden
- Musikrhythmus-Synchronisation
- Gruppensteuerung
- Helligkeits-/Geschwindigkeitsregelung
- Unterstützt bis 10m RGB(W)-Streifen
- Automatische Sprachumschaltung (DE/EN)



HINWEIS:

Detaillierte Anleitung im Menü "Guide"

PRODUKTPARAMETER

- Bluetooth: BLEVA 2
- Eingangsspannung: 4.5~26V
- Betriebstemperatur: -25~75 °C
- Abmessungen: 1960x22x11mm
- Gewicht: 30g
- Max. Leistung: 6 W (5V)

ANIMATIONEFFEKTE

- Farbverläufe
- Einfarbige/ Zweifarbige Gradienten
- Monochrome/Bunte Blinkeffekte
- Farbspringen
- Musikresponsive Effekte

APP PROGRAM USAGE

Switch the
color wheel



Adjust the color

Click square icon
to adjust the color

Click to shift
the interface

Scan two-dimensional code download APP

①Connect LED color strip and controller,
power on controller

②Scan two-dimensional code download APP:



③Start APP, search and connect controller

④Enjoy the Bluetooth wireless control
experience



Notes:

detailed operating instructions,
enter the menu "Guide":

Product Paramters:

- Bluetooth:BLEV4.2
- Input Voltage:4.5~26V
- Working Temp:-25~75°C
- Size:1960x22x11mm
- Weight:30g
- Max Power: 6 W(5 V)

LED mobile phone Bluetooth
controllerProduct Features

- LED Bluetooth controller is directly via
mobilephone control remote distance can reach
20m without the need to setupeasy to connect
open the software within 5 seconds you can
automatically connect the controller
- Flow the rhythm of the music changes
- Group control
- Brightness,speed addition and subtraction
- Maximum can be 10 meters RGB(W) strip

-The software shows that the text is based
onthe language of the mobile phone set up
automatic transformation of Chinese and English

ANIMATION EFFECTS:

- Colorful gradient
- All kinds of monochrome,double color gradient
- All kinds of monochrome,double color,colorfull
flashing
- Colorful jump
- Follow the thythm of the music chagnes

APP-PROGRAMMANWENDUNG

Farbrad
Changer la
Roue chromatique



Ajuster la couleur

Cliquez sur l'icône
carrée pour ajuster
la couleur.

Changer d'
interface
par clic



REMARQUE :

Guide détaillé dans le menu
"Guide"

CARACTÉRISTIQUES

- Bluetooth : BLEVA 2
- Tension d'entrée : 4.5~26V
- Température : -25~75° C
- Dimensions : 1960x22x11mm
- Poids : 30g
- Puissance max : 6 W (5 V)

ÉTAPES DE CONNEXION

- 1 Connecter bande LED & contrôleur, allumer
- 2 Scanner QR code pour télécharger l'app :



- 3 Lancer l'app, rechercher & connecter
- 4 Profiter du contrôle Bluetooth sans fil

FONCTIONNALITÉS

- Contrôle direct par smartphone (20m)
- Connexion automatique en 5 secondes
- Synchronisation musicale
- Contrôle de groupe
- Réglage luminosité/vitesse
- Prise en charge bandes $\leq 10m$ RGB(W)
- Bascutage automatique FR/EN

EFFETS D'ANIMATION

- Dégradés de couleurs
- Dégradés uni/bicolores
- Clignotements mono/colorés
- Saut de couleurs
- Effets réactifs à la musique

UTILIZZO APP



Cambia interfaccia cliccando



NOTA:

Guida completa nel menu "Guide"

SPECIFICHE:

- Bluetooth: BLEVA 2
- Tensione ingresso: 4.5~26V
- Temperatura: -25~75° C
- Dimensioni: 1960x22x11mm
- Peso: 30g
- Potenza max: 6 W (5V)

PASSI CONNESSIONE

- ① Collega striscia LED & controller, accendi
- ② Scansiona QR code per scaricare APP:



- ③ Avvia APP, cerca & connetti controller
- ④ Goditi controllo wireless Bluetooth

CARATTERISTICHE

- Controllo diretto smartphone (20m)
- Connessione automatica in 5 secondi
- Sincronizzazione ritmo musicale
- Controllo di gruppo
- Regolazione luminosità/velocità
- Supporto strisce ≤10m RGB(W)
- Auto switch IT/EN

EFFETTI ANIMAZIONE:

- Sfumature colore
- Gradienti mono/bicolori
- Luci lampeggianti mono/colorate
- Salto colori
- Effetti reattivi alla musica

USO DE LA APLICACIÓN



NOTA:

Guía completa en menú "Guide"

ESPECIFICACIONES:

- Bluetooth: BLE V2
- Voltaje entrada: 4.5~26V
- Temperatura: -25~75° C
- Tamaño: 1960x22x11mm
- Peso: 30g
- Potencia máx: 6 W (5 V)

PASOS DE CONEXIÓN

- ① Conectar tira LED y controlador, encender
- ② Escanear QR para descargar APP:



- ③ Iniciar APP, buscar y conectar
- ④ Disfrutar control inalámbrico Bluetooth

CARACTERÍSTICAS

- Control directo móvil (20m alcance)
- Conexión automática en 5 segundos
- Sincronización ritmo musical
- Control grupal
- Ajuste brillo/velocidad
- Soporte tiras ≤10m RGB(W)
- Auto cambio ES/EN

EFFECTOS DE ANIMACIÓN:

- Degradados de color
- Transiciones mono/bicolores
- Destellos monocromáticos/color
- Salto de colores
- Efectos reactivos a música

Certificate of Compliance

RoHS Directive 2011/65/EU appendix II Revised instructions (EU) 2015/863 of the European parliament and of the council on the restriction of the use of certain hazardous substances in electrical and electronic equipment

Issue Date: Nov.27, 2025

Company Name	: GUANG TAI ENTERPRISE CO.,LTD
Address	: Rm402,Bldg 4,No.2 Dapianmei Rd.Dapianmei Village,Dalingshang DONGGUAN GUANGDONG
Manufacturer	: GUANG TAI ENTERPRISE CO.,LTD
Address	: Rm402,Bldg 4,No.2 Dapianmei Rd.Dapianmei Village,Dalingshang DONGGUAN GUANGDONG
Sample Name	: Furniture Power Distribution Unit
Sample Model	: JN02-00-21; JN02-00-111; JN02-00-112; JN02-00-212; JN02-00-22; JN00-00-02K; JN02-00-113K; JN02-00-113; JN02-00-213; JN02-00-23; JN00-00-03K; JN00-00-03; JN00-00-04K; JN00-00-04; JN02-00-23K

This certificate of compliance is based on a test procedure or an evaluation of the above-mentioned product. This is to certify that the above-mentioned product is in compliance with the According to IEC 63000:2018+AMD 1:2017 and RoHS Directive 2011/65/EU Revised instructions (EU) 2015/863 of the European parliament.

It is only valid in connection with the test report (Report No.: COBO25110736-R1)

RoHS

Signed for and on Behalf of COBO



Sam Xie / Technical Manager

GUANGDONG TI COBO TESTING CO., LTD.

EA601, Yehli Building No.9, Zongbu 2nd Road, Songshan Lake Sci.&Tech. Park, Dongguan, Guangdong, China

Tel: 86-769-26622263 Fax: 86-769-26622012





Product Service

Attestation of Conformity

No. E8A 128892 0006 Rev. 00

Holder of Attestation: **GUANG TAI ENTERPRISE CO., LTD.**Rm 402, Bldg 4, No.2 Dapianmei Rd.
Dapianmei Village, Dalingshan
523000 Dongguan, Guangdong
PEOPLE'S REPUBLIC OF CHINA**Name of Object:** **Power supply
(Furniture Power Distribution Unit)****Model(s):** JN00-00-02K, JN00-00-03K, JN00-00-04K, JN02-00-21,
JN02-00-22, JN02-00-23, JN02-00-23K, JN02-00-24K,
JN02-00-24, JN02-00-22M, JN02-00-23M, JN02-00-23KM**Description of
Object:**Ratings:
Input: 220-250VAC, 50Hz, Max 16A, Max 3680W
USB A1/USB A2 Output: 5.0VDC, 2.1A, 10.5W Max
Total USB output: 5.0VDC, 2.1A, 10.5W Max
Protection Class: I**Tested
according to:**EN 55032:2015/A1:2020
EN 55035:2017/A1:2020
EN IEC 61000-3-2:2019/A1:2021
EN 61000-3-3:2013/A2:2021

This Attestation of Conformity is issued on a voluntary basis according to the Directive 2014/30/EU relating to electromagnetic compatibility. It confirms that the listed apparatus complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: www.tuvsud.com/ps-cert

Test report no.: 657602423101**Date,** 2025-01-10
(Laurent Yuan)

Page 1 of 1

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. N8A 128892 0001 Rev. 00

Holder of Attestation: **GUANG TAI ENTERPRISE CO., LTD.**Rm 402, Bldg 4, No.2 Dapianmei Rd.
Dapianmei Village, Dalingshan
523000 Dongguan, Guangdong
PEOPLE'S REPUBLIC OF CHINA**Product:** **Cord extension set
(Furniture Power Distribution Unit)**

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: www.tuvsud.com/ps-cert

Test report no.: 6810024020501**Date,** 2025-01-10
(Michael Xu)

Page 1 of 2

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.

Shenzhen ZKT Technology Co., Ltd.
1/F, No. 101, Building B, No. 6, Tangwei Community Industrial Avenue,
Fuhai Street, Bao'an District, Shenzhen, China



Certificate of Compliance

Certificate Number: ZKT-250306L3766C

Certificate's Holder : Xingning Lo Chen Photoelectric Co. , Ltd.
602,6f, Zhenhua cultural and sports centre, the new China National Highway 205 of E San Tsuen, No. 2 Xingtian Road, Xingning

Manufacturer : Xingning Lo Chen Photoelectric Co. , Ltd.
602,6f, Zhenhua cultural and sports centre, the new China National Highway 205 of E San Tsuen, No. 2 Xingtian Road, Xingning

Trade Mark : /

Product : Led Strip Light

Model(s) : LC-5050,
LC-2835, LC-3528, LC-3014, LC-5730, LC-5630, LC-7020, LC-3535

Test Standard : EN IEC 55015:2019+A11:2020
EN IEC 61000-3-2:2019 + A1:2021 + A2:2024
EN 61000-3-3:2013 + A1:2019 + A2:2021
EN IEC 61547:2023

This Attestation of Compliance is issued on a voluntary basis for electrical equipment below the voltage limits of EMC Directive 2014/30/EU. The essential requirements are fulfilled accordingly based on the technical specifications applicable at the time of issuance. See also notes overleaf. It is only valid in connection with the test report number: ZKT-250306L3766E.



This Certificate of Conformity is based on single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole product and relevant Directives to be observed.

Shenzhen ZKT Technology Co., Ltd.

1/F, No. 101, Building B, No. 6, Tangwei Community Industrial Avenue,
Fuhai Street, Bao'an District, Shenzhen, China



Certificate of Compliance

Certificate Number: ZKT-250306L3769C

Certificate's Holder : Xingning Lo Chen Photoelectric Co. , Ltd.

Address : 602,6f, Zhenhua cultural and sports centre, the new China National Highway 205 of E San Tsuen, No. 2 Xingtian Road, Xingning

Manufacturer : Xingning Lo Chen Photoelectric Co. , Ltd.

Address : 602,6f, Zhenhua cultural and sports centre, the new China National Highway 205 of E San Tsuen, No. 2 Xingtian Road, Xingning

Product : Led Strip Light

Trade Mark : /

Model(s) : LC-5050,
LC-2835, LC-3528, LC-3014, LC-5730, LC-5630, LC-7020,
LC-3535

Test Method : IEC 62321-5:2013 & IEC 62321-4:2013+A1:2017 &
IEC 62321-7-2:2017 & IEC 62321-6:2015 & IEC 62321-8:2017
& IEC 62321-3-1:2013 & IEC 62321-7-1:2015

The following products have been tested by us and found in conformity with the (RoHS) Directive 2011/65/EU Annex II amending Annex (EU)2015/863 and amending Annex (EU)2017/2102. It is possible to use CE Marking to demonstrate the conformity with this Directive. It is only valid in connection with the test report number: ZKT-250306L3769R. After preparation of the necessary technical documentation according the requirement of EN IEC 63000:2018 as well as the verification of conformity the CE marking as shown below can be affixed on the equipment.



This Certificate of Conformity is based on single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole product and relevant Directives to be observed.

Verification of Compliance

Verification No.: MK25080113P01-C01
Name and address of Applicant: Shenzhen Meideno Technology Co., Ltd.
 34th Floor, Hongfa Li Building, Guangming Road. Sima Pu town, Chaonan District, Shantou City
Name and address of Manufacturer: Shenzhen Meideno Technology Co., Ltd.
 34th Floor, Hongfa Li Building, Guangming Road. Sima Pu town, Chaonan District, Shantou City
Product name: Bluetooth controller
Product model(s): JSY-K18, JSY-K18-1
Product trademark: N/A

This verification confirms that the product meets the requirements of the following standard.
 The conformity was demonstrated based on following standard(s) listed by European Commission as harmonized with Directive RoHS 2.0 Directive (EU) 2015/863 and (EU)2017/2102 amending Annex II to Directive 2011/65/EU

IEC 62321-1:2013	IEC 62321-3-1:2013
IEC 62321-4:2013/AMD1:2017	IEC 62321-5:2013
IEC 62321-6:2015	IEC 62321-7-1:2015
IEC 62321-7-2:2017	IEC 62321-8:2017
IEC 62321-2:2021	

The verification has been carried out in accordance with individual rules and conditions agreed with the applicant. Evaluation has been carried out in accordance with:

Test report(s) No.: MK25080113P01-C01
Test conducted by: TMC Testing Services (Shenzhen) Co., Ltd.
Verification issue date: August 21, 2025

Notes:

This verification refers to the above mentioned product and its conformity in regards of above mentioned standard(s) was proven on test sample.

This verification does not imply meeting all essential requirements, assessment of the series-production or any other restricted Notified Bodies conformity assessment procedure appropriate for the product.

This verification holder shall use this verification in connection to verification of conformity and technical data relevant for the product the verification was issued.

TMC Testing Services (Shenzhen) Co., Ltd.

t:86-755-86642861 cert@tmc-lab.com www.tmc-lab.com

1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyan Street, Baoan District, Shenzhen, China



Verification of Compliance

Verification No.: MK25040023P01-R01
Name and address of Applicant: Shenzhen Meldeno Technology Co., Ltd.
 34th Floor, Hongfa Li Building, Guangming Road, Sima Pu town, Chaonan District, Shantou City
Name and address of Manufacturer: Shenzhen Meldeno Technology Co., Ltd.
 34th Floor, Hongfa Li Building, Guangming Road, Sima Pu town, Chaonan District, Shantou City
Product name: 2.4G controller
Rated: Remote: 3V ---
 Controller: 5V ---
Product model(s): JSY-K18, JSY-Y19, MDN-008
Product trademark: N/A

This verification confirms that the product meets the requirements of the following standard.
 The conformity was demonstrated based on following standard(s) listed by European Commission as harmonized with RE Directive (2014/53/EU).

ETSI EN301 489-1 V2.2.3 (2019-11)
 ETSI EN 301 489-17 V3.3.1 (2024-09)
 ETSI EN 300 328 V2.2.2 (2019-07)
 EN 62479:2010 EN50663:2017
 EN IEC 62368-1:2020 + A11:2020

The verification has been carried out in accordance with individual rules and conditions agreed with the applicant. Evaluation has been carried out in accordance with:

Test report(s) No.: MK25040023P01-S01 MK25040023P01-E01
 MK25040023P01-RF01 MK25040023P01-H01
Test conducted by: TMC Testing Services (Shenzhen) Co., Ltd.
Verification issue date: April 17, 2025

Notes:

This verification refers to the above mentioned product and its conformity in regards of above mentioned standard(s) was proven on test sample.

This verification does not imply meeting all essential requirements, assessment of the series-production or any other restricted Notified Bodies conformity assessment procedure appropriate for the product.

This verification holder shall use this verification in connection to verification of conformity and technical data relevant for the product the verification was issued.

TMC Testing Services (Shenzhen) Co., Ltd.

t: 86-755-86642861 cert@tmc-lab.com www.tmc-lab.com

1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyan Street, Baoan District, Shenzhen, China

