
Montageanleitung | Instructions de montage
Assembly Instructions| Instrucciones de montaje


SKU NUMBER:

N616P526365/N616P526366/
N616P526367

140x200



TYPE 2



TYPE 1

GB This set comes in 3 boxes. If you do not receive a full set of 3 boxes, please contact our customer service.

DE Dieses Set wird in 3 Schachteln geliefert. Wenn Sie nicht ein komplettes Set von 3 Boxen erhalten, kontaktieren Sie bitte unseren Kundenservice.

FR Ce set est livré en 3 boîtes. Si vous ne recevez pas un jeu complet de 3 boîtes, veuillez contacter notre service clientèle.

English

IMPORTANT ! KEEP FOR FUTURE REFERENCE : READ CAREFULLY

- To be assembled by an adult. Assembly must be checked by an adult before use
- WARNING ! Keep all screws, small parts and plastic bags out of the reach of children
- Properly identify all parts before assembling
- Never use your item if any of its parts are broken or missing
- Should any problems arise, please contact our After Sales Service
- Manufacturer's instructions shall be followed at all times
- Care: Clean with a soft, dry cloth. In case of larger stains, carefully rub with a slightly damp, non-abrasive sponge
- Avoid the risk of fire by not placing furniture near sources of ignition or hot items
- Do not jump on the bed

Deutsch

WICHTIG ! ZUM SPÄTEREN NACHSCHLAGEN AUFBEWAHREN: SORGFÄLTIG LESEN

- Muss von einem Erwachsenen zusammengebaut werden.Der Zusammenbau muss vor dem Gebrauch von einem Erwachsenen überprüft werden
- WARNUNG! Bewahren Sie alle Schrauben, Kleinteile und Plastikbeutel außerhalb der Reichweite von Kindern auf
- Kennzeichnen Sie vor dem Zusammenbau alle Teile richtig
- Benutzen Sie Ihren Artikel niemals, wenn Teile gebrochen sind oder fehlen
- Sollten Probleme auftreten, wenden Sie sich bitte an unseren Kundendienst
- Die Anweisungen des Herstellers sind stets zu befolgen
- Pflege: Mit einem weichen, trockenen Tuch reinigen. Bei größeren Flecken vorsichtig mit einem leicht feuchten, nicht scheuernden Schwamm abreiben. nicht scheuernden Schwamm
- Vermeiden Sie die Gefahr eines Brandes, indem Sie die Möbel nicht in der Nähe von Zündquellen oder heißen Gegenständen aufstellen
- Nicht auf das Bett springen

Français

IMPORTANT ! CONSERVER POUR RÉFÉRENCE ULTÉRIEURE : LIRE ATTENTIVEMENT

- Le montage doit être effectué par un adulte. Le montage doit être vérifié par un adulte avant Utilisation
- ATTENTION ! Tenir les vis, les petites pièces et les sachets en plastique hors de portée des enfants
- Identifiez correctement toutes les pièces avant de les assembler
- N'utilisez jamais votre article si l'une de ses pièces est cassée ou manquante
- En cas de problème, veuillez contacter notre service après-vente
- Les instructions du fabricant doivent être respectées à tout moment
- Entretien : nettoyer avec un chiffon doux et sec. En cas de taches plus importantes, frotter soigneusement avec une éponge non abrasive légèrement humide. légèrement humide et non Abrasive
- Évitez les risques d'incendie en ne plaçant pas les meubles à proximité de sources d'inflammation ou d'objets chauds
- Ne pas sauter sur le lit

Italiano

IMPORTANTE! CONSERVARE PER RIFERIMENTO FUTURO: LEGGERE ATTENTAMENTE

- Deve essere assemblato da un adulto. L'assemblaggio deve essere controllato da un adulto prima dell'uso
- ATTENZIONE! Tenere tutte le viti, le piccole parti e i sacchetti di plastica fuori dalla portata dei bambini
- Identificare correttamente tutte le parti prima dell'assemblaggio
- Non utilizzare mai l'articolo se alcune parti sono rotte o mancanti
- In caso di problemi, si prega di contattare il nostro Servizio Post Vendita
- Le istruzioni del produttore devono essere sempre seguite
- Cura: Pulire con un panno morbido e asciutto. In caso di macchie più estese, strofinare accuratamente con una spugna leggermente umida e nonspugna leggermente umida e non abrasiva
- Evitare il rischio di incendio, non collocando i mobili vicino a fonti di accensione o a oggetti caldi
- Non saltare sul letto


Español


¡ IMPORTANTE ! CONSÉRVELO PARA FUTURAS CONSULTAS: LEA ATENTAMENTE

- Debe ser montado por un adulto. El montaje debe ser comprobado por un adulto antes del uso


ADVERTENCIA Mantenga todos los tornillos, piezas pequeñas y bolsas de plástico fuera del alcance de los niños.

- Identifique correctamente todas las piezas antes de montarlas
- Nunca utilice su artículo si alguna de sus piezas está rota o falta
- Si surge algún problema, póngase en contacto con nuestro Servicio Postventa
- Las instrucciones del fabricante deben seguirse en todo momento
- Cuidado: Limpiar con un paño suave y seco. En caso de manchas más grandes, frote cuidadosamente con una esponja no abrasiva ligeramente humedecida.
- Evite el riesgo de incendio no colocando los muebles cerca de fuentes de ignición u objetos calientes.
- No saltar sobre la cama.












EN_QUICKFIT: Tighten quickfit until shoulder is flush with panel.Do not overtighten or undertighten.
FR_RACCORD RAPIDE:Faites serrer le raccord rapide jusqu'à ce que l'épaulement soit parfaitement encastré dans le panneau. Il ne faut ni trop serrer ni insuffisamment serrer.
ES_QUICKFIT:Apriete quickfit hasta que el hombre se descargue con el panel. NO lo sobreapriete ni lo apriete poco.
DE_QUICKFIT:Ziehen Sie den Quickfit fest, bis die Schulter mit der Platte bündig ist. Bitte nicht zu fest oder zu schwach anziehen.
IT_MONTAGGIO RAPIDO:Stringere il montaggio rapido fino a quando la spalla è a filo con il pannello, non stringere troppo o troppo poco.



EN_CAM LOCK: When fitting cam lock, ensure starting position is correct before you insert connecting quickfit.
FR_SERRURE BATTEUSE:Avant d'insérer la serrure batteuse, veillez à la bonne orientation avant d'insérer le raccord rapide.
ES_CIERRE DE LA CÁMARA:Cuando instale el cierre de la cámara, asegúrese de que la posición de inicio es correcta antes de que inserte el quickfit conector.
DE_CAM-LOCK:Achten Sie bei der Montage des Cam-Locks auf die richtige Ausgangsposition, bevor Sie den Quickfit einsetzen.
IT_BLOCCAGGIO A CAMMA:Quando si monta il bloccaggio a camma, assicurarsi che la posizione iniziale sia corretta prima di inserire il montaggio rapido di collegamento.



EN_ Quickfit head should be in the centre of the cam lock when the two panels are joined.
Cam lock should be inserted before quickfit.
FR_ Lorsque les deux panneaux sont assemblés, la tête du raccord rapide doit reposer au centre de la serrure batteuse.
Il faut insérer la serrure batteuse avant le raccord rapide.
ES_ El cabezal del quickfit debe estar en el centro del cierre de la cámara cuando se unan los dos paneles.
Se debe insertar el cierre de la cámara antes que el quickfit.
DE_ Der Quickfit-Kopf sollte sich in der Mitte des Cam-Locks befinden, wenn die beiden Platten zusammengefügt sind.
Der Cam-Lock sollte vor dem Quickfit eingesetzt werden.
IT_ La testa del montaggio rapido deve trovarsi al centro del bloccaggio a camma quando i due pannelli sono uniti.
Il Bloccaggio a Camma deve essere inserito prima del montaggio rapido.




EN_ Turn cam lock clockwise to tighten.
FR_ Faites tourner la serrure batteuse dans le sens des aiguilles d'une montre pour la resserrer.
ES_ Gire el cierre de la cámara en sentido horario para apretarlo.
DE_ Drehen Sie den Cam-Lock im Uhrzeigersinn, um ihn festzuziehen.
IT_ Ruotare il bloccaggio a camma in senso orario per stringere.

DE:Vor dem Einbau die Schrauben in die Löcher stecken und festziehen, aber nicht bis 100%,70% bis 80% anziehen reicht aus. Schließlich, nachdem alle Schrauben installiert sind, ziehen Sie alle Schrauben auf 100%. Wenn Sie auf diese Probleme stoßen, wie z. B. Fehlausrichtung der Löcher oder Unfähigkeit, bestimmte Teile zu installieren, überprüfen Sie bitte, ob die Schrauben korrekt verwendet werden und passen Sie die Dichtigkeit der Schrauben an.
















UK:Before installation, insert the screws into the holes and tighten them, but do not tighten them to 100%, 70% to 80% is sufficient. Finally, after all screws are installed, tighten all screws to 100%.If you encounter these issues, such as if the holes cannot be aligned or some parts cannot be installed, please check if the screws are used correctly and adjust the tightness of the screws.

FR:Insérer la vis dans le trou avant la fin de l'assemblage, serrer la vis, mais ne pas serrer à 100%, 70% ~ 80% est correct. Enfin, une fois que toutes les vis sont bien serrées, toutes les vis sont serrées à 100%.Si vous rencontrez ces problèmes, par exemple si les trous ne sont pas alignés ou si certaines pièces ne peuvent pas être montées, vérifiez que les vis sont utilisées correctement et Ajustez leur serrage.
























Stückliste


24
25
30
28
27
29
32
33
31
26
34
39
35
37
36
37
38
1
5
2
3
4
6
9
7
9
10
49
48
9
8
48
49
9
48
12
47
2
3
11
41
43
44
44
46
40
42
45
X2
19
13
20
22
23
21
15
17
17
18
14
16












Part List/Teileliste/Liste despièces N616P526365

2 x2 	9 x4 	17 x 2 	21 x1 	22 x1 	23 x1 
24 x1 	27 x1 	29 x1 	30 x1 	31 x1 	33 x1 
39 x1 	44 x 2 	49 x2 			

Part List/Teileliste/Liste despièces N616P526366















4 x1 	5 x1 	11 x1 	12 x1 	13 x1 	14 x1 
15 x1 	16 x1 	20 x1 	25 x1 	26 x1 	28 x1 
32 x1 	34 x1 	35 x1 	36 x1 	37 x2 	38 x1 
40 x2 	41 x2 	42 x2 	43 x2 	44 x2 	46 x2  908mm
48 x3 					


Part List/Teileliste/Liste despièces N616P526367

1 x1 	3 x 2 	6 x1 	7 x1 	8 x1 	10 x1 
18 x1 	19 x1 	45 x2 	47 x1 	HARDWARE 	


Hardware List/Hardware-Liste/Liste du matériel

N616P526367


A x 74  Ø7 x 35	B x 74  Ø15 x 9.5	C x 41  Ø8 x 30	D x 27  Ø5 x 40
E x 64  Ø4 x 30	F x 58  Ø3.5 x 12	G x 12  M6 x 60	H x 10  M6 x 100
I x 24  M6 X 10 X 10	J x 6 	K x 4  17X 13 X 17	L x 2 
M x 2 	N x 1  N-1 N-2	O x 1  O-1 O-2	P x 32 
Q x 130  Ø21 mm	R x 1  M4	S x 1 	T x 8 
U x 14  Ø4 x 25	V x 6  Ø 7 x 50	Wx 3 	X x 2  M6 x 40
Y x 8  28 X 12 X 28	Z x 1 	AA x 8  Ø3.5x16	



GB: Tools required (not included)
DE: Werkzeuge erforderlich (nicht enthalten)
FR: Outils requis (non inclus)
IT: Attrezzi necessari (non inclusi)
ES: Herramientas necesarias (no incluidas)





TYPE 1




TYPE 2

1	TYPE 1	A	Ø7 x 35	32








1	TYPE 2	A	Ø7 x 35	32




2	TYPE 1	B	Ø15 x 9.5	12










2	TYPE 2	B	Ø15 x 9.5	12









3	TYPE 1/TYPE 2	B	Ø15 x 9.5	4







4	TYPE 1/TYPE 2	D	Ø 5 x 40	2




5 TYPE 1

B		Ø15 x 9.5	4
C		Ø 8 x 30	1










5 TYPE 2

B		Ø15 x 9.5	4
C		Ø 8 x 30	1










6 TYPE 1

B		Ø15 x 9.5	4
C		Ø 8 x 30	1










6 TYPE 2


B		Ø15 x 9.5	4
C		Ø 8 x 30	1










7 TYPE 1







7 TYPE 2







8	TYPE 1	B	Ø15 x 9.5	8









8	TYPE 2	B	Ø15 x 9.5	8










9 TYPE 1


P		16
W		2







9 TYPE 2


P		16
W		2








TYPE 1





TYPE 2

10	TYPE 1/TYPE 2	A	Ø7 x 35	10





11	TYPE 1	A	Ø7 x 35	4






11	TYPE 2	A	Ø7 x 35	4






12	TYPE 1/TYPE 2	B	Ø15 x 9.5	8





13	TYPE 1/TYPE 2	B	Ø15 x 9.5	2



14 TYPE 1


C		Ø 8 x 30	6
D		Ø 5 x 40	7







14 TYPE 2


C		Ø 8 x 30	6
D		Ø 5 x 40	7







15	TYPE 1	B	Ø15 x 9.5	4







15	TYPE 2	B	Ø15 x 9.5	4







16 TYPE 1






16 TYPE 2






17 TYPE 1


C		Ø 8 x 30	2
D		Ø 5 x 40	4






17 TYPE 2


C		Ø 8 x 30	2
D		Ø 5 x 40	4






18 TYPE 1


F	Ø 3.5x12	16
L		2
M		2






18 TYPE 2


F	Ø 3.5x12	16
L		2
M		2







19 TYPE 1


P		8
W		1







19 TYPE 2

P		8
W		1









TYPE 1/ TYPE 2

20	TYPE 1/TYPE 2	A	Ø 7 x 35	18




21	TYPE 1/TYPE 2	B	Ø15 x 9.5	4




22 TYPE 1/TYPE 2


C		Ø 8 x 30	1
D		Ø 5 x 40	2




23 TYPE 1/TYPE 2

B		Ø15 x 9.5	8
C		Ø 8 x 30	6






24 TYPE 1/TYPE 2




25 TYPE 1/TYPE 2


N		1




26	TYPE 1/TYPE 2	B	Ø15 x 9.5	6




27	TYPE 1/TYPE 2	P		8






28 TYPE 1/TYPE 2

C	Ø 8 x 30	1
G	M 6 x 60	3
I	M 6 x10x10	3
R		1





29 TYPE 1/TYPE 2



30 TYPE 1/TYPE 2


C	Ø 8 x 30	1
G	M 6 x 60	3
I	M 6 x10x10	3
R		1







31 TYPE 1/TYPE 2

C	Ø 8 x 30	1
G	M 6 x 60	3
I	M 6 x10x10	3
R		1







32 TYPE 1/TYPE 2



33 TYPE 1/TYPE 2


C	Ø 8 x 30	1
G	M 6 x 60	3
I	M 6 x10x10	3
R		1






34 TYPE 1/TYPE 2

C	Ø 8 x 30	6
F	Ø 3.5 x 12	2
Z		1




35 TYPE 1/TYPE 2

V	Ø 7 x 50	6




36 TYPE 1/TYPE 2

C	Ø 8 x 30	6
H	M 6 x 100	10
I	M 6 x10x10	12
X	M 6 x 40	2
R		1




37 TYPE 1/TYPE 2

F	Ø 3.5x12	4
K	17x13x17	4




38 TYPE 1/TYPE 2

C	Ø 8 x 30	8
E	Ø 4 x 30	36




39 TYPE 1/TYPE 2

E	Ø 4 x 30	28
U	Ø 4 x 25	14




40 TYPE 1


F	Ø 3.5x12	10
J		3
Y	28x12x28	4
AA	Ø 3.5x16	4





40 TYPE 2


F	Ø 3.5x12	10
J		3
Y	28x12x28	4
AA	Ø 3.5x16	4














EN

NOTE: The panel behind the lower part of the L-shaped bracket has no pre-drilled holes. Simply use a screwdriver to drive the supplied screws directly into the panel.

DE

HINWEIS: Die Platte hinter dem unteren Teil des L-Winkels hat keine vorgebohrten Löcher. Drehen Sie die mitgelieferten Schrauben einfach mit einem Schraubendreher direkt in die Platte ein.

FR

REMARQUE : Le panneau situé derrière la partie inférieure de l’équerre en L ne comporte pas de trous prépercés. Vissez simplement les vis fournies directement dans le panneau à l’aide d’un tournevis.

ES


NOTA: El panel situado detrás de la parte inferior del soporte en L no tiene orificios pretaladrados. Atornille directamente en el panel los tornillos suministrados utilizando un destornillador.

IT

NOTA: Il pannello dietro la parte inferiore della staffa a L non presenta fori preforati. Avvitare le viti in dotazione direttamente nel pannello utilizzando un cacciavite.


41 TYPE 1


F	Ø 3.5x12	10
J		3
Y	28x12x28	4
AA	Ø 3.5x16	4





41 TYPE 2


F	Ø 3.5x12	10
J		3
Y	28x12x28	4
AA	Ø 3.5x16	4
















TYPE 1/ TYPE 2

42	TYPE 1/TYPE 2	A	Ø 7 x 35	10




X2


43	TYPE 1/TYPE 2	D	Ø 5 x 40	12




44	TYPE 1/TYPE 2




45	TYPE 1/TYPE 2	B	Ø15 x 9.5	10




46	TYPE 1/TYPE 2	F	Ø 3.5 x12	16
		T		8




47 TYPE 1




47 TYPE 2





48	TYPE 1	O	O-2	1





48	TYPE 2	O	O-2	1






49 TYPE 1

O	O-1	1
Q		130

EN:Light strip with Velcro backing for direct attachment
FR:Ruban adhésif àvelcro pour bandes lumineuses :àcoller directement
DE:Lichtband mit Klettverschluss zum direkten Aufkleben
IT:Strisce luminose con velcro: si applicano direttamente
ES:Tiras de luz con velcro para pegar directamente




EN-This product contains <1>light source of energy efficiency class<F>
DE-Dieses Produkt enthalt <1>Lichtquelle der Energie effizienzklasse<F>
FR-Ce produit contient <1>source lumineuse de classe d'efficacité énergétique<F>

LED Bluetooth Controller

EN:Scan to download App control the Led light.
DE:Scannen, um die App zum Steuern des LED-Lichts herunterzuladen
FR:Scanner pour télécharger App controler la lumière Led.
ES:Analice para descargar la aplicación control de la luz Led.
IT:Scansiona per scaricarel'applicazione controlla la luce Led

49 TYPE 2

O	O-1	1
Q		130




EN:Light strip with Velcro backing for direct attachment
FR:Ruban adhésif àvelcro pour bandes lumineuses :àcoller directement
DE:Lichtband mit Klettverschluss zum direkten Aufkleben
IT:Strisce luminose con velcro: si applicano direttamente
ES:Tiras de luz con velcro para pegar directamente

EN-This product contains <1>light source of energy efficiency class<F>
DE-Dieses Produkt enthalt <1>Lichtquelle der Energie effizienzklasse<F>
FR-Ce produit contient <1>source lumineuse de classe d'efficacité énergétique<F>

LED Bluetooth Controller

EN:Scan to download App control the Led light.
DE:Scannen, um die App zum Steuern des LED-Lichts herunterzuladen
FR:Scanner pour télécharger App controler la lumière Led.
ES:Analice para descargar la aplicación control de la luz Led.
IT:Scansiona per scaricarel'applicazione controlla la luce Led

APP-PROGRAMMANWENDUNG



Farbrad wechseln

Farbe anpassen

Farbanpassung per Quadrat-Symbol

Schnittstelle durch Klicken wechseln



HINWEIS:

Detaillierte Anleitung im Menü "Guide"

PRODUKTPARAMETER

- Bluetooth: BLEVA 2
- Eingangsspannung: 4.5~26V
- Betriebstemperatur: -25~75 ° C
- Abmessungen: 1960x22x11mm
- Gewicht: 30g
- Max. Leistung: 6 W (5V)

VERBINDUNGSSCHRITTE

①LED-Farbstreifen & Controller verbinden, Controller einschalten

②QR-Code scannen zum App-Download:

③ App starten, Controller suchen & verbinden

④Bluetooth-Drahtlossteuerung genießen


PRODUKTMERKMALE

- Direkte Handy-Steuerung (20m Reichweite)
- Automatische Verbindung in 5 Sekunden
- Musikrhythmus-Synchronisation
- Gruppensteuerung
- Helligkeits-/Geschwindigkeitsregelung
- Unterstützt bis 10m RGB(W)-Streifen
- Automatische Sprachumschaltung (DE/EN)

ANIMATIONSEFFEKTE

- Farbverläufe
- Einfarbige/ Zweifarbige Gradienten
- Monochrome/Bunte Blinkeffekte
- Farbspringen
- Musikresponsive Effekte

APP PROGRAM USAGE



Switch the color wheel

Adjust the color

Click spuare icon to adjust the color

Click to shift the interface

Scan two-dimensional code download APP

①Connect LED color strip and controller, power on controller

②Scan two-dimensional code download APP:

③Start APP, search and connect controller

④Enjoy the Bluetooth wireless control experience



Notes:

detailed operating instructions, enter the menu "Guide":

Product Paramters:

-Bluetooth:BLEV4.2
-Input Voltage:4.5~26V
-Working Temp:-25~75℃
-Size:1960x22x11mm
-Weight:30g
-Max Power: 6 W(5V)


LED mobile phone Bluetooth controllerProduct Features

-LED Bluetooth controller is directly via mobilephone control remote distance can reach 20m without the need to setupeasy to connect open the software within 5 seconds you can automatically connect the controller
-Flow the rhythm of the music changes
-Group control
-Brightness, speed addition and subtraction
-Maximum can be 10 meters RGB(W)strip
-The software shows that the text is based onthe language of the mobile phone set up automatic transformation of Chinese and English

ANIMATION EFFECTS:

-Colorful gradient
-All kinds of monchrome, double color gradient
-All kinds of monochrome, double color, colorfull flashing
-Colorful jump
-Follow the thythm of the music chagnes

APP-PROGRAMMANWENDUNG



Farbrad
Changer la
Roue chromatique

Ajuster la couleur

Cliquez sur l'icône
carrée pour ajuster
la couleur.

Changer d'
interface
par clic



REMARQUE :
Guide détaillé dans le menu
"Guide"

CARACTÉRISTIQUES

- Bluetooth : BLEVA 2
- Tension d'entrée : 4.5~26V
- Température : -25~75° C
- Dimensions : 1960x22x11mm
- Poids : 30g
- Puissance max : 6 W (5V)

ÉTAPES DE CONNEXION

① Connecter bande LED & contrôleur, allumer
② Scanner QR code pour télécharger l'app :

③ Lancer l'app, rechercher & connecter
④ Profiter du contrôle Bluetooth sans fil


FONCTIONNALITÉS

- Contrôle direct par smartphone (20m)
- Connexion automatique en 5 secondes
- Synchronisation musicale
- Contrôle de groupe
- Réglage luminosité/vitesse
- Prise en charge bandes ⩽10m RGB(W)
- Basculage automatique FR/EN

EFFETS D'ANIMATION

- Dégradés de couleurs
- Dégradés uni/bicolores
- Clignotements mono/colorés
- Saut de couleurs
- Effets réactifs à la musique

UTILIZZO APP



Cambia ruota colori

Regolare il colore

Regola colore con icona quadrata

Cambia interfaccia cliccando

PASSI CONNESSIONE

① Collega striscia LED & controller, accendi

② Scansiona QR code per scaricare APP:

③ Avvia APP, cerca & connetti controller

④ Goditi controllo wireless Bluetooth



NOTA:

Guida completa nel menu "Guide"

SPECIFICHE:

- Bluetooth: BLEVA 2
- Tensione ingresso: 4.5~26V
- Temperatura: -25~75° C
- Dimensioni: 1960x22x11mm
- Peso: 30g
- Potenza max: 6 W (5V)


CARATTERISTICHE

- Controllo diretto smartphone (20m)
- Connessione automatica in 5 secondi
- Sincronizzazione ritmo musicale
- Controllo di gruppo
- Regolazione luminosità/velocità
- Supporto strisce ≤10m RGB(W)
- Auto switch IT/EN

EFFETTI ANIMAZIONE:

- Sfumature colore
- Gradienti mono/bicolori
- Luci lampeggianti mono/colorate
- Salto colori
- Effetti reattivi alla musica

USO DE LA APLICACIÓN



Lámparas
Cambiar rueda de color

Ajustar el color

CliAjustar color
con icono cuadrado

Cambiar interfaz
haciendo clic

PASOS DE CONEXIÓN

① Conectar tira LED y controlador, encender

② Escanear QR para descargar APP:

③ Iniciar APP, buscar y conectar

④ Disfrutar control inalámbrico Bluetooth



NOTA:

Guía completa en menú "Guide"

ESPECIFICACIONES:

- Bluetooth: BLEVA 2
- Voltaje entrada: 4.5~26V
- Temperatura: -25~75° C
- Tamaño: 1960x22x11mm
- Peso: 30g
- Potencia máx: 6 W (5V)

CARACTERÍSTICAS

- Control directo móvil (20m alcance)
- Conexión automática en 5 segundos
- Sincronización ritmo musical
- Control grupal
- Ajuste brillo/velocidad
- Soporte tiras ≤10m RGB(W)
- Auto cambio ES/EN

EFECTOS DE ANIMACIÓN:

- Degradados de color
- Transiciones mono/bicolores
- Destellos monocromáticos/color
- Salto de colores
- Efectos reactivos a música

Certificate of Compliance

RoHS Directive 2011/65/EU appendix Ⅱ Revised instructions (EU) 2015/863 of the European parliament and of the council on the restriction of the use of certain hazardous substances in electrical and electronic equipment

Issue Date: Nov.27, 2025

Company Name	:	GUANG TAI ENTERPRISE CO.,LTD
Address	:	Rm402,Bldg 4,No.2 Dapianmei Rd.Dapianmei Village,Dalingshang DONGGUAN GUANGDONG
Manufacturer	:	GUANG TAI ENTERPRISE CO.,LTD
Address	:	Rm402,Bldg 4,No.2 Dapianmei Rd.Dapianmei Village,Dalingshang DONGGUAN GUANGDONG
Sample Name	:	Furniture Power Distribution Unit
Sample Model	:	JN02-00-21;JN02-00-111;JN02-00-112;JN02-00-212; JN02-00-22;JN00-00-02K;JN02-00-113K;JN02-00-113; JN02-00-213;JN02-00-23;JN00-00-03K;JN00-00-03; JN00-00-04K;JN00-00-04; JN02-00-23K

This certificate of compliance is based on a test procedure or an evaluation of the above-mentioned product. This is to certify that the above-mentioned product is in compliance with the According to IEC 63000:2018+AMD1:2017 and RoHS Directive 2011/65/EU Revised instructions (EU) 2015/863 of the European parliament.

It is only valid in connection with the test report (Report No.: COBO25110736-R1)

RoHS

Signed for and on Behalf of COBO

Sam Xie

Sam Xie / Technical Manager

GUANGDONG TI COBO TESTING CO.,LTD.
EA601,Yishili Building No.9,Zongbu 2nd Road,Songshan Lake Sci.&Tech. Park,Dongguan,Guangdong,China
Tel:86-769-26622263 Fax:86-769-26622012

ATTESTATION ◆ ATTESTATO ◆ ATTESTACIÓN ◆ BESCHEINIGUNG ◆ ATTESTATION

Product Service

Attestation of Conformity

No. E8A 128892 0006 Rev. 00

Holder of Attestation:	**GUANG TAI ENTERPRISE CO., LTD.** Rm 402, Bldg 4. No.2 Dapianmei Rd. Dapianmei Village, Dalingshan 523000 Dongguan, Guangdong PEOPLE'S REPUBLIC OF CHINA
Name of Object:	**Power supply** **(Furniture Power Distribution Unit)**
Model(s):	**JN00-00-02K, JN00-00-03K, JN00-00-04K, JN02-00-21, JN02-00-22, JN02-00-23, JN02-00-23K, JN02-00-24K, JN02-00-24, JN02-00-22M, JN02-00-23M, JN02-00-23KM**
Description of Object:	Ratings: Input: 220-250VAC, 50Hz, Max 16A, Max 3680W USB A1/USB A2 Output: 5.0VDC, 2.1A, 10.5W Max Total USB output: 5.0VDC, 2.1A, 10.5W Max Protection Class: I
Tested according to:	EN 55032:2015/A1:2020 EN 55035:2017/A11:2020 EN IEC 61000-3-2:2019/A1:2021 EN 61000-3-3:2013/A2:2021

This Attestation of Conformity is issued on a voluntary basis according to the Directive 2014/30/EU relating to electromagnetic compatibility. It confirms that the listed apparatus complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: www.tuvsud.com/ps-cert

Test report no.: 657602423101

Date, 2025-01-10

(Laurent Yuan)

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.

TÜV SÜD Product Service GmbH • Ridlerstraße 65 • 80339 Munich • Germany

TÜV®

ATTESTATION ◆ ATTESTATO ◆ ATTESTACIÓN ◆ BESCHEINIGUNG ◆ ATTESTATION

Product Service

Attestation of Conformity

No. N8A 128892 0001 Rev. 00

Holder of Attestation: **GUANG TAI ENTERPRISE CO., LTD.**
Rm 402, Bldg 4. No.2 Dapianmei Rd.
Dapianmei Village, Dalingshan
523000 Dongguan, Guangdong
PEOPLE'S REPUBLIC OF CHINA

Product: **Cord extension set**
(Furniture Power Distribution Unit)

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: www.tuvsud.com/ps-cert

Test report no.: 68100240205 01

Date, 2025-01-10

(Michael Xu)

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.

TÜV SÜD Product Service GmbH • Ridlerstraße 65 • 80339 Munich • Germany

TÜV®

Certificate – Сертификат – 證明書 – Certificat – 증명서 – شهادة

Shenzhen ZKT Technology Co., Ltd.
1/F, No. 101, Building B, No. 6, Tangwei Community Industrial Avenue,
Fuhai Street, Bao'an District, Shenzhen, China

Certificate of Compliance

Certificate Number: ZKT-250306L3766C

Certificate's Holder	:	Xingning Lo Chen Photoelectric Co. , Ltd. 602,6f, Zhenhua cultural and sports centre, the new China National Highway 205 of E San Tsuen, No. 2 Xingtian Road, Xingning
Manufacturer	:	Xingning Lo Chen Photoelectric Co. , Ltd. 602,6f, Zhenhua cultural and sports centre, the new China National Highway 205 of E San Tsuen, No. 2 Xingtian Road, Xingning
Trade Mark	:	/
Product	:	Led Strip Light
Model(s)	:	LC-5050, LC-2835, LC-3528, LC-3014, LC-5730, LC-5630, LC-7020, LC-3535
Test Standard	:	EN IEC 55015:2019+A11:2020 EN IEC 61000-3-2:2019 + A1:2021 + A2:2024 EN 61000-3-3:2013 + A1:2019 + A2:2021 EN IEC 61547:2023

This Attestation of Compliance is issued on a voluntary basis for electrical equipment below the voltage limits of EMC Directive 2014/30/EU. The essential requirements are fulfilled accordingly based on the technical specifications applicable at the time of issuance. See also notes overleaf. It is only valid in connection with the test report number: ZKT-250306L3766E.

CE

Shenzhen ZKT Technology Co., Ltd.
Approved
Manager
Mar. 4, 2025

This Certificate of Conformity is based on single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole product and relevant . Directives to be observed.

Certificate – Сертификат – 證明書 – Certificat – 증명서 – شهادة

Shenzhen ZKT Technology Co., Ltd.
1/F, No. 101, Building B, No. 6, Tangwei Community Industrial Avenue,
Fuhai Street, Bao'an District, Shenzhen, China

Certificate of Compliance

Certificate Number: ZKT-250306L3769C

Certificate's Holder	:	**Xingning Lo Chen Photoelectric Co. , Ltd.**
Address	:	**602,6f, Zhenhua cultural and sports centre, the new China National Highway 205 of E San Tsuen, No. 2 Xingtian Road, Xingning**
Manufacturer	:	**Xingning Lo Chen Photoelectric Co. , Ltd.**
Address	:	**602,6f, Zhenhua cultural and sports centre, the new China National Highway 205 of E San Tsuen, No. 2 Xingtian Road, Xingning**
Product	:	**Led Strip Light**
Trade Mark	:	**/**
Model(s)	:	**LC-5050, LC-2835, LC-3528, LC-3014, LC-5730, LC-5630, LC-7020, LC-3535**
Test Method	:	**IEC 62321-5:2013 & IEC 62321-4:2013+A1:2017 & IEC 62321-7-2:2017 & IEC 62321-6:2015 & IEC 62321-8:2017 & IEC 62321-3-1:2013 & IEC 62321-7-1:2015**

The following products have been tested by us and found in conformity with the (RoHS) Directive 2011/65/EU Annex II amending Annex (EU)2015/863 and amending Annex (EU)2017/2102. It is possible to use CE Marking to demonstrate the conformity with this Directive.It is only valid in connection with the test report number: ZKT-250306L3769R. After preparation of the necessary technical documentation according the reguirement of EN IEC 63000:2018 as well as the verification of conformity the CE marking as shown below can beaffixed on the equipment.

CE

Shenzhen ZKT Technology Co., Ltd.
Approved
Manager
Mar, 04, 2025

This Certificate of Conformity is based on single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole product and relevant . Directives to be observed.

Verification of compliance Verification of compliance Verification of compliance

Verification of Compliance

Verification No.:	MK25080113P01-C01
Name and address of Applicant:	**Shenzhen Meideno Technology Co., Ltd.** 34th Floor,Hongfa Li Building, Guangming Road, Sima Pu town, Chaonan District,Shantou City
Name and address of Manufacturer:	**Shenzhen Meideno Technology Co., Ltd.** 34th Floor,Hongfa Li Building, Guangming Road, Sima Pu town, Chaonan District,Shantou City
Product name:	**Bluetooth controller**
Product model(s):	JSY-K18, JSY-K18-1
Product trademark:	N/A

This verification confirms that the product meets the requirements of the following standard.
The conformity was demonstrated based on following standard(s) listed by European Commission as harmonized with Directive RoHS 2.0 Directive (EU) 2015/863 and (EU)2017/2102 amending Annex II to Directive 2011/65/EU

IEC 62321-1:2013	IEC 62321-3-1:2013
IEC 62321-4:2013/AMD1:2017	IEC 62321-5:2013
IEC 62321-6:2015	IEC 62321-7-1:2015
IEC 62321-7-2:2017	IEC 62321-8:2017
IEC 62321-2:2021	

The verification has been carried out in accordance with individual rules and conditions agreed with the applicant. Evaluation has been carried out in accordance with:

Test report(s) No.:	MK25080113P01-C01
Test conducted by:	TMC Testing Services (Shenzhen) Co., Ltd.
Verification issue date:	August 21, 2025

Notes:
This verification refers to the above mentioned product and its conformity in regards of above mentioned standard(s) was proven on test sample.
This verification does not imply meeting all essential requirements, assessment of the series-production or any other restricted Notified Bodies conformity assessment procedure appropriate for the product.
This verification holder shall use this verification in connection to verification of conformity and technical data relevant for the product the verification was issued.

TMC Testing Services (Shenzhen) Co., Ltd.
t:86-755-86642861 cert@tmc-lab.com www.tmc-lab.com
1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyan Street, Baoan District, Shenzhen, China

Bauart Geprüft TMC Product Safety Be Approved

Laboratory Chief
Vivian Jiang

CE

Verification of compliance Verification of compliance Verification of compliance

Verification of Compliance

Verification No.:	MK25040023P01-R01
Name and address of Applicant:	**Shenzhen Meideno Technology Co., Ltd.** 34th Floor,Hongfa Li Building, Guangming Road. Sima Pu town, Chaonan District, Shantou City
Name and address of Manufacturer:	**Shenzhen Meideno Technology Co., Ltd.** 34th Floor,Hongfa Li Building, Guangming Road. Sima Pu town, Chaonan District, Shantou City
Product name:	**2.4G controller**
Rated:	Remote:3V ⎓ Controller:5V ⎓
Product model(s):	JSY-K18, JSY-Y19, MDN-008
Product trademark:	N/A

This verification confirms that the product meets the requirements of the following standard.
The conformity was demonstrated based on following standard(s) listed by European Commission as harmonized with RE Directive (2014/53/EU).

ETSI EN301 489-1 V2.2.3 (2019-11)
ETSI EN 301 489-17 V3.3.1 (2024-09)
ETSI EN 300 328 V2.2.2 (2019-07)
EN 62479:2010 EN50663:2017
EN IEC 62368-1:2020+A11:2020

The verification has been carried out in accordance with individual rules and conditions agreed with the applicant. Evaluation has been carried out in accordance with:

Test report(s) No.:	MK25040023P01-S01 MK25040023P01-E01 MK25040023P01-RF01 MK25040023P01-H01
Test conducted by:	TMC Testing Services (Shenzhen) Co., Ltd.
Verification issue date:	April 17, 2025

Notes:

This verification refers to the above mentioned product and its conformity in regards of above mentioned standard(s) was proven on test sample.

This verification does not imply meeting all essential requirements, assessment of the series-production or any other restricted Notified Bodies conformity assessment procedure appropriate for the product.

This verification holder shall use this verification in connection to verification of conformity and technical data relevant for the product the verification was issued.

TMC Testing Services (Shenzhen) Co., Ltd.
t:86-755-86642861 cert@tmc-lab.com www.tmc-lab.com
1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyan Street, Baoan District, Shenzhen, China

Bauart geprüft TMC Product Safety

Lab Manager: Vivian Jiang

CE