


Montageanleitung | Instructions de montage

Assembly Instructions| Instrucciones de montaje

SKU NUMBER: N616P531506/N616P531507/N616P531508 (160 X 200)
N616P531509/N616P531510/N616P531511 (180 X 200)



EC REP	Decobus Handel GmbH Innungsstrasse 9, 21244 Buchholz, Deutschland
This product contains <2> light source of energy efficiency class <F> Dieses Produkt enthält <2> Lichtquelle der Energieeffizienzklasse <F> FR-Ce produit contient <2> source lumineuse de classe d'efficacité énergétique <F>	

GB This set comes in 3 boxes. If you do not receive a full set of 3 boxes, please contact our customer service.

DE Dieses Set wird in 3 Schachteln geliefert. Wenn Sie nicht ein komplettes Set von 3 Boxen erhalten, kontaktieren Sie bitte unseren Kundenservice.

FR Ce set est livré en 3 boîtes. Si vous ne recevez pas un jeu complet de 3 boîtes, veuillez contacter notre service clientèle.

English

IMPORTANT ! KEEP FOR FUTURE REFERENCE : READ CAREFULLY

- To be assembled by an adult. Assembly must be checked by an adult before use
- WARNING ! Keep all screws, small parts and plastic bags out of the reach of children
- Properly identify all parts before assembling
- Never use your item if any of its parts are broken or missing
- Should any problems arise, please contact our After Sales Service
- Manufacturer's instructions shall be followed at all times
- Care: Clean with a soft, dry cloth. In case of larger stains, carefully rub with a slightly damp, non-abrasive sponge
- Avoid the risk of fire by not placing furniture near sources of ignition or hot items
- Do not jump on the bed

Deutsch

WICHTIG ! ZUM SPÄTEREN NACHSCHLAGEN AUFBEWAHREN: SORGFÄLTIG LESEN

- Muss von einem Erwachsenen zusammengebaut werden. Der Zusammenbau muss vor dem Gebrauch von einem Erwachsenen überprüft werden
- WARNUNG! Bewahren Sie alle Schrauben, Kleinteile und Plastikbeutel außerhalb der Reichweite von Kindern auf
- Kennzeichnen Sie vor dem Zusammenbau alle Teile richtig
- Benutzen Sie Ihren Artikel niemals, wenn Teile gebrochen sind oder fehlen
- Sollten Probleme auftreten, wenden Sie sich bitte an unseren Kundendienst
- Die Anweisungen des Herstellers sind stets zu befolgen
- Pflege: Mit einem weichen, trockenen Tuch reinigen. Bei größeren Flecken vorsichtig mit einem leicht feuchten, nicht scheuernden Schwamm abreiben. nicht scheuernden Schwamm
- Vermeiden Sie die Gefahr eines Brandes, indem Sie die Möbel nicht in der Nähe von Zündquellen oder heißen Gegenständen aufstellen
- Nicht auf das Bett springen

Français

IMPORTANT ! CONSERVER POUR RÉFÉRENCE ULTÉRIEURE : LIRE ATTENTIVEMENT

- Le montage doit être effectué par un adulte. Le montage doit être vérifié par un adulte avant Utilisation
- ATTENTION ! Tenir les vis, les petites pièces et les sachets en plastique hors de portée des enfants
- Identifiez correctement toutes les pièces avant de les assembler
- N'utilisez jamais votre article si l'une de ses pièces est cassée ou manquante
- En cas de problème, veuillez contacter notre service après-vente
- Les instructions du fabricant doivent être respectées à tout moment
- Entretien : nettoyer avec un chiffon doux et sec. En cas de taches plus importantes, frotter soigneusement avec une éponge non abrasive légèrement humide. légèrement humide et non Abrasive
- Évitez les risques d'incendie en ne plaçant pas les meubles à proximité de sources d'inflammation ou d'objets chauds
- Ne pas sauter sur le lit

Italiano



IMPORTANTE! CONSERVARE PER RIFERIMENTO FUTURO: LEGGERE ATTENTAMENTE


- Deve essere assemblato da un adulto. L'assemblaggio deve essere controllato da un adulto prima dell'uso
- ATTENZIONE! Tenere tutte le viti, le piccole parti e i sacchetti di plastica fuori dalla portata dei bambini
- Identificare correttamente tutte le parti prima dell'assemblaggio
- Non utilizzare mai l'articolo se alcune parti sono rotte o mancanti
- In caso di problemi, si prega di contattare il nostro Servizio Post Vendita
- Le istruzioni del produttore devono essere sempre seguite
- Cura: Pulire con un panno morbido e asciutto. In caso di macchie più estese, strofinare accuratamente con una spugna leggermente umida e nonspugna leggermente umida e non abrasiva
- Evitare il rischio di incendio, non collocando i mobili vicino a fonti di accensione o a oggetti caldi
- Non saltare sul letto

Español

¡ IMPORTANTE ! CONSERVELO PARA FUTURAS CONSULTAS: LEA ATENTAMENTE

- Debe ser montado por un adulto. El montaje debe ser comprobado por un adulto antes del uso
- ADVERTENCIA Mantenga todos los tornillos, piezas pequeñas y bolsas de plástico fuera del alcance de los niños.
- Identifique correctamente todas las piezas antes de montarlas
 - Nunca utilice su artículo si alguna de sus piezas está rota o falta
 - Si surge algún problema, póngase en contacto con nuestro Servicio Postventa
 - Las instrucciones del fabricante deben seguirse en todo momento
 - Cuidado: Limpiar con un paño suave y seco. En caso de manchas más grandes, frote cuidadosamente con una esponja no abrasiva ligeramente humedecida.
 - Evite el riesgo de incendio no colocando los muebles cerca de fuentes de ignición u objetos calientes.
 - No saltar sobre la cama.






EN_QUICKFIT: Tighten quickfit until shoulder is flush with panel. Do not overtighten or undertighten.

FR_RACCORD RAPIDE: Faites serrer le raccord rapide jusqu'à ce que l'épaule soit parfaitement encastré dans le panneau. Il ne faut ni trop serrer ni insuffisamment serrer.

ES_QUICKFIT: Apriete quickfit hasta que el hombro se descargue con el panel. NO lo sobreapriete ni lo apriete poco.

DE_QUICKFIT: Ziehen Sie den Quickfit fest, bis die Schulter mit der Platte bündig ist. Bitte nicht zu fest oder zu schwach anziehen.

IT_MONTAGGIO RAPIDO: Stringere il montaggio rapido fino a quando la spalla è a filo con il pannello, non stringere troppo o troppo poco.




EN_CAM LOCK: When fitting cam lock, ensure starting position is correct before you insert connecting quickfit.

FR_SERRURE BATTEUSE: Avant d'insérer la serrure batteuse, veillez à la bonne orientation avant d'insérer le raccord rapide.

ES_CIERRE DE LA CÁMARA: Cuando instale el cierre de la cámara, asegúrese de que la posición de inicio es correcta antes de que inserte el quickfit conector.

DE_CAM-LOCK: Achten Sie bei der Montage des Cam-Locks auf die richtige Ausgangsposition, bevor Sie den Quickfit einsetzen.

IT_BLOCCAGGIO A CAMMA: Quando si monta il bloccaggio a camma, assicurarsi che la posizione iniziale sia corretta prima di inserire il montaggio rapido di collegamento.



EN_Quickfit head should be in the centre of the cam lock when the two panels are joined.

Cam lock should be inserted before quickfit.

FR_Lorsque les deux panneaux sont assemblés, la tête du raccord rapide doit reposer au centre de la serrure batteuse. Il faut insérer la serrure batteuse avant le raccord rapide.

ES_El cabezal del quickfit debe estar en el centro del cierre de la cámara cuando se unan los dos paneles.


Se debe insertar el cierre de la cámara antes que el quickfit.

DE_Der Quickfit-Kopf sollte sich in der Mitte des Cam-Locks befinden, wenn die beiden Platten zusammengefügt sind.

Der Cam-Lock sollte vor dem Quickfit eingesetzt werden.

IT_La testa del montaggio rapido deve trovarsi al centro del bloccaggio a camma quando i due pannelli sono uniti.

Il Bloccaggio a Camma deve essere inserito prima del montaggio rapido.



EN_Turn cam lock clockwise to tighten.


FR_Faites tourner la serrure batteuse dans le sens des aiguilles d'une montre pour la resserrer.

ES_Gire el cierre de la cámara en sentido horario para apretarlo.









DE_Drehen Sie den Cam-Lock im Uhrzeigersinn, um ihn festzuziehen.

IT_Ruotare il bloccaggio a camma in senso orario per stringere.












Stückliste









N616P531506 / N616P531509

3		X1	15		X1	18		X1
8		X2	16		X2	19		X2
10		X1	17		X1	30		X12
						41		X2








N616P531507 / N616P531510

1		X4	21		X2	26		X1
2		X1	22		X2	27		X2
4		X2	23		X2	28		X1
7		X1	24		X1	29		X1
20		X1	25		X2	31		X2

N616P531507/N616P531510









32		X1	35		X2	38		X1
33		X4	36		X2	39		X4
34		X4	37		X1	40		X1
						42		X2

N616P531508 / N616P531511





5		X1	11		X1	14		X1
6		X1	12		X1			
9		X2	13		X1			

Hardware List-Hardware-Liste-Liste du matériel




N616P531507 / N616P531510

A		X2	G	 M8x10mm	X60	N	 φ22xφ8xT2.0	X42
B	 M4x15mm	X12	H	 M8x30mm	X12	P		X4
C	 M4x35mm	X4	J	 M8x35mm	X14	Q		X8
D	 M6x20mm	X2	K	 M8x40mm	X14	R		X8
E	 M6x30mm	X18	L	 M8x50mm	X9	S	 M4x14mm	X4
F	 M6x45mm	X6	M	 φ12xφ4xT1.0	X4			

1	A x 1 	D x 2  M6 x 20mm	E x 18  M6 x 30mm	N x 26  $\phi 22 \times \phi 8 \times T2.0$	F x 6  M6 x 45mm
----------	---	--	---	---	--



2	A x 1 	J x 8  M8 x 35mm	K x 8  M8 x 40mm	N x 16  $\phi 22 \times \phi 8 \times T2.0$
----------	---	--	--	---



3

A x 1



B x 2







M4x15mm

S x 4



M4x14mm



100%

4



A x 1



G x 6



M8 x 10mm




5

A x 1



C x 4



M4 x 35mm

M x 4




φ12xφ4xT1.0

P x 4



100%



6


A x 1



G x 20



M8 x 10mm



7


A x 1



H x 12



M8 x 30mm



8


A x 1



L x 2



M8 x 50mm



9



A x 1



L x 2



M8 x 50mm



X2

10




A x 1





G x 4



M8 x 10mm



70%



70%

11


A x 1



J x 4



M8 x 35mm



12

A x 1



J x 2




M8 x 35mm

L x 1



M8 x 50mm




13

A x 1

L x 4



M8 x 50mm




14

A x 1



G x 6



M8 x 10mm



15



EN: When tightening Part 23, ensure Part 19 and 41 is closely against Part 23.



DE: Beim Festziehen von Teil 23 stellen Sie sicher, dass Teil 19 und 41 eng an Teil 23 anliegt.

FR: Lors du serrage de la pièce 23, assurez-vous que la pièce 19 et 41 est bien plaquée contre la pièce 23.

ES: Al apretar la pieza 23, asegúrese de que la pieza 19 y 41 quede bien ajustada contra la pieza 23.

IT: Durante il serraggio del componente 23, assicurarsi che il componente 19 e 41 sia ben aderente al componente 23.

16



EN: When tightening Part 19, ensure Part 19 and 41 is closely against Part 23.

DE: Beim Anziehen von Teil 19 sicherstellen, dass Teil 19 eng an Teil 23 und 41 anliegt.

FR: Lors du serrage de la pièce 19, veiller à ce que la pièce 19 et 41 soit bien appliquée contre la pièce 23.

ES: Al apretar la pieza 19, asegúrese de que la pieza 19 y 41 quede ajustada contra la pieza 23.

IT: Durante il serraggio del componente 19, assicurarsi che il componente 19 e 41 aderisca strettamente al componente 23.


EN: Attach part No.32 to the foot-end of the bed first, then pass it through the bed side.

DE: Befestigen Sie Teil Nr.32 zuerst am Fußende des Bettes, dann führen Sie es durch die Bettseite.

FR: Fixez d'abord la pièce n°32 à l'extrémité du pied du lit, puis passez-la à travers le côté du lit.

ES: Fijez d'abord la pieza n°32 a l'extrémité du pied du lit, puis passez-la à travers le côté du lit.

IT: Fissare prima il pezzo n.32 all'estremità del piede del letto, quindi farlo passare attraverso il lato del letto.



EN: Peel off the adhesive backing of part 39, then stick it onto the bed side panel.

DE: Ziehen Sie die Kleberückseite von Teil 39 ab und kleben Sie es auf die Bettseite.

FR: Retirez le dos adhésif de la pièce 39 et collez-la sur le panneau latéral du lit.

ES: Quite el respaldo adhesivo de la pieza 39 y péguela en el panel lateral de la cama.

IT: Rimuovere il retro adesivo del componente 39 e incollarlo sul pannello laterale del letto.



EN: Scan to download App control the Led light.

DE: Scannen, um die App zum Steuern des LED-Lichts herunterzuladen.

FR: Scanner pour télécharger App contrôler la lumière Led.

ES: Analice para descargar la aplicación control de la luz Led.

IT: Scansiona per scaricare l'applicazione controlla la luce Led.

18


A x 1



G x 8



M8 x 10mm





19

A x 1



Q x 8






20

A x 1



R x 8






21

A x 1





B x 8


M4 x 15mm





22




100%





23



26




27



40

EN: Use part No.40 to cover the extra holes.
DE: Utilisez la pièce n°40 pour couvrir les trous supplémentaires.
FR: Verwenden Sie Teil Nr.40, um die überflüssigen Löcher abzudecken.
ES: Utilice la pieza n.º 40 para tapar los agujeros sobrantes
IT: Utilizzare il pezzo n°40 per coprire i fori in eccesso.


28



42

EN: Remove the adhesive backing from Part 42
DE: Kleberückseite von Teil 42 abziehen
FR: Retirer le dos adhésif de la pièce 42
ES: Quitar el respaldo adhesivo de la pieza 42
IT: Rimuovere il retro adesivo del componente 42

29



Declaration of Conformity

Certificate No. : RLT2406068-02

Applicant : EYUE TECHNOLOGY CO., LTD
2F, XINWANGYUAN HIGH-TECH INDUSTRIAL PARK,
ZHANGMUTOU TOWN, DONGGUAN, GUANGDONG, 523627 CHINA

Manufacturer : EYUE TECHNOLOGY CO., LTD
2F, XINWANGYUAN HIGH-TECH INDUSTRIAL PARK,
ZHANGMUTOU TOWN, DONGGUAN, GUANGDONG, 523627 CHINA

Product Name : reading light

Trademark : N/A

Main Test Model : EY-L119

Additional Model : EY-L111, EY-L118, EY-LXXX

Test Standard : EN IEC 60598-2-2:2012 used in conjunction with
EN IEC 60598-1:2021 + AMD11:2022

As shown in the Test Report No. : RLT2406068-02

The EUT described above has been tested by us with the listed standards and found in compliance with the council LVD directive 2014/35/EU. It is possible to use CE marking to demonstrate the compliance with this LVD Directive.

The certificate applies to the tested sample above mentioned only and shall not imply an assessment of the whole production.



Jun.25, 2024

Rhenish-Lab Certification & Testing (Shenzhen) Co., Ltd.

101, Building B, Bailu Plaza, No.48, Gonghe Industrial Road, Gongle, Xixiang Subdistrict, Bao'an District, Shenzhen, Guangdong, China

www.rhenish-lab.com Tel: +86-755-23012546 Email: service001@rhenish-lab.com

Certificate of Conformity

Certificate No. : RLT2406068-01R1

Applicant : EYUE TECHNOLOGY CO., LTD
2F, XINWANGYUAN HIGH-TECH INDUSTRIAL PARK, ZHANGMUTOU
TOWN, DONGGUAN, GUANGDONG, 523627 CHINA

Manufacturer : EYUE TECHNOLOGY CO., LTD
2F, XINWANGYUAN HIGH-TECH INDUSTRIAL PARK, ZHANGMUTOU
TOWN, DONGGUAN, GUANGDONG, 523627 CHINA

Product Name : Reading light

Trademark : N/A

Main Test Model : EY-L119

Additional Model : EY-L111, EY-L118, EY-LXXX

Test Standard : EN IEC 55015:2019+A11:2020,
EN 61547:2023
EN IEC 61000-3-2:2019/A1:2021
EN 61000-3-3:2013/A2:2021/AC:2022

As shown in the Test Report No. : RLT2406068-01

The EUT described above has been tested by us with the listed standards and found in compliance with the council EMC directive 2014/ 30/ EU. It is possible to use CE marking to demonstrate the compliance with this EMC Directive.

The certificate applies to the tested sample above mentioned only and shall not imply an assessment of the whole production.



Jun. 25, 2024

Rhenish-Lab Certification & Testing (Shenzhen) Co., Ltd.

101, Building B, Bailu Plaza, No.48, Gonghe Industrial Road, Gongle, Xixiang Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Certificate of Conformity

Certificate No. : RLT2409164-03

Applicant : EYUE TECHNOLOGY CO., LTD
2F, XINWANGYUAN HIGH-TECH INDUSTRIAL PARK,
ZHANGMUTOU TOWN, DONGGUAN, GUANGDONG, 523627
CHINA

Manufacturer : EYUE TECHNOLOGY CO., LTD
2F, XINWANGYUAN HIGH-TECH INDUSTRIAL PARK,
ZHANGMUTOU TOWN, DONGGUAN, GUANGDONG, 523627
CHINA

Product Name : Reading light

Trademark : N/A

Main Test Model : EY-L119

Additional Model : EY-L111 EY-L118 EY-LXXX

Test Standard : IEC 62321-4:2013+AMD1:2017, IEC 62321-5:2013,
IEC 62321-6:2015, IEC 62321-7-1:2015,
IEC 62321-7-2:2017, IEC 62321-8:2017

As shown in the Test Report No. : RLT2409164-03

The EUT described above has been tested by us and found in compliance with the council RoHS 2 Directive 2011/65/EU Annex II (EU) 2015/863 as last amended by Directive (EU) 2017/2102. This certificate is only valid in conjunction with the test report.

RoHS



Daniel Wan
Manager
Oct.08, 2024

Rhenish-Lab Certification & Testing (Shenzhen) Co., Ltd.

101, Building B, Bailu Plaza, No.48, Gonghe Industrial Road, Gongle, Xixiang Subdistrict, Bao'an District, Shenzhen, Guangdong, China

www.rhenish-lab.com Tel: +86-755-23012546 Email: service001@rhenish-lab.com

W-POWER Certificate of Conformity

Certificate No. : WTY22030301001S
Report No. : WTY22030301001S

Applicant : Shenzhen Fangxin Technology Co. Ltd.

Address : The third floor,Bldg9, A6 Areal, Tongfuyu Industrial Park,
Shajing Street, Bao'an District, ShenZhen City, China

Product : USB Power ADAPTER

Brand Name : Fxin

Model No. : FX18E-050300U1, FX18E-050300U3, FX18E-050300U9,
FX18E-050300U12

Ratings : Input: 100-240V~, 50/60Hz, 0.5A, Class II apparatus
Output: See report for details.

Test Standard(s) : EN 62368-1:2014+A11:2017

This certificate of conformity is based on an evaluation of a sample of the above mentioned product. Technical Report and documentation are at the Licence Applicants disposal. Once compliance with all product relevant mark regulations are verified, including any relevant e.g. risk assessment and production control, the manufacturer may indicate compliance by signing a Declaration of Conformity themselves and applying the mark to products identical to the tested sample(s).



Hero wu
(Manager)
Mar. 23, 22

Shenzhen Watt Power Testing Institute Co., Ltd.

Tel: (86)-755-85297065

Fax: (86)-755-21500685

Http://: www.wtypower.com

Mail: test@wtypower.com

Area A, Floor 1, Building C, Guosheng Industrial Park, No. 101 Junxin Road, Shimajing community ,

Guanlan Street, Longhua New District, Shenzhen

Certificate of Compliance

Certificate No.: AITSZ-250710061RC09

The EUT described above has been consolidated by us and found in compliance with the council RoHS 2.0 Directive(EU)2015/863and(EU)2017/2102 amending Annex I to Directive2011/65/EU.

Applicant : Shenzhen Pinchengxin Technology Co., Ltd
Address : 3rd floor, 8 building Yuanling industrial zon, No. 39 Yuanlingcun road, Shiyan street, Bao'an district, Shenzhen
Manufacturer : Shenzhen Pinchengxin Technology Co., Ltd
Address : 3rd floor, 8 building Yuanling industrial zon, No. 39 Yuanlingcun road, Shiyan street, Bao'an district, Shenzhen
Product : 5050 RGB LED Strip Lights with Bluetooth App Controller
Model No. : LED 5050 RGB
Trade mark : N/A
Test Report No. : AITSZ-250710061R

Test Standards:

IEC 62321-3-1: 2013
IEC 62321-4:2013+AMD1:2017 CSV
IEC 62321-5:2013
IEC 62321-6:2015
IEC 62321-7-1:2015
IEC 62321-7-2:2017
IEC 62321-8:2017

RoHS

Lizhen
Lizhen
Date: Jul.18, 2025



The statement is based on a single evaluation of one sample of above mentioned products. It does not imply an assessment of the whole production and does not permit the use of the test lab's logo.



Guangdong Asia Hongke Test Technology Co., Ltd.
B1/F, Building 11, Junfeng Industrial Park, Chongqing Road, Heping Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China
Tel: +86. 0755-23096763
<https://www.aitek.org.cn>
E-mail: info@aitek.org.cn

CERTIFICATE OF COMPLIANCE

No.: AITSZ-250710061C-C01

Product: 5050 RGB LED Strip Lights with Bluetooth App Controller
Trade Mark: N/A
Model: LED 5050 RGB
Applicant: Shenzhen Pinchengxin Technology Co., Ltd
Address: 3rd floor, 8 building Yuanling industrial zon, No. 39 Yuanlingcun road, Shiyan street, Bao'an district, Shenzhen
Manufacture: Shenzhen Pinchengxin Technology Co., Ltd
Address: 3rd floor, 8 building Yuanling industrial zon, No. 39 Yuanlingcun road, Shiyan street, Bao'an district, Shenzhen

The test sample of product has passed the test according to requirements of the following standards:

Standard(s):	Test report(s) No.:
EN 55032:2015+A11:2020 EN 55035:2017+A11:2020	AITSZ-250710061CE1

Based on the voluntary assessment of the product sample and technical file, we confirm that the above-mentioned product meets the essential requirements of the Electromagnetic Compatibility (EMC) Directive 2014/30/EU.
The CE mark as show below can be used, under the responsibility of the manufacturer or the importer, after completion of an EC declaration of conformity and follow the CE mark usage rules.

CE

Approved by/Date: *Allen Wang*
Allen Wang
Jun. 23, 2025



The statement is based on a single evaluation of one sample of above mentioned products. It does not imply an assessment of the whole production and does not permit the use of the test lab's logo.



Guangdong Asia Hongke Test Technology Limited
B1/F, Building 11, Junfeng Industrial Park, Chongqing Road, Heping Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China
www.aitek.org.cn
E-mail: info@aitek.org.cn

CERTIFICATE OF COMPLIANCE

No.: AITSZ-250710061C-C01

Product: 5050 RGB LED Strip Lights with Bluetooth App Controller
Trade Mark: N/A
Model: LED 5050 RGB
Applicant: Shenzhen Pinchengxin Technology Co., Ltd
Address: 3rd floor, 8 building Yuanling industrial zon, No. 39 Yuanlingcun road, Shiyan street, Bao'an district, Shenzhen
Manufacture: Shenzhen Pinchengxin Technology Co., Ltd
Address: 3rd floor, 8 building Yuanling industrial zon, No. 39 Yuanlingcun road, Shiyan street, Bao'an district, Shenzhen

The test sample of product has passed the test according to requirements of the following standards:

	Standard(s):	Test report(s) No.:
Article 3.1a)	EN IEC 62368-1:2020+A11:2020	AITSZ-250710061S
	EN 62479: 2010	AITSZ-250710061CW3
	EN 50663: 2017	
Article 3.1b)	ETSI EN 301 489-1 V2.2.3 (2019-11) ETSI EN 301 489-17 V3.2.4 (2020-09)	AITSZ-250710061CW1
Article 3.2)	ETSI EN 300 328 V2.2.2 (2019-07)	AITSZ-250710061CW2

Based on the voluntary assessment of the product sample and technical file, we confirm that the above-mentioned product meets the essential requirements of the Radio Equipment Directive (RED) 2014/53/EU.

The CE mark as show below can be used, under the responsibility of the manufacturer or the importer, after completion of an EC declaration of conformity and follow the CE mark usage rules.

CE

Approved by/Date: *Sean She*
Sean She
July 23, 2025



The statement is based on a single evaluation of one sample of above mentioned products. It does not imply an assessment of the whole production and does not permit the use of the test lab's logo.



Guangdong Asia Hongke Test Technology Limited
B1/F, Building 11, Junfeng Industrial Park, Chongqing Road, Heping Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China
www.aitek.org.cn
E-mail: info@aitek.org.cn

Certificate of Conformity

Certificate No. : WTY22030301001E

Report No. : WTY22030301001E

Applicant : Shenzhen Fangxin Technology Co., Ltd
Address : The third floor, Bldg9, A6 Areal, Tongfuyu Industrial Park, Shajing Street, Bao'an District, ShenZhen City, China
Product : SWITCHING ADAPTER
Model No. : FX18E-050300U1, FX18E-050300U3, FX18E-050300U9, FX18E-050300U12

Model No.	Rating input	Rating output	Output Power (W. Max)
FX18E-050300U1	100-240V~, 50/60Hz, 0.5A	5VDC, 3A; 9VDC, 2A; 12VDC, 1.5A.	18.0
FX18E-050300U3		5VDC, 3A	15.0
FX18E-050300U9		9VDC, 2A	18.0
FX18E-050300U12		12VDC, 1.5A	18.0

Test Standard(s) : EN 55032:2015/A11:2020
EN 55035:2017/A11:2020
EN IEC61000-3-2:2019/A1:2021
EN 61000-3-3:2013/A1:2019

This certificate of conformity is based on an evaluation of a sample of the above mentioned product. Technical Report and documentation are at the License Applicant's disposal. This is to certify that the tested sample is in conformity with the Directive 2014/30/EU relating to electromagnetic compatibility.

This certificate does not imply assessment of the series-production of the product. The Applicant of the certificate is authorized to use this certificate in connection with the EC declaration of conformity according to Annex IV of the Directive.

CE



Hero wu
(Manager)
Mar. 18, 2022

Shenzhen Watt Power Testing Institute Co., Ltd.
Tel: (86)-755-85297065 Fax: (86)-755-21500685
<http://www.wtppower.com> Mail: test@wtppower.com
Floor 1, Bldg. C, Guosheng Industry Zone, No. 101 Junxin Road, Guanlan, Longhua New District, Shenzhen



Certificate of Conformity

Certificate No. : WTY22030301001S
Report No. : WTY22030301001S

Applicant : Shenzhen Fangxin Technology Co. Ltd.
Address : The third floor,Bldg9, A6 Areal, Tongfuyu Industrial Park,
Shajing Street, Bao'an District, ShenZhen City, China
Product : USB Power ADAPTER
Brand Name : Fxin
Model No. : FX18E-050300U1, FX18E-050300U3, FX18E-050300U9,
FX18E-050300U12
Ratings : Input: 100-240V~, 50/60Hz, 0.5A, Class II apparatus
Output: See report for details.

Test Standard(s) : EN 62368-1:2014+A11:2017

This certificate of conformity is based on an evaluation of a sample of the above mentioned product. Technical Report and documentation are at the Licence Applicants disposal. Once compliance with all product relevant mark regulations are verified, including any relevant e.g. risk assessment and production control, the manufacturer may indicate compliance by signing a Declaration of Conformity themselves and applying the mark to products identical to the tested sample(s).



Hero wu
(Manager)
Mar. 23, 22



Shenzhen Watt Power Testing Institute Co., Ltd.

Tel: (86)-755-85297065

Fax: (86)-755-21500685

Http://: www.wtypower.com

Mail: test@wtypower.com

Area A, Floor 1, Building C, Guosheng Industrial Park, No. 101 Junxin Road, Shimajing community ,
Guanlan Street, Longhua New District, Shenzhen



Access to the World

Certificate of Conformity

NO.: EDG2311070233C00601CMI

The following products have been tested by us with the listed standards and found in conformity with the Directive 2011/65/EU and its amendment directive (EU) 2015/863 of the European Parliament and of the Council with regard to the restriction of the use of certain hazardous substances in electrical and electronic equipment. It is possible to use CE marking to demonstrate the conformity with this Directive.

Applicant : Shenzhen Fangxin Technology Co.,Ltd.
Address : 3F,Building 9, A6 Areal,Tongfuyu Industrial Park, Shajing Street, Bao ' an District, Shenzhen City,China
Manufacturer : Shenzhen Fangxin Technology Co.,Ltd.
Address : 3F,Building 9, A6 Areal,Tongfuyu Industrial Park, Shajing Street, Bao ' an District, Shenzhen City,China
Sample Name : SWITCHING POWER ADAPER
Style/Item No. : See Attachment For Details
Test Standards : IEC 62321-3-1:2013
IEC 62321-4:2013+A1:2017
IEC 62321-5: 2013
IEC 62321-7-1:2015
IEC 62321-7-2:2017
IEC 62321-6:2015
IEC 62321-8:2017



Authorized signatory
Nov. 17, 2023

RoHS

This certification is part of the full test report(s) and should be read in conjunction with it.

The certificate is based on a single evaluation of five samples of above-mentioned products. It does not imply an assessment of the whole production and does not permit the use of the test lab logo.



Attachment

Model List:

FX24U-050200U1	FX18U-050300U1	FX18U-050240U1	FX18U-050300U2	FX18U-050240U2
FX18U-050300K1	FX12C-050200V	FX2E-050200U	FX18E-050300U1	FX18E-050240U1
FX18E-050300U2	FX18E-050240U2	FX18U-050300J1	WRP12C-050200V	FX2K-050200U1
FX18B-050300U1	FX18B-050240U1	FX18B-050300U2	FX18B-050240U2	FX18E-050300J1
WRP12C-050200U	FX2B-050200U	FX18P-050300U1	FX18P-050240U1	FX18P-050300U2
FX18P-050240U2	FX18P-050300J1	FX18C-050300U1	FX2P-050200U	FX18C-050300U1
FX18K-050240U1	FX18K-050300U2	FX18K-050240U2	FX18K-050300J1	FX18C-050300U9
FX18C-050300K1	FX18U-050100K	FX18C-050300U12	FX18U-050300K	FX18U-090150K
FX18U-050200K	FX18U-120150K	FX18U-240650K	FX18E-050300J	FX18E-090150J
FX18E-120150J	FX18E-240650J	FX18K-050300J	FX18K-090150J	FX18K-120150J
FX18K-240650J	FX18C-050300K	FX18C-090150K	FX18C-120150K	FX18C-240650K
FX18P-050300J	FX18P-090150J	FX18P-120150J	FX18P-240650J	FX18B-050300J
FX18B-090150J	FX18B-120150J	FX18B-240650J	FX18S-050300J	FX18S-090150J
FX18S-120150J	FX18S-240650J	FX24U-050400K	FX24U-090250K	FX24U-120200K
FX24U-240100K	FX24U-050400C	FX24U-090250C1	FX24U-120200C1	FX24U-240100C1
FX24C-050400C	FX24C-090250C	FX24C-120200C	FX24C-240100C	FX24C-050400C1
FX24C-090250C1	FX24C-120200C1	FX24C-240100C1	FX24E-050400C	FX24E-090250C
FX24E-120200C	FX24E-240100C	FX24E-050400C1	FX24E-090250C1	FX24E-120200C1
FX24E-240100C1	FX24B-050400C	FX24B-090250C	FX24B-120200C	FX24B-240100C
FX24B-050400C1	FX24B-090250C1	FX24B-120200C1	FX24B-240100C1	FX24K-050400C
FX24K-090250C	FX24K-120200C	FX24K-240100C	FX24K-050400J	FX24K-090250J
FX24K-120200J	FX24K-240100J	FX24S-050400J	FX24S-090250J	FX24S-120200J
FX24S-240100J	FX24P-050400C	FX24P-090250C	FX24P-120200C	FX24P-240100C
FX24P-050400C1	FX24P-090250C1	FX24P-120200C1	FX24P-240100C1	FX24P-050400J
FX24P-090250J	FX24P-120200J	FX24P-240100J	FX36C-090300K	FX36C-120300K
FX36C-240150K	FX36C-090300C	FX36C-120300C	FX36C-240150C	FX36U-090300C
FX36U-120300C	FX36U-240150C	FX36E-090300C	FX36E-120300C	FX36E-240150C
FX36B-090300C	FX36B-120300C	FX36B-240150C	FX36K-090300C	FX36K-120300C
FX36K-240150C	FX36S-090300C	FX36S-120300C	FX36S-240150C	FX36P-090300C
FX36P-120300C	FX36P-240150C	FX48C-090400K	FX48C-120400K	FX48C-240250K
FX48C-090400C	FX48C-120400C	FX48C-240250C	FX48E-090400C	FX48E-120400C
FX48E-240250C	FX48B-090400C	FX48B-120400C	FX48B-240250C	FX48U-090400C
FX48U-120400C	FX48U-240250C	FX48K-090400C	FX48K-120400C	FX48K-240250C
FX48P-090400C	FX48P-120400C	FX48P-240250C	FX48C-090400D	FX48C-120400D
FX48C-240250D	FX48C-090400Z	FX48C-120400Z	FX48C-240250Z	FX65C-050800Z
FX65C-090500Z	FX65C-120500Z	FX65C-240300Z	FX65E-050800D	FX65E-090500D
FX65E-120500D	FX65C-240300D	FX65E-050800C	FX65E-090500C	FX65E-120500C
FX65E-240300C	FX65B-050800C	FX65B-090500C	FX65B-120500C	FX65B-240300C
FX200S	FX201S	FX202S	FX203S	FX204S
FX205S	FX206S	FX207S	FX208S	FX209S
FX210S	FX211S	FX212S	FX213S	FX214S
FX215S	FX216S	FX217S	FX218S	FX219S
FX220S	FX221S	FX222S	FX223S	FX224S
FX225S	FX226S	FX227S	FX228S	FX229S
FX230S	FX231S	FX232S	FX233S	FX234S
FX235S	FX236S	FX237S	FX238S	FX239S
FX240S	FX241S	FX242S	FX243S	FX244S
FX245S	FX246S	FX247S	FX248S	FX249S
FX250S	FX251S	FX252S	FX253S	FX254S
FX255S	FX256S	FX257S	FX258S	FX259S
FX260S	FX261S	FX262S	FX263S	FX264S
FX265S	FX266S	FX267S	FX268S	FX269S
FX270S	FX271S	FX272S	FX273S	FX274S
FX275S	FX276S	FX277S	FX278S	FX279S
FX280S	FX281S	FX282S	FX283S	FX284S
FX285S	FX286S	FX287S	FX288S	FX289S
FX290S	FX291S	FX292S	FX293S	FX294S
FX295S	FX296S	FX297S	FX298S	FX299S
FX300S	FX301S	FX302S	FX303S	FX304S
FX305S	FX306S	FX307S	FX308S	FX309S
FX310S	FX311S	FX312S	FX313S	FX314S
FX315S	FX316S	FX317S	FX318S	FX319S
FX320S	FX321S	FX322S	FX323S	FX324S
FX325S	FX326S	FX327S	FX328S	FX329S
FX330S	FX331S	FX332S	FX333S	FX334S
FX335S	FX336S	FX337S	FX338S	FX339S
FX340S	FX341S	FX342S	FX343S	FX344S
FX345S	FX346S	FX347S	FX348S	FX349S
FX350S	FX351S	FX352S	FX353S	FX354S
FX355S	FX356S	FX357S	FX358S	FX359S
FX360S	FX361S	FX362S	FX363S	FX364S
FX365S	FX366S	FX367S	FX368S	FX369S
FX370S	FX371S	FX372S	FX373S	FX374S
FX375S	FX376S	FX377S	FX378S	FX379S
FX380S	FX381S	FX382S	FX383S	FX384S
FX385S	FX386S	FX387S	FX388S	FX389S
FX390S	FX391S	FX392S	FX393S	FX394S
FX395S	FX396S	FX397S	FX398S	FX399S
FX400S	FX401S	FX402S	FX403S	FX404S
FX405S	FX406S	FX407S	FX408S	FX409S
FX410S	FX411S	FX412S	FX413S	FX414S
FX415S	FX416S	FX417S	FX418S	FX419S
FX420S	FX421S	FX422S	FX423S	FX424S
FX425S	FX426S	FX427S	FX428S	FX429S
FX430S	FX431S	FX432S	FX433S	FX434S
FX435S	FX436S	FX437S	FX438S	FX439S
FX440S	FX441S	FX442S	FX443S	FX444S
FX445S	FX446S	FX447S	FX448S	FX449S
FX450S	FX451S	FX452S	FX453S	FX454S
FX455S	FX456S	FX457S	FX458S	FX459S
FX460S	FX461S	FX462S	FX463S	FX464S
FX465S	FX466S	FX467S	FX468S	FX469S
FX470S	FX471S	FX472S	FX473S	FX474S
FX475S	FX476S	FX477S	FX478S	FX479S
FX480S	FX481S	FX482S	FX483S	FX484S
FX485S	FX486S	FX487S	FX488S	FX489S
FX490S	FX491S	FX492S	FX493S	FX494S
FX495S	FX496S	FX497S	FX498S	FX499S
FX500S	FX501S	FX502S	FX503S	FX504S
FX505S	FX506S	FX507S	FX508S	FX509S
FX510S	FX511S	FX512S	FX513S	FX514S
FX515S	FX516S	FX517S	FX518S	FX519S
FX520S	FX521S	FX522S	FX523S	FX524S
FX525S	FX526S	FX527S	FX528S	FX529S
FX530S	FX531S	FX532S	FX533S	FX534S
FX535S	FX536S	FX537S	FX538S	FX539S
FX540S	FX541S	FX542S	FX543S	FX544S
FX545S	FX546S	FX547S	FX548S	FX549S
FX550S	FX551S	FX552S	FX553S	FX554S
FX555S	FX556S	FX557S	FX558S	FX559S
FX560S	FX561S	FX562S	FX563S	FX564S
FX565S	FX566S	FX567S	FX568S	FX569S
FX570S	FX571S	FX572S	FX573S	FX574S
FX575S	FX576S	FX577S	FX578S	FX579S
FX580S	FX581S	FX582S	FX583S	FX584S
FX585S	FX586S	FX587S	FX588S	FX589S
FX590S	FX591S	FX592S	FX593S	FX594S
FX595S	FX596S	FX597S	FX598S	FX599S
FX600S	FX601S	FX602S	FX603S	FX604S
FX605S	FX606S	FX607S	FX608S	FX609S
FX610S	FX611S	FX612S	FX613S	FX614S
FX615S	FX616S	FX617S	FX618S	FX619S
FX620S	FX621S	FX622S	FX623S	FX624S
FX625S	FX626S	FX627S	FX628S	FX629S
FX630S	FX631S	FX632S	FX633S	FX634S
FX635S	FX636S	FX637S	FX638S	FX639S
FX640S	FX641S	FX642S	FX643S	FX644S
FX645S	FX646S	FX647S	FX648S	FX649S
FX650S	FX651S	FX652S	FX653S	FX654S
FX655S	FX656S	FX657S	FX658S	FX659S
FX660S	FX661S	FX662S	FX663S	FX664S
FX665S	FX666S	FX667S	FX668S	FX669S
FX670S	FX671S	FX672S	FX673S	FX674S
FX675S	FX676S	FX677S	FX678S	FX679S
FX680S	FX681S	FX682S	FX683S	FX684S
FX685S	FX686S	FX687S	FX688S	FX689S
FX690S	FX691S	FX692S	FX693S	FX694S
FX695S	FX696S	FX697S	FX698S	FX699S
FX700S	FX701S	FX702S	FX703S	FX704S
FX705S	FX706S	FX707S	FX708S	FX709S
FX710S	FX711S	FX712S	FX713S	FX714S
FX715S	FX716S	FX717S	FX718S	FX719S
FX720S	FX721S	FX722S	FX723S	FX724S
FX725S	FX726S	FX727S	FX728S	FX729S
FX730S	FX731S	FX732S	FX733S	FX734S
FX735S	FX736S	FX737S	FX738S	FX739S
FX740S	FX741S	FX742S	FX743S	FX744S
FX745S	FX746S	FX747S	FX748S	FX749S
FX750S	FX751S	FX752S	FX753S	FX754S
FX755S	FX756S	FX757S	FX758S	FX759S
FX760S	FX761S	FX762S	FX763S	FX764S
FX765S	FX766S	FX767S	FX768S	FX769S
FX770S	FX771S	FX772S	FX773S	FX774S
FX775S	FX776S	FX777S	FX778S	FX779S
FX780S	FX781S	FX782S	FX783S	FX784S
FX785S	FX786S	FX787S	FX788S	FX789S
FX790S	FX791S	FX792S	FX793S	FX794S
FX795S	FX796S	FX797S	FX798S	FX799S
FX800S	FX801S	FX802S	FX803S	FX804S
FX805S	FX806S	FX807S	FX808S	FX809S
FX810S	FX811S	FX812S	FX813S	FX814S
FX815S	FX816S	FX817S	FX818S	FX819S
FX820S	FX821S	FX822S	FX823S	FX824S
FX825S	FX826S	FX827S	FX828S	FX829S
FX830S	FX831S	FX832S	FX833S	FX834S
FX835S	FX836S	FX837S	FX838S	FX839S
FX840S	FX841S	FX842S	FX843S	FX844S
FX845S	FX846S			