



FR
Cet appareil,
ses cordons,
et batterie
se recyclent

À DÉPOSER
EN MAGASIN



OU

À DÉPOSER
EN DÉCHÈTERIE



Points de collecte sur www.quefairedemesdechets.fr
Privilégiez la réparation ou le don de votre appareil !


MONTAGEANLEITUNG

N653P410494

N653P410495

N653P410496

N653P410497



Sets werden normalerweise in mehreren Kartons
versendet, die Liefertermine können variieren.

KUNDENDIENST

Fragen, fehlende Teile, Montagehilfe?

**Eine Rücksendung ist nicht erforderlich, wir helfen Ihnen gerne
weiter und versenden Ihr Ersatzteil kostenlos.**



[DE]

Achtung: Lesen Sie die Anleitung vor dem Zusammenbau bitte vollständig durch. Überprüfen Sie, ob Sie alle auf den Seiten aufgeführten Komponenten und Werkzeuge haben.

Achtung: Überprüfen Sie regelmäßig alle Beschläge und Befestigungen, um sicherzustellen, dass sie sicher sind und um Unfälle zu vermeiden.

Achtung: Stellen Sie Möbel nicht in die Nähe von Feuerquellen oder heißen Gegenständen, um Brandgefahr zu vermeiden.

Achtung: Erlauben Sie Kindern nicht, auf die Möbel zu klettern, da dies zum Umkippen und zu schweren Verletzungen führen kann. Bauen Sie die Möbel außerhalb der Reichweite von Kindern zusammen.

[EN]

Warning: Please read instructions fully before starting assembly. Check you have all the components and tools listed on pages.

Warning: Regularly check all fittings and fastenings to ensure they are secure and to prevent accidents

Warning: Do not place furniture close to fire sources or high-temperature objects to avoid the risk of fire.

Warning: Do not allow children to climb on the furniture as this may result in tipping and serious personal injury. Assemble the furniture away from the reach of children.

[FR]

Avertissement: Veuillez lire entièrement les instructions avant de commencer l'assemblage. Vérifiez que vous disposez de tous les composants et outils répertoriés sur les pages.

Avertissement: Vérifiez régulièrement tous les accessoires et fixations pour vous assurer qu'ils sont bien fixés et pour éviter les accidents

Avertissement: Ne placez pas les meubles à proximité de sources de feu ou d'objets à haute température pour éviter tout risque d'incendie.

Avertissement: Ne laissez pas les enfants grimper sur les meubles car cela pourrait entraîner un basculement et des blessures graves. Assemblez les meubles hors de portée des enfants.

[IT]

Attenzione: leggere attentamente le istruzioni prima di iniziare il montaggio. Verificare di avere tutti i componenti e gli utensili elencati nelle pagine.

Attenzione: controllare regolarmente tutti i raccordi e gli elementi di fissaggio per assicurarsi che siano sicuri e prevenire incidenti

Attenzione: non posizionare i mobili vicino a fonti di fuoco o oggetti ad alta temperatura per evitare il rischio di incendio.

Attenzione: non consentire ai bambini di arrampicarsi sui mobili poiché ciò potrebbe causare ribaltamenti e gravi lesioni personali. Montare i mobili lontano dalla portata dei bambini.

[ES]

Advertencia: Lea las instrucciones completamente antes de comenzar el montaje. Compruebe que tiene todos los componentes y herramientas que se enumeran en las páginas.

Advertencia: Compruebe periódicamente todos los accesorios y sujeciones para asegurarse de que estén seguros y evitar accidentes.

Advertencia: No coloque los muebles cerca de fuentes de fuego u objetos a alta temperatura para evitar el riesgo de incendio.

Advertencia: No permita que los niños se suban a los muebles, ya que esto puede provocar que vuelquen y lesiones personales graves. Monte los muebles fuera del alcance de los niños.



[DE]

Warnung: Die maximale Belastbarkeit dieses Möbels beträgt:150kg, bitte nicht überlasten!

[EN]

Warning: The maximum load-bearing capacity of this furniture is:150kg, please do not overload!

[FR]

Avertissement: La capacité de charge maximale de ce meuble est de :150kg, merci de ne pas surcharger !

[IT]

Attenzione: La capacità di carico massima di questo mobile è:150kg, non sovraccaricare!

[ES]

Advertencia: La capacidad máxima de carga de este mueble es:150kg, ¡no lo sobrecargue!

Importeur	Decobus Handel GmbH
Adresse	Innungsstrasse 9, 21244 Buchholz, Deutschland
Email/URL	https://www.decobusgroup.de
Hersteller	HUBEI MIRITZ FURNITURE CO., LTD.
Adresse	LUOTIAN, HUANGGANG, HUBEI
Email/URL	mars@miritzfurniture.com
Partienummer	N653P410494 / N653P410495 / N653P410496 / N653P410497
Hersteller in	China
EC REP	Decobus Handel GmbH Innungsstrasse 9, 21244 Buchholz, Deutschland https://www.decobusgroup.de



Importeur	Decobus Handel GmbH
Adresse	Innungsstrasse 9, 21244 Buchholz, Deutschland
Email/URL	https://www.decobusgroup.de
Hersteller	Guangdong Sangu Technology Co Ltd
Adresse	402, Chuangye building, Shenzhen, Guangdong
Email/URL	https://sengoog.1688.com
Partienummer	SG-0502000AE
Hersteller in	China
EC REP	Decobus Handel GmbH Innungsstrasse 9, 21244 Buchholz, Deutschland https://www.decobusgroup.de





Product: USB charging
Modell: SG-0502000AE
Nennspannung: 5V
Nennfrequenz: 10W
Leistung: 10W

TEIL





N653P410494

C x 1	D x 1	H x 2	R x 2	U x 3	L x 1
					






N653P410495

F x 2	H x 2	R x 2	U x 2	V x 1	L x 1
					

N653P410496


E x 1	G x 1	J x 1	K x 1	S x 1	T x 1
					
L x 1					
					

N653P410497

A x 1	B x 2	1 x 24	2 x 24	3 x 24	4 x 32
					
5 x 32	6 x 1				
					

MONTAGESCHRITTE


Alle Teile und Hardware




HARDWARE			
NO	DESCRIPTION	SKETCH	QTY
4	Screws		32
5	Washer		32
6	Hex Key		1

ASSEMBLY STEPS



STEP 1

4		4
5		4
6		1



STEP 2



1		4
2		4
3		4
4		4
5		4
6		1



STEP 3


X2


1		8
2		8
3		8
4		8
5		8
6		1



Stick 3 on the 1

STEP 4



4		4
5		4
6		1



ASSEMBLY STEPS




STEP 5

1		4
2		4
3		4
4		4
5		4
6		1




STEP 6

1		4
2		4
3		4




STEP 7

4		4
5		4
6		1




STEP 8

1		4
2		4
3		4
4		4
5		4
6		1



STEP 9




STEP 10


(DE) Entfernen Sie Teil (L,U,V,R,S,T). Es entstehen Falten, da es vakuumkomprimiert ist. Bitte öffnen Sie es, klopfen Sie kräftig darauf und lassen Sie es **72-96** Stunden lang stehen, bevor Sie es verwenden.

(EN) Remove part (L,U,V,R,S,T). Since it is vacuum compressed, there will be wrinkles. Please open it pat it hard, and leave it for **72-96** hours before use.


(FR) Retirez la pièce (L,U,V,R,S,T). Elle aura des plis jusqu'à ce qu'elle est comprimée sous vide. Veuillez l'ouvrir, tapoter vigoureusement et laisser le pendant **72 à 96** heures avant de l'utiliser.



STEP 11



STEP 12





CERTIFICATE OF CONFORMITY

Electromagnetic Compatibility (EMC) Directive 2014/30/EU

This Certificate of Conformity is hereby issued to the product designated below:

Certificate No. : 24EP01101E01
Report No. : EP2401101E01
Date Issue. : 2024-04-28
Applicant's name : Guangdong Sangu Technology Co., Ltd
Address : 402, Chuangye building, 8-28, Shaqi community Central Road, Xinqiao street, Bao'an District, Shenzhen.
Manufacturer's name : Guangdong Sangu Technology Co., Ltd
Address : 402, Chuangye building, 8-28, Shaqi community Central Road, Xinqiao street, Bao'an District, Shenzhen.
Product Description : POWER ADAPTER
Model(s)/Type References : SG-050yyyyz, GA-050yyyyz, GAT-050yyyyz, HZ-050yyyyz,
SG-050yyyyAz, GA-050yyyyAz, GAT-050yyyyAz, HZ-050yyyyAz,
SG-050yyyyAzC, GA-050yyyyAzC, GAT-050yyyyAzC, HZ-050yyyyAzC,
SG-xxxxyyy12Az (xxx, yyyy, z are variables, appendix for details)
Parameters : See appendix for details
Standard(s) : EN 55032:2015+A11:2020+A1:2020
EN 55035:2017+A11:2020
EN IEC 61000-3-2:2019+A1:2021
EN 61000-3-3:2013+A1:2019+A2:2021

On the basis of the referenced test report(s), sample(s) tested of the above product have been found to comply with the standards harmonized with the directives listed on this verification at the time the tests were carried out. Other standards and Directives may be relevant to the product. This verification is part of the full test report(s) and should be read in conjunction with it(them).

Once compliance with all product relevant CE mark directives are verified, including any relevant e.g. risk assessment and production control, the manufacturer may indicate compliance by signing a Declaration of Conformity themselves and applying the mark to products identical to the tested sample(s).

Approved By

Eric Liu
Director of engineering department



Dongguan Pubiao Testing Technology Co., Ltd

No. 3, 1/F., Building A, No.30, Minghua Road, Juzhou, Shijie, Dongguan, Guangdong, China

Tel: +86 769 81813516 E-mail: service@pubiaotest.com Web: www.pubiaotest.com



CERTIFICATE OF CONFORMITY

Electromagnetic Compatibility (EMC) Directive 2014/30/EU

Appendix of Certificate No.: 24EP01101E01

Table A: Definition of variables

Variable	Range of variable	Content
xxx	050-240	3 digits, indicates 10 times of output voltage in V and in step of 0.1V. eg. 050=5.0V, 240=24.0V.
yyyy	0100-2100	4 digits, indicates 1000 times of output current in A and in step of 0.01A. eg. 0100=0.1A, 2100=2.1A.
z	E, B	One capital letter representing the plug type for different countries. E represents European plug and Russian plug; B represents British plug.

Table B: Model list and input / output ratings

Model	Rated input	Rated output			Transformer
		Voltage range (VDC)	Current range (A)	Max. Power (W)	
SG-050yyyyz, GA-050yyyyz, GAT-050yyyyz, HZ-050yyyyz, SG-050yyyyAz, GA-050yyyyAz, GAT-050yyyyAz, HZ-050yyyyAz, SG-050yyyyAzC, GA-050yyyyAzC, GAT-050yyyyAzC, HZ-050yyyyAzC,	100-240V~, 50/60Hz, 0.3A Max.	5.0	0.1-2.0	10.0	EF1510
SG-xxxxyyy12Az	100-240V~, 50/60Hz, 0.6A Max.	5.0-5.5	0.10-2.1	11.55	EF1510-1
		5.6-12.0	0.10-2.0	12.00	
		12.1-24.0	0.10-1.0	12.00	

Dongguan Pubiao Testing Technology Co., Ltd

No. 3, 1/F., Building A, No.30, Minghua Road, Juzhou, Shijie, Dongguan, Guangdong, China

Tel: +86 769 81813516 E-mail: service@pubiaotest.com Web: www.pubiaotest.com



CERTIFICATE OF CONFORMITY

Low Voltage Directive 2014/35/EU

This Certificate of Conformity is hereby issued to the product designated below:

Certificate No. : 24SP01101L01

Report No. : SP2401101L01

Date Issue. : 2024-04-26

Applicant's name : Guangdong Sangu Technology Co., Ltd

Address : 402, Chuangye building, 8-28, Shaqi community Central Road, Xinqiao street, Bao'an District, Shenzhen.

Manufacturer's name : Guangdong Sangu Technology Co., Ltd

Address : 402, Chuangye building, 8-28, Shaqi community Central Road, Xinqiao street, Bao'an District, Shenzhen.

Product Description : POWER ADAPTER

Model(s)/Type References : SG-050yyyyz, GA-050yyyyz, GAT-050yyyyz, HZ-050yyyyz,
SG-050yyyyAz, GA-050yyyyAz, GAT-050yyyyAz, HZ-050yyyyAz,
SG-050yyyyAzC, GA-050yyyyAzC, GAT-050yyyyAzC, HZ-050yyyyAzC,
SG-xxxxyyy12Az (xxx, yyy, z are variables, see table A for details)

Parameters : Input: 100-240V~, 50/60Hz, 0.3A Max. (For models SG-050yyyyz,
GA-050yyyyz, GAT-050yyyyz, HZ-050yyyyz, SG-050yyyyAz,
GA-050yyyyAz, GAT-050yyyyAz, HZ-050yyyyAz, SG-050yyyyAzC,
GA-050yyyyAzC, GAT-050yyyyAzC, HZ-050yyyyAzC)
Input: 100-240V~, 50/60Hz, 0.6A Max. (For models SG-xxxxyyy12Az)
Output: See table B for details

Standard(s) : EN IEC 62368-1:2020/A11:2020

On the basis of the referenced test report(s), sample(s) tested of the above product have been found to comply with the standards harmonized with the directives listed on this verification at the time the tests were carried out. Other standards and Directives may be relevant to the product. This verification is part of the full test report(s) and should be read in conjunction with it(them).

Once compliance with all product relevant CE mark directives are verified, including any relevant e.g. risk assessment and production control, the manufacturer may indicate compliance by signing a Declaration of Conformity themselves and applying the mark to products identical to the tested sample(s)

Approved By

Eric Liu

Director of engineering department

Dongguan Pubiao Testing Technology Co., Ltd

No. 3, 1/F., Building A, No.30, Minghua Road, Juzhou, Shijie, Dongguan, Guangdong, China.

Tel: +86 769 81813516 E-mail: service@pubiaotest.com Web: www.pubiaotest.com



CERTIFICATE OF CONFORMITY

Low Voltage Directive 2014/35/EU

Appendix of Certificate No.: 24SP01101L01

Model Description:

Table A: Definition of variables

Variable	Range of variable	Content
xxx	050-240	3 digits, indicates 10 times of output voltage in V and in step of 0.1V. eg. 050=5.0V, 240=24.0V.
yyyy	0100-2100	4 digits, indicates 1000 times of output current in A and in step of 0.01A. eg. 0100=0.1A, 2100=2.1A.
z	E, B	One capital letter representing the plug type for different countries. E represents European plug and Russian plug; B represents British plug.



DongGuan PuBiao Testing Technology Co., Ltd

No. 3, 1/F., Building A, No.30, Minghua Road, Juzhou, Shijie, Dongguan, Guangdong, China.

Tel: +86 769 81813516 E-mail: service@pubiaotest.com Web: www.pubiaotest.com



CERTIFICATE OF CONFORMITY

Low Voltage Directive 2014/35/EU


Appendix of Certificate No.: 24SP01101L01

Table B: Model list and output ratings:

Model	Output voltage (Vdc)	Output current (A)	Max Power (W)	Transformer
SG-050yyyyz, GA-050yyyyz, GAT-050yyyyz, HZ-050yyyyz, SG-050yyyyAz, GA-050yyyyAz, GAT-050yyyyAz, HZ-050yyyyAz, SG-050yyyyAzC, GA-050yyyyAzC, GAT-050yyyyAzC, HZ-050yyyyAzC	5.0	0.10-2.0	10.0	EF1510
SG-xxxxxyy12Az	5.0-5.5	0.10-2.1	11.55	
	5.6-12.0	0.10-2.0	12.00	
	12.1-24.0	0.10-1.0	12.00	EF1510-1

Remark:

- 1) The rated output voltage is rising from 5.0V and in steps of 0.1V.
- 2) The rated output current is rising from 0.1A and in steps of 0.01A, but not more than the indicated max o/p current.
- 3) Actual output current depends on range of output voltage. The max. Output current multiplied by output voltage cannot exceed the max. Output power.



DongGuan PuBiao Testing Technology Co., Ltd

No. 3, 1/F., Building A, No.30, Minghua Road, Juzhou, Shijie, Dongguan, Guangdong, China.

Tel: +86 769 81813516 E-mail: service@pubiaotest.com Web: www.pubiaotest.com

Shenzhen Deesev Testing International Corporation(DTI)
Floor 9, block B, feiyang science and technology park, no. 8 longchang road, xin 'an sub-district 67, bao 'an district, shenzhen city, guangdong province, China

Phone: +86-0755-32936716, E-mail: DTI@deesev.cn
www.deesev.com

Declaration of Conformity for RoHS

Date of Issue: 2025-08-26

Certificate Number:DTI2025EE020811DC

Shenzhen Deesev Testing International Corporation(DTI) hereby declares that testing has been completed and reports have been generated.

Applicant: Guangdong Sangu Technology Co., Ltd
Applicant address: 402, Chuangye building, 8-28, Shaqi community Central Road, Xinqiao street, Bao'an District, Shenzhen, Guangdong, P.R. China
Product: POWER ADAPTER
Model No. : SG-050yyyyz, GA-050yyyyz, GAT-050yyyyz, HZ-050yyyyz, SG-050yyyyAz, GA-050yyyyAz, GAT-050yyyyAz, HZ-050yyyyAz, SG-xxxyyyy12Az, SG-050yyyyAzC, GA-050yyyyAzC, GAT-050yyyyAzC, HZ-050yyyyAzC, SG-050yyyyAz2U, GA-050yyyyAz2U, GAT-050yyyyAz2U, HZ-050yyyyAz2U, SG-050yyyyAz2C, GA-050yyyyAz2C, GAT-050yyyyAz2C, HZ-050yyyyAz2C, SG-050yyyyzC, GA-050yyyyzC, GAT-050yyyyzC, HZ-050yyyyzC
(xxx, yyyy, z are variables, see table A for details)

And, in accordance with the following Directives:

2011/65/EU and its amendment directive 2015/863/EU

That this product has been assessed against the following Standards:

**IEC 62321-3-1:2013;IEC 62321-4:2013+AMD1:2017;
IEC 62321-5:2013;IEC 62321-7-1:2015;
IEC 62321-7-2:2017;IEC 62321-6:2015;
IEC 62321-8:2017**

This is to attest that, on the basis of the tests undertaken as per Report No. **DTI2025EE020811D**, the submitted sample of the above item complies with this specified standard.

Attestation by: _____

Certification Manager



Date: 2025-08-26